

**TYLÖ®**

Sauna  
Steam  
Infra







# Contents

About Tylö	4
<b>Sauna</b>	6
Sauna room Harmony	8
Sauna room Impression	12
Tylö Design rooms	14
Sensation	15
Passion	16
Panorama	17
Sauna construction	18
Interiors	20
Sauna doors	27
Glazed sections	28
Glass fronts and corners	29
Electric and Wood burning heaters	30
Six good reasons to choose Tylö	32
Choosing the right heater	34
Soft Sauna	35
Home electric sauna heaters	36
Professional electric sauna heaters	38
Control panels	41
Wood burning sauna heaters	42
Buying guide	44
<b>Steam</b>	50
Steam room Impression	52
Steam room Impression Twin	54
Steam room Panacea	56
Steam room Elysee	60
Steam room Excellent	62
Steam column	64
Steam doors	69
Steam generators	70
The new steam generation	72
Steam Commercial & Steam Home	75
Control panels	77
Buying guide	78
<b>Infra</b>	81
Prime+	82
Accessories	84



# About Tylö

## OVER 60 YEARS OF CONSISTENTLY HIGH QUALITY

Tylö AB is a well-established Swedish manufacturer with considerable world market shares and all the resources necessary to ensure industry leading technology and design as well as after-sales support. Our highly successful concept is built on offering products of high quality, which promote relaxation, enjoyment and the pleasure of sauna bathing. All the products that bear our name have been developed and manufactured by Tylö. Today our products are exported to more than 90 countries on every continent, and export sales currently account for more than 70% of our total production. We know that our products maintain a high level of quality. That's why you can feel at ease thanks to the 5-year materials warranty we offer with our products for residential installations.

## MADE IN SWEDEN

The Tylö factory is located in Halmstad on the west coast of Sweden. We have been here since 1950 and continue perfecting our products which are manufactured from scratch solely by us.

## ENVIRONMENTAL CONCERNS A PRIORITY

When you choose a product from Tylö, high quality comes standard. Our quality-mindedness is reflected in all aspects of

our operations, from design and product development to the choice of materials, manufacturing processes, service and support. We are also committed to the environment. Our manufacturing processes are completely clean. There are no harmful emissions from any stage of the production process. The timber we use comes from responsibly managed forests in Scandinavia, the Baltic states and North America. None of our timber is taken from the world's precious rainforests. All plastic components are manufactured from environmentally certified raw materials.

## DEVELOPMENT

The Tylö Research & Development Centre is devoted to constantly developing and perfecting our products and concepts. Collaborating with external test facilities, labs, universities and other institutions help us to keep up to date with the very latest advances in new manufacturing processes, safety developments and consumer legislation. Sophisticated equipment is used to carry out all the many tests that are necessary for Tylö products to be awarded international seals of approval from a variety of official safety testing authorities. Our holistic approach and the fact that we develop all of our products in-house means that we have complete control of every step of the process, right down to the smallest of nuts and bolts.



## INNOVATIVE DESIGN

Smart solutions in the form of well-conceived energy-saving functions and by working diligently in creating products and concepts that adhere to the highest possible safety standards, continues to be our way in maintaining our position as market leaders. For our customers, this hard work manifests itself most clearly in the attractive design and ease of use of our products.

## STRONG SUPPORT

We do our utmost to get things right from the outset, however, questions may pop up from time to time regarding an installation or the operation of a product. Our well-trained and competent local distributors are on hand to answer your questions as clearly and efficiently as possible, and will ensure effective and quick problem-solving. We feel this provides the shortest route between us as sauna experts and you as a sauna customer.



# Sauna rooms

A sauna is total relaxation and cleansing for body and soul. As the world's leading sauna manufacturer, Tylö offers saunas, heaters and bespoke solutions. Our extensive range includes small saunas for your bathroom up to exclusive saunas for larger facilities. The exceptional design and quality of Tylö's heaters set them apart.







# Harmony - A dream project

Tylö's ready-made Harmony sauna room is the solution if you want an easy and convenient route to a sauna of your own. There will be no mess and no long and tedious weeks of fitting and building - your sauna will be delivered in a way that makes installation both quick and easy, making minimum impact on your bathroom or spa area. Installation takes only a day or two, and the end result is a beautiful sauna with no visible fixings, nails or joints. You can plan and configure your own Tylö Harmony sauna room with our easy-to-use online tool or with the help of your local Tylö dealer.

## Lots of sauna for your money, customised standard

Buying a sauna from Tylö is simple. Our Harmony sauna rooms can easily be customised to suit your requirements with regard to size and position. Decide what type of wood you want for the walls and interior fittings, as well as how much glass surface you want for your sauna room. Then you add the sauna heater that best suits your needs, and finally a control panel.

## A new dimension in bathroom luxury

It is clear from a number of published research findings that sauna use in various forms help you to feel better both physically and mentally. Spending time in the sauna helps you unwind and increases your ability to focus on the present, while the relaxing heat causes the body's endorphins to surge. Just about everyone experiences mental calm and feels stronger and more refreshed after a pleasurable sauna experience.

### DAY 1 – DELIVERY & CONSTRUCTION

Prefabricated components delivered as a flat-pack kit



### DAY 2 – READY FOR TAKING A SAUNA!



### ALL SET FOR INSTALLATION OF UTILITIES ON DELIVERY

Ventilation and electricity are all set for connection to enable immediate sauna use.



+



+

**SAUNA HEATER**  
Ready to plug in



The combinations are almost endless - wood finishes, benches, layouts, doors and control panels

New models and materials launching soon!



**CORNER**  
Aspen



**CORNER WITH GLAZED SECTION**  
Spruce



**SQUARE**  
Thermo Aspen



**SQUARE WITH GLAZED SECTION, FRONT**  
Thermo Aspen



**SQUARE WITH GLAZED SECTION, SIDE**  
Aspen



**SQUARE WITH GLAZED SECTION, FRONT & SIDE**  
Spruce



**SQUARE WITH GLASS FRONT**  
Aspen



**SQUARE WITH GLASS CORNER**  
Thermo Aspen



**SQUARE WITH ROUND GLASS CORNER**  
Aspen



## Traditional materials, ultramodern technology

Sauna manufacturer Tylö has over 70 years of experience of sauna production. Over time we have developed our sauna rooms and the associated technology to now function as a fully integrated part of everyday life. A modern sauna is certainly in most case constructed using traditional and fragrant types of wood, but layout, heat source, ventilation and sauna accessories are all modern and well conceived for optimum energy efficiency and sustainability.

## Let us guide you

The Harmony planning tool makes it easy to create your dream sauna. You can find inspiration and information on our website [tylo.com](http://tylo.com). If you need any extra help, just contact us or your local dealer.







A real revolution in home spas

# Impression

Tylö's new Impression sauna range takes up a minimal amount of space, from as little as 1.3 m2. This sauna solution can include both a traditional sauna and a gentler steam sauna. The sauna cubicle comes complete with two sauna benches at different levels. The anodised aluminium profiles of the frame conform to a registered design that ensures maximum versatility within the unique Tylö system. They simply clip together, so no screws are needed for assembly. The sleek lines of the design and the detachable jalousie are a joy to behold – and simplicity itself to clean.



## Specifications:

- The external height of all sauna rooms is 2100 mm
- Can be reversed
- Efficient and precise ventilation
- Solid construction that can stand up to all the stresses of hot and cold
- Made in Sweden with a long warranty
- Door can be hung from the right or left hand side


## Included

- Insulated walls
- Ceiling and glass sections
- Door section
- Aspen and ash interior
- Backrest
- Lighting
- Hygrometer/Thermometer
- Aluminium floor frame
- Blinds\*
- Corner and ceiling mouldings
- Vents and assembly hardware


\*Can be purchased separately, Item no. 9607 4785




**IMPRESSION SAUNA i1309**  
White: Item no. 9607 4815  
Black: Item no. 9607 4817




**IMPRESSION SAUNA i1313**  
White: Item no. 9607 4820  
Black: Item no. 9607 4822




**IMPRESSION SAUNA i1713**  
White: Item no. 9607 4825  
Black: Item no. 9607 4827



**IMPRESSION SAUNA i1115/C**  
White: Item no. 9607 4800  
Black: Item no. 9607 4802



**IMPRESSION SAUNA i1515/C**  
White: Item no. 9607 4805  
Black: Item no. 9607 4807



**IMPRESSION SAUNA i1915/C**  
White: Item no. 9607 4810  
Black: Item no. 9607 4812



# Tylö Design room

Each of the three variations in the Design Line collection are fully-developed style concepts, ready for immediate use. The range gives you complete freedom to choose and combine details and accessories to suit your specific requirements and your personal taste. Explore the numerous options offered by Design Line and create your very own bespoke sanctuary.





## Sensation

As the name Sensation suggests, here at Tylö we see the essential element water as so much more than merely an everyday necessity. Water is a living thing – it is powerful, effervescent, restorative and in constant motion.

Our Sensation sauna aims to recreate an array of the varied properties of water with the water feature integrated into the sloping wall. The pleasant murmuring of the water and the thermal breeze created infuse you slowly but surely with energy.

**Suitable heater:**  
Floor-standing Sense or Expression.







## Passion

Our Passion sauna has a wall panel of black and graphite-grey slate, forming a solid backbone. The use of stone serves as an eye-catching contrast to the sauna's cube-shaped blonde exterior.

We believe that natural elements like stone serve as a valuable link to your senses. By incorporating stone into the design we are aiming to create a stronger bond between man and nature.


The exterior is made of light beech with the inside made of both aspen panels and American alder. Next to the heater is the beautiful slate wall.

### Suitable heater:


Floor-standing Sense or Expression.




PASSION 2020



PASSION 2520



PASSION 3020



## Panorama

Proximity to nature is always tangible with Panorama, wherever you choose to site your sauna. Surrounded by wood you can take a seat, lean back and enjoy the luxurious feeling of total relaxation.


Panorama's design is dedicated to wood as a tried and tested material, with bold design solutions such as overlapping benches and windows that extend from floor to ceiling creating an unexpected and modern look.

### Suitable heater:


Floor-standing Expression or Sense Commercial.



PANORAMA 2520



PANORAMA 3025





# Sauna construction

Time for yourself, a personal oasis. Our exclusive sauna rooms have made Tylö a synonym for quality among sauna enthusiasts the world over. Treat yourself to a sauna room when building or renovating your bathroom. There is often enough space – you only need a few square metres. We have many different models for you to choose from, in various sizes and designs. If you require specific dimensions or an unusual design, our skilled experts are here to help you.



## STEP 1 Choose sauna panels


Tylö's **sauna panels** are available in five different designs, all made of grade A wood. The panels make a perfect match for Tylö's solid benches. All Tylö sauna panels have the STS profile and measure 12 x 95 x 2400 mm, except for the PRO panel which is slightly thicker. The cedar panel has an STP profile of 11 x 92 mm.



**PANEL STS 240 SPRUCE**  
Size: 12 x 95 mm  
Dimension: 85 mm  
Pack of 10  
Item no. 9490 1280



**PANEL STP 240 CEDAR**  
Size: 11 x 92 mm  
Dimension: 86 mm  
Pack of 10  
Item no. 9490 0965



**PANEL STS 240 ASPEN/TH**  
Heat-treated aspen panel (knot-free). Size: 12 x 95 mm  
Dimension: 85 mm  
Pack of 10  
Item no. 9490 1025



**PANEL STS 240 ASPEN**  
Knot-free aspen panel  
Size: 12 x 95 mm  
Dimension: 85 mm  
Pack of 10  
Item no. 9490 1380



**PANEL PRO STP 240 ASPEN**  
Knot-free aspen panel  
Size: 15 x 95 mm  
Dimension: 85 mm  
Pack of 10. *Ideal for public facilities.* Item no. 9490 1312



**Sauna panel STS profile**  
Size 12 x 95 x 2400 mm



**Sauna panel STP profile**  
Size 11 x 92 x 2400 mm

## STEP 2 Select sauna interior style




**WIDE-SLAT INTERIOR**  
The wide-slat, solid aspen E68 benches clearly display quality craftsmanship.



**NARROW-SLAT INTERIOR**  
The narrow-slat ESR benches are sturdily crafted from solid aspen or alder without visible screws. It is also possible to order bench supports for free-standing benches.

## STEP 3 Add optional extras and accessories



**FLOOR DECKING** Made of aspen. The floor decking feels smooth and pleasant beneath your bare feet and adds a sense of luxury and comfort.  
**FLOOR DECKING 70x90x31 ASPEN** Item no. 9005 9006  
**FLOOR DECKING 61x85x31 ASPEN** Item no. 9005 9015



**BENCH SUPPORT**  
A pair of legs can be added for a movable bench.  
**BENCH SUPPORT ESR 410** Item no. 9039 4180  
**BENCH SUPPORT ESR 600** Item no. 9039 4185



**ARMREST FOR ESR AND E68**  
For settings where the ends of sauna benches are not fixed against a wall or other support.  
**ESR/E68-600 HIGH ASPEN** Item no. 9039 4450  
**ESR/E68-600 LOW ASPEN** Item no. 9039 4452  
**ESR/E68-410 HIGH ASPEN** Item no. 9039 4454  
**ESR/E68-410 LOW ASPEN** Item no. 9039 4456  
**ESR/E68-600 HIGH ALDER** Item no. 9039 4470  
**ESR/E68-600 LOW ALDER** Item no. 9039 4472  
**ESR/E68-410 HIGH ALDER** Item no. 9039 4474  
**ESR/E68-410 LOW ALDER** Item no. 9039 4476



**SIDE PANELS FOR ESR AND E68**  
For settings where the ends of sauna benches are not fixed against a wall or other support.  
**ESR/E68-600 HIGH ASPEN** Item no. 9039 4458  
**ESR/E68-600 LOW ASPEN** Item no. 9039 4460  
**ESR/E68-410 HIGH ASPEN** Item no. 9039 4462  
**ESR/E68-410 LOW ASPEN** Item no. 9039 4464  
**ESR/E68-600 HIGH ALDER** Item no. 9039 4478  
**ESR/E68-600 LOW ALDER** Item no. 9039 4480  
**ESR/E68-410 HIGH ALDER** Item no. 9039 4482  
**ESR/E68-410 LOW ALDER** Item no. 9039 4484



# Interior Wide-slat E68



The wide-slat, solid aspen E68 benches clearly display quality craftsmanship.



**E68 is available in the following:**

**Model:** Wide-slat E68.

**Wood:** aspen.

**Design:** standard and reinforced bench that we call PRO.

**Assembly:** components are ready for assembly and can be cut to length if needed.

**Finish:** joined together using solidly glued dowels, with no visible screws.

**Components:** bench in two different depths, 600 and 410 mm. Backrest and skirting panels.

**Add:** wooden decking and bench support.

**1. Backrest Aspen**

	Size in mm	Item no.
Backrest E-Plus	190 x 905	9039 5050
Backrest E-Plus	190 x 1160	9039 5052
Backrest E-Plus	190 x 1415	9039 5054
Backrest E-Plus	190 x 1670	9039 5056
Backrest E-Plus	190 x 1925	9039 5058
Backrest E-Plus	190 x 2180	9039 5060
Backrest E-Plus	190 x 2435	9039 5062

**2. Benches\* Aspen**

	Size in mm	Item no.
Bench E68	410 x 610	9023 4300
Bench E68	410 x 865	9023 4302
Bench E68	410 x 925	9023 4303
Bench E68	410 x 1015	9023 4304
Bench E68	410 x 1180	9023 4305
Bench E68	410 x 1270	9023 4306
Bench E68	410 x 1435	9023 4307
Bench E68	410 x 1525	9023 4308
Bench E68	410 x 1780	9023 4310
Bench E68	410 x 2035	9023 4312
Bench E68	600 x 1180	9023 4314
Bench E68	600 x 1270	9023 4313
Bench E68	600 x 1435	9023 4315
Bench E68	600 x 1525	9023 4316
Bench E68	600 x 1780	9023 4318
Bench E68	600 x 2035	9023 4320
Bench E68	600 x 2290	9023 4322
Bench E68	600 x 2545	9023 4324

\*The benches can be cut 10 cm on each side.  
Tylö recommends the deep bench if space allows.

**3. Skirting panels Aspen**

	Size in mm	Item no.
Skirting panel E-Plus	1015	9039 5030
Skirting panel E-Plus	1180	9039 5031
Skirting panel E-Plus	1270	9039 5032
Skirting panel E-Plus	1435	9039 5033
Skirting panel E-Plus	1525	9039 5034
Skirting panel E-Plus	1780	9039 5036
Skirting panel E-Plus	2035	9039 5038
Skirting panel E-Plus	2290	9039 5040
Skirting panel E-Plus	2545	9039 5042

**2. Benches Pro Aspen**

	Mått mm	Item no.
Bench E-PRO	410 x 610	9023 4500
Bench E-PRO	410 x 865	9023 4502
Bench E-PRO	410 x 925	9023 4504
Bench E-PRO	410 x 1015	9023 4506
Bench E-PRO	410 x 1180	9023 4508
Bench E-PRO	410 x 1270	9023 4510
Bench E-PRO	410 x 1435	9023 4512
Bench E-PRO	410 x 1525	9023 4514
Bench E-PRO	410 x 1780	9023 4516
Bench E-PRO	410 x 2290	9023 4517
Bench E-PRO	410 x 2035	9023 4518
Bench E-PRO	410 x 2545	9023 4519
Bench E-PRO	600 x 1180	9023 4520
Bench E-PRO	600 x 1270	9023 4521
Bench E-PRO	600 x 1435	9023 4522
Bench E-PRO	600 x 1525	9023 4524
Bench E-PRO	600 x 1780	9023 4526
Bench E-PRO	600 x 2035	9023 4528
Bench E-PRO	600 x 2290	9023 4530
Bench E-PRO	600 x 2545	9023 4532



# Interior Narrow-slat ESR

SAUNA | Interior Narrow-slat ESR

The narrow-slat ESR benches are sturdily crafted from solid aspen or alder without visible screws. It is also possible to order legs for free-standing benches.

**ESR is available in the following:**

**Model:** Narrow-slat – ESR.

**Wood:** aspen and alder.

**Design:** standard and reinforced bench that we call Plus.

**Assembly:** components are ready for assembly and can be cut to length if needed.

**Finish:** joined together using solidly glued dowels, with no visible screws.

**Components:** bench in two different depths, 600 and 410 mm. Backrest and skirting panels.

**Add:** wooden decking, side panels, armrest and bench support.

- 1 - **BACKREST** The prefabricated backrests made of aspen or alder are comfortably contoured and also serve to screen off the light fittings, creating a gentle, indirect glow in the sauna. Can be cut to the correct length. This illustration shows an alder backrest.
- 2 - **SAUNA BENCHES** Prefabricated sauna benches made of solid aspen and alder. The benches have a stable design with solidly glued dowels, without visible screws. Can be cut to the correct length. This illustration shows alder benches.
- 3 - **SKIRTING PANELS** Prefabricated skirting panels screen off the gaps between the benches. Made of the finest aspen and alder. Can be cut to the correct length. This illustration shows alder skirting panels.

**1. Backrest Aspen**

	Size in mm	Item no.
Backrest ESR	905	9039 3250
Backrest ESR	1160	9039 3252
Backrest ESR	1415	9039 3254
Backrest ESR	1670	9039 3256
Backrest ESR	1925	9039 3258
Backrest ESR	2180	9039 3260
Backrest ESR	2435	9039 3262

**1. Backrest Alder**

	Size in mm	Item no.
Backrest ESR	905	9039 3150
Backrest ESR	1160	9039 3154
Backrest ESR	1415	9039 3158
Backrest ESR	1670	9039 3162
Backrest ESR	1925	9039 3166
Backrest ESR	2180	9039 3168
Backrest ESR	2435	9039 3172

**2. Benches\* Aspen**

	Size in mm	Item no.
Bench ESR	410 x 610 x 68	9023 4600
Bench ESR	410 x 865 x 68	9023 4602
Bench ESR	410 x 925 x 68	9023 4604
Bench ESR	410 x 1015 x 68	9023 4606
Bench ESR	410 x 1180 x 68	9023 4608
Bench ESR	410 x 1270 x 68	9023 4610
Bench ESR	410 x 1435 x 68	9023 4612
Bench ESR	410 x 1525 x 68	9023 4614
Bench ESR	410 x 1780 x 68	9023 4616
Bench ESR	410 x 2035 x 68	9023 4618
Bench ESR	600 x 1180 x 68	9023 4620
Bench ESR	600 x 1270 x 68	9023 4621
Bench ESR	600 x 1435 x 68	9023 4622
Bench ESR	600 x 1525 x 68	9023 4624
Bench ESR	600 x 1780 x 68	9023 4626
Bench ESR	600 x 2035 x 68	9023 4628
Bench ESR	600 x 2290 x 68	9023 4630
Bench ESR	600 x 2545 x 68	9023 4632
Bench support ESR**	410	9039 5120
Bench support ESR**	600	9039 5125

\*The benches can be cut 10 cm on each side. Tylö recommends the deep bench if space allows.

\*\*Sold in pairs.



SAUNA | Interior Narrow-slat ESR



# Interior Narrow-slat ESR (cont.)

## 2. Benches\* Alder

	Size in mm DxWxH	Item no.
Bench ESR	410 x 610 x 68	9023 4700
Bench ESR	410 x 865 x 68	9023 4702
Bench ESR	410 x 925 x 68	9023 4704
Bench ESR	410 x 1015 x 68	9023 4706
Bench ESR	410 x 1180 x 68	9023 4710
Bench ESR	410 x 1270 x 68	9023 4712
Bench ESR	410 x 1435 x 68	9023 4716
Bench ESR	410 x 1525 x 68	9023 4718
Bench ESR	410 x 1780 x 68	9023 4722
Bench ESR	410x1850x68	90234724
Bench ESR	410 x 2035 x 68	9023 4726
Bench ESR	600 x 1180 x 68	9023 4728
Bench ESR	600 x 1270 x 68	9023 4729
Bench ESR	600 x 1435 x 68	9023 4730
Bench ESR	600 x 1525 x 68	9023 4732
Bench ESR	600 x 1780 x 68	9023 4734
Bench ESR	600x1850x68	90234736
Bench ESR	600x2035x68	90234738
Bench ESR	600 x 2290 x 68	9023 4740
Bench ESR	600 x 2370 X 68	9023 4742
Bench ESR	600 x 2545 x 68	9023 4744
Bench support ESR**	410	9039 4180
Bench support ESR **	600	9039 4185


\*The benches can be cut 10 cm on each side.  
Tylö recommends the deep bench if space allows.  
\*\*Sold in pairs.

## 3. Skirting panels Aspen

	Size in mm	Item no.
Skirting panel ESR	1015	9039 5250
Skirting panel ESR	1270	9039 5252
Skirting panel ESR	1525	9039 5254
Skirting panel ESR	1780	9039 5256
Skirting panel ESR	2035	9039 5258
Skirting panel ESR	2290	9039 5260
Skirting panel ESR	2545	9039 5262

## 3. Skirting panels Alder

	Size in mm	Item no.
Skirting panel ESR	1015	9039 4150
Skirting panel ESR	1270	9039 4152
Skirting panel ESR	1420	9039 4154
Skirting panel ESR	1525	9039 4156
Skirting panel ESR	1780	9039 4158
Skirting panel ESR	1850	9039 4160
Skirting panel ESR	2035	9039 4162
Skirting panel ESR	2290	9039 4164
Skirting panel ESR	2370	9039 4166
Skirting panel ESR	2545	9039 4168



# Narrow-slat ESR Plus

## 2. Benches\* Alder

	Size in mm DxWxH	Item no.
Bench ESR Plus	410 x 610 x 136	9023 4750
Bench ESR Plus	410 x 865 x 136	9023 4752
Bench ESR Plus	410 x 925 x 136	9023 4754
Bench ESR Plus	410 x 1015 x 136	9023 4756
Bench ESR Plus	410 x 1180 x 136	9023 4758
Bench ESR Plus	410 x 1270 x 136	9023 4760
Bench ESR Plus	410 x 1435 x 136	9023 4762
Bench ESR Plus	410 x 1525 x 136	9023 4764
Bench ESR Plus	410 x 1780 x 136	9023 4766
Bench ESR Plus	410 x 2035 x 136	9023 4768
Bench ESR Plus	600 x 1180 x 136	9023 4770
Bench ESR Plus	600 x 1270 x 136	9023 4771
Bench ESR Plus	600 x 1435 x 136	9023 4772
Bench ESR Plus	600 x 1525 x 136	9023 4774
Bench ESR Plus	600 x 1780 x 136	9023 4776
Bench ESR Plus	600 x 2035 x 136	9023 4778
Bench ESR Plus	600 x 2290 x 136	9023 4780
Bench ESR Plus	600 x 2545 x 136	9023 4782

\*The benches can be cut 10 cm on each side.  
Tylö recommends the deep bench if space allows.

## 2. Benches\* Aspen

	Size in mm DxWxH	Item no.
Bench ESR Plus	410 x 610 x 136	9023 4650
Bench ESR Plus	410 x 865 x 136	9023 4652
Bench ESR Plus	410 x 925 x 136	9023 4654
Bench ESR Plus	410 x 1015 x 136	9023 4656
Bench ESR Plus	410 x 1180 x 136	9023 4658
Bench ESR Plus	410 x 1270 x 136	9023 4660
Bench ESR Plus	410 x 1435 x 136	9023 4662
Bench ESR Plus	410 x 1525 x 136	9023 4664
Bench ESR Plus	410 x 1780 x 136	9023 4666
Bench ESR Plus	410 x 2035 x 136	9023 4668
Bench ESR Plus	600 x 1180 x 136	9023 4670
Bench ESR Plus	600 x 1270 x 136	9023 4671
Bench ESR Plus	600 x 1435 x 136	9023 4672
Bench ESR Plus	600 x 1525 x 136	9023 4674
Bench ESR Plus	600 x 1780 x 136	9023 4676
Bench ESR Plus	600 x 2035 x 136	9023 4678
Bench ESR Plus	600 x 2290 x 136	9023 4680
Bench ESR Plus	600 x 2545 x 136	9023 4682

\*The benches can be cut 10 cm on each side.  
Tylö recommends the deep bench if space allows.







# Sauna doors

Our top-quality doors are specially manufactured to withstand the considerable temperature differences between the outside and inside of the sauna without warping or becoming deformed.

Would you like a sauna door with different dimensions or made from different materials? Contact a Tylö dealer for a quote.



### 1 - SAUNA DOOR DGL

An exclusive no-threshold sauna door with door leaf of tempered 8 mm safety glass. The frame has a magnetic strip closure and the door has sturdy aluminium hinges with a decorative stainless steel housing.

#### TINTED GLASS

- 6x19** 590x1890 mm Item no. 9511 3160 Spruce
- 7x19** 690x1890 mm Item no. 9511 3170 Spruce
- 7x19** 690x1890 mm Item no. 9103 1700 Aspen
- 7x20** 690x1990 mm Item no. 9103 1720 Aspen
- 7x21** 690x2090 mm Item no. 9103 1740 Aspen
- 8x19** 790x1890 mm Item no. 9103 1710 Aspen
- 8x20** 790x1990 mm Item no. 9103 1730 Aspen
- 8x21** 790x2090 mm Item no. 9103 1750 Aspen
- 9x19** 890x1890 mm Item no. 9103 1900 Aspen
- 9x20** 890x1990 mm Item no. 9103 1904 Aspen
- 9x21** 890x2090 mm Item no. 9103 1908 Aspen

#### CLEAR GLASS

- 6x19** 590x1890 mm Item no. 9511 3162 Spruce
- 7x19** 690x1890 mm Item no. 9511 3175 Spruce
- 7x19** 690x1890 mm Item no. 9103 1705 Aspen
- 7x20** 690x1990 mm Item no. 9103 1725 Aspen
- 7x21** 690x2090 mm Item no. 9103 1745 Aspen
- 8x19** 790x1890 mm Item no. 9103 1715 Aspen
- 8x20** 790x1990 mm Item no. 9103 1735 Aspen
- 8x21** 790x2090 mm Item no. 9103 1755 Aspen
- 9x19** 890x1890 mm Item no. 9103 1902 Aspen
- 9x20** 890x1990 mm Item no. 9103 1906 Aspen
- 9x21** 890x2090 mm Item no. 9103 1910 Aspen

### 2 - SAUNA DOOR DGB

Robust sauna doors in tempered 8 mm safety glass. The finger-jointed standard frame (92 mm) is made in pine.

#### TINTED GLASS

- 7x19** 690x1890 mm Item no. 9103 1500
- 7x20** 690x1990 mm Item no. 9103 1520
- 7x21** 690x2090 mm Item no. 9103 1540
- 8x19** 790x1890 mm Item no. 9103 1510
- 8x20** 790x1990 mm Item no. 9103 1530
- 8x21** 790x2090 mm Item no. 9103 1550
- 9x19** 890x1890 mm Item no. 9103 1916
- 9x20** 890x1990 mm Item no. 9103 1920
- 9x21** 890x2090 mm Item no. 9103 1924

#### CLEAR GLASS

- 7x19** 690x1890 mm Item no. 9103 1505
- 7x20** 690x1990 mm Item no. 9103 1525
- 7x21** 690x2090 mm Item no. 9103 1545
- 8x19** 790x1890 mm Item no. 9103 1515
- 8x20** 790x1990 mm Item no. 9103 1535
- 8x21** 790x2090 mm Item no. 9103 1555
- 9x19** 890x1890 mm Item no. 9103 1918
- 9x20** 890x1990 mm Item no. 9103 1922
- 9x21** 890x2090 mm Item no. 9103 1926

### 3 - SAUNA DOOR ALU LINE

Aluminium glass door strips and handle on inside made of alder. Outer frame dimensions 1870 x 778 mm.

#### TINTED GLASS

- Item no. 9103 2055

#### CLEAR GLASS

- Item no. 9103 2060

### 4 - DGB/DGL WITH FOUR HINGES

Both DGB and DGL doors are available with four sturdy hinges, providing a very stable structure. The doors have no threshold and also allow disabled access thanks to their generous width.

#### DGL CLEAR GLASS

- 10x19** 990x1890 mm Item no. 9103 1930 Aspen
- 10x20** 990x1990 mm Item no. 9103 1934 Aspen
- 10x21** 990x2090 mm Item no. 9103 1936 Aspen

#### DGL TINTED GLASS

- 10x19** 990x1890 mm Item no. 9103 1928 Aspen
- 10x20** 990x1990 mm Item no. 9103 1932 Aspen
- 10x21** 990x2090 mm Item no. 9103 1938 Aspen

#### DGB CLEAR GLASS

- 10x19** 990x1890 mm Item no. 9103 1946 Pine
- 10x20** 990x1990 mm Item no. 9103 1950 Pine
- 10x21** 990x2090 mm Item no. 9103 1954 Pine

#### DGB TINTED GLASS

- 10x19** 990x1890 mm Item no. 9103 1944 Pine
- 10x20** 990x1990 mm Item no. 9103 1948 Pine
- 10x21** 990x2090 mm Item no. 9103 1952 Pine



# Glazed sections

Opening up your sauna with a glazed section lets in more light, increases the feeling of space and enhances the sense of well-being.

Tylö fulfils all the stringent safety and feature requirements.



**GLAZED SECTION 9** Clear and tinted tempered 6 mm safety glass in a wood frame. Type high/ventilated is supplied with a heater plate and has vent holes in the glass.  
Size: 762 x 92 mm (WxD).  
High = 1866 mm (H).  
Low = 1781 mm (L).

- Glazed section Spruce**
- 9 low clear** Item no. 9511 3800
  - 9 low tinted** Item no. 9511 3801
  - 9 low/ventilated clear** Item no. 9511 3805
  - 9 low/ventilated tinted** Item no. 9511 3806
  - 9 high clear** Item no. 9511 3810
  - 9 high tinted** Item no. 9511 3811
  - 9 high/ventilated clear** Item no. 9511 3815
  - 9 high/ventilated tinted** Item no. 9511 3816

- Glazed section Aspen**
- 9 low clear** Item no. 9511 3802
  - 9 low tinted** Item no. 9511 3803
  - 9 low/ventilated clear** Item no. 9511 3807
  - 9 low/ventilated tinted** Item no. 9511 3808
  - 9 high clear** Item no. 9511 3812
  - 9 high tinted** Item no. 9511 3813
  - 9 high/ventilated clear** Item no. 9511 3817
  - 9 high/ventilated tinted** Item no. 9511 3818



**GLAZED SECTION 6** Clear and tinted tempered 6 mm safety glass in a wood frame. Ventilation holes and mounting plate for fixing the heater to a wall. Size: 506 x 92 mm (WxD).  
High = 1866 mm (H). Low = 1781 mm (L).

- Glazed section Spruce**
- 6 low clear** Item no. 9511 3820
  - 6 low tinted** Item no. 9511 3821
  - 6 low/ventilated clear** Item no. 9511 3825
  - 6 low/ventilated tinted** Item no. 9511 3826
  - 6 high clear** Item no. 9511 3830
  - 6 high tinted** Item no. 9511 3831
  - 6 high/ventilated clear** Item no. 9511 3835
  - 6 high/ventilated tinted** Item no. 9511 3836

- Glazed section Aspen**
- 6 low clear** Item no. 9511 3822
  - 6 low tinted** Item no. 9511 3823
  - 6 low/ventilated clear** Item no. 9511 3827
  - 6 low/ventilated tinted** Item no. 9511 3828
  - 6 high clear** Item no. 9511 3832
  - 6 high tinted** Item no. 9511 3833
  - 6 high/ventilated clear** Item no. 9511 3837
  - 6 high/ventilated tinted** Item no. 9511 3838

The glazed sections can be used together with DGB doors and DGL doors in a height of 19.



# Glass fronts and corners

Here we offer a number of glass fronts and corners to allow you to create your own stylish and spacious sauna.


Saunas can be constructed in a variety of sizes and configurations using the prefabricated glazed sections made of durable safety glass. The end result is always the distinctive contemporary design for which Tylö is known. Clear glass, aspen wood frame and aluminium floor frame. Wood strip package and floor frame for the rest of the sauna can be purchased separately. Customise your Tylö sauna with our specially-designed accessories, range of lighting options and no-threshold DGL Plus Aspen door (Item no. 9511 3150) for a complete experience and exclusiveness that has made our sauna rooms a benchmark for sauna design worldwide.

## GLASS CORNERS

- 1 - **Glass corner A** - 840 mm Aspen Item no. 9511 3890
- 2 - **Glass corner A** - 1095 mm Aspen Item no. 9511 3894
- 3 - **Glass corner B** - 840 mm Aspen Item no. 9511 3892
- 4 - **Glass corner B** - 1095 mm Aspen Item no. 9511 3896
- Glass door DGL Plus** - Aspen 7x19 Item no. 9511 3150

## GLASS FRONTS

- 5 - **Glass front C** - 429 mm Aspen Item no. 9511 3880
- 6 - **Glass front C** - 512 mm Aspen Item no. 9511 3882
- 7 - **Glass front C** - 685 mm Aspen Item no. 9511 3884
- 8 - **Glass front C** - 940 mm Aspen Item no. 9511 3886
- 9 - **Glass front C** - 1196 mm Aspen Item no. 9511 3888
- Glass door DGL Plus** - Aspen 7x19 Item no. 9511 3150



Read more at [tylo.com](https://tylo.com)



# Electric and wood burning heaters

SAUNA | Electric & wood burning heaters

Our sauna heaters are made to the highest standards for durability and longevity. We at Tylö are avid sauna bathers and make sure that our products are made for perfect sauna experiences. The engineering that goes into our heaters provides excellent heating performance and maximum efficiency. This gives you the possibility to enjoy a relaxing and hot sauna in just 25 minutes.



Intelli.air

Faster heat distribution and heater longevity through Tylö patented air chambers.



Thermosafe

Unique protective coating, never too hot to touch.



Standby

Less energy consumed and faster reaction time to heat sauna or steam room.





# Six good reasons to choose a Tylö heater

## ELEGANT DETAILS

All Tylö heaters are manufactured by sauna bathers for sauna bathers. This means that each heater has been carefully designed to deliver the ultimate sauna experience. The grill on Tylö's original heater is angled to ensure optimal distribution of hot air. The built-in water reservoir creates a more comfortable and gentle climate - exactly as it should be in a genuine Tylö sauna.

## FAST HEATING THAT SAVES ENERGY

Tylö's original heaters all heat a sauna extremely quickly - up to twice as fast as any other heater. Tylö's unique, twin side air chambers provide enhanced hot air distribution (taking as little as 25 minutes to reach a normal sauna temperature of 80°C).

Moreover, with the patented divided output feature, Tylö heaters can realize energy savings of up to 30%, making them an energy-efficient choice. The divided output feature means that the sauna heater automatically switches to energy-saving mode when the temperature reaches the desired level and maintains it for the length of time you spend in the sauna.

All in all, this is a financially-sound, long-term investment if you are looking for fast and comfortable sauna heating.

## SAFETY - A HIGH PRIORITY

Overheat cut-offs, thermostats and temperature sensors are vital components that are selected with meticulous care to ensure maximum safety.

It is also assuring to know that Thermosafe™, Tylö's unique protective coating, prevents the exterior from becoming too hot to the touch.



## EFFECTIVE WATER SPRINKLING

Unlike many other sauna heaters, Tylö's original heater has a deep, centrally-located stone compartment. This ensures that almost all the water sprinkled over the stones turns into steam.

## MADE IN SWEDEN

Tylö manufactures its sauna heaters completely in-house, without compromising quality. The heating elements, which are the heart of the heater, are manufactured in a closely monitored process to ensure reliable performance and long life.

The choice of materials, such as a stainless steel stone compartment and aluminium top, reflects Tylö's high quality standards for all of its products. This is important and good for you, no matter how frequently or seldom you take a sauna.

Thanks to in-house production and meticulous quality control the consumer can be assured that a Tylö heater is a reliable purchase.

## PRODUCT TESTING AND CERTIFICATIONS

All Tylö heaters are being tested throughout the entire manufacturing process. It is very important for us that our products have all the necessary certifications in the operating country - providing our customers peace-of-mind.



# Choosing the right heater


In order to reach the perfect sauna experience and the greatest energy efficiency combined, it is important to consider the physical properties of your sauna room. After that, it is more about comfort and convenience. Here are the three crucial steps towards your sauna desires:

- 1

**FIND OUT THE SIZE AND VOLUME OF YOUR SAUNA ROOM** - See table below.  
Don't forget to consider the amount of glass surfaces as well as significant use of stone. Both require a more powerful heater.
- 2

**DETERMINE YOUR SAUNA PREFERENCES** - See pages 35-37.  
Different heaters provide different sensations. Some can manage all of them.
- 3

**CHOOSE HOW YOU PREFER TO CONTROL YOUR SAUNA** - See page 41.  
Select from in-room, remote, digital and analogue solutions.







# Home electric sauna heaters

## Sense heaters - multi everything

### ENJOY VARIETY

Tylö's electric sauna heaters are one of the keys to enjoying your home spa – exquisitely enveloped in gentle steam and aromatic fragrances or relaxing in traditional dry sauna heat. The way we want to spend our time in a sauna is a matter of personal preference and depends on the needs of the moment; a classic dry sauna, or a more humid Soft Sauna experience. Tylö's electric sauna heaters always deliver top performance, thanks to a combination of functionality, aesthetics and environment. Together with attractive surroundings, this creates the conditions for a perfect sauna experience.



IntelliAir



Thermosafe



Standby

- Home spa capabilities

- Low energy consumption

- Modern styling

- Innovative features

- Wide range in power output



### SENSE SPORT

- 1 6.6 kW - for sauna volume 4-8 m<sup>3</sup>.  
8 kW - for sauna volume 6-12 m<sup>3</sup>.
- 2 Offers a classic dry sauna.
- 3 Control panel with thermostat and mechanical timer integrated into the base of the heater.



### SENSE ELITE/PURE

- 1 6.6 kW - for sauna volume 4-8 m<sup>3</sup>.  
8 kW - for sauna volume 6-12 m<sup>3</sup>.  
10.5 kW - for sauna volume 10-18 m<sup>3</sup>.
- 2 Offers a classic dry sauna.
- 3 Choose either control panel Elite or Pure to your Sense heater. The control panel is included in the price.



### SENSE COMBI ELITE/PURE

- 1 6.6 kW - for sauna volume 4-8 m<sup>3</sup>.  
8 kW - for sauna volume 6-12 m<sup>3</sup>.  
10.5 kW - sauna volume 10-18 m<sup>3</sup>.
- 2 Offers both dry, wet and steam sauna (Soft Sauna).
- 3 Choose either control panel Elite or Pure for your Combi heater. The control panel is included in the price.

You'll find more information on the control panels Elite and Pure on page 41.

SAUNA | Home electric sauna heaters



## Expression heaters - expressing your sense of style

Elegance, purity and sophistication - our line of Expression heaters will add that extra touch of luxury to your sauna room.

### EXPRESSION

- 1 10 kW - For sauna volume 10-18 m<sup>3</sup>.
- 2 Offers a classic dry sauna.
- 3 Add control panel Elite or Pure with Relay Box Commercial Lite.

### EXPRESSION COMBI

- 1 10 kW - For sauna volume 10-18 m<sup>3</sup>.
- 2 Offers both dry, wet and steam sauna (Soft Sauna).
- 3 H2 control panel and relay box RB45 are included in the price.

### AVAILABLE IN COLOURS

- Black
- Champagne
- Copper
- Black Thermosafe

More information in the buying guide on page 44 and onwards.





Selma Spa in Sunne, Sweden

# Professional electric sauna heaters

## Shaped by real life use

For decades Tylö has been the obvious choice for saunas in hotels, clubs, swimming baths and sporting facilities. Professionally managed environments like these prioritize reliability and low energy consumption, while frequent use subjects both designs and materials to punishing treatment.

Thanks to their tried-and-tested construction, intelligently conceived functions and materials of the very finest quality, our Sense Commercial heaters are more than a match for tough use and demanding conditions. No wonder they're a common sight in public saunas all over the world!

The Sense Commercial heaters are equipped with a number of features for smart, efficient and practical use in commercial situations. The stand-by mode senses user frequency and automatically adjusts power output accordingly. Combined with the WiFi-based control panel Elite, it is possible to control multiple sauna or steam rooms from a single point of access, such as a front desk, or mobile device. As an extra safety measure, the sauna will not start if the sauna door has been left open, or if something has been placed on top of the heater.



### SENSE COMMERCIAL

- 1 6.6 kW - For sauna volume 4-8 m<sup>3</sup>  
8 kW - For sauna volume 6-12 m<sup>3</sup>  
10 kW - For sauna volume 10-18 m<sup>3</sup>  
16 kW - For sauna volume 15-35 m<sup>3</sup>  
20 kW - For sauna volume 22-43 m<sup>3</sup>
- 2 Offers a classic dry sauna in public settings.
- 3 Add control panel Elite together with relay box Commercial/Commercial Lite.



IntelliAir



Thermosafe



Standby

## Tylarium - for professional use

Combining the Steam Commercial generator, Sense Commercial sauna heater with steam distributor, and the Elite control panel makes a Soft Sauna experience possible in public and commercial spaces as well.

Representing a new way of enjoying heat and humidity, Soft Sauna is a modern take on the traditional sauna. With lower temperatures and plenty of steam, Soft Sauna will give your customers a spa experience to remember and return to. Adding aromatic essential oils to the steam will provide a scented sauna session that is even more relaxing.

## Elite control panel

Control and monitor your sauna from the office or reception using nothing but local WiFi, a mobile device and Tylö's WellAccess™ app. The app was specially developed to optimize your sauna experience and is compatible with iOS, Android and desktop PCs.



Wi-Fi



Desktop PC



Android/iOS

Calculate how much you can save with our Standby tool on [www.tylo.com](http://www.tylo.com)



Steam Commercial generator



Sense Commercial sauna heater with steam distributor



Elite control panel with Relay Box Commercial and Tylarium Elite Kit



# Control your sauna from anywhere - all you need is WiFi

## Elite & WellAccess™

### EFFORTLESS BATHING

The new multi-disciplinary control panel Elite from Tylö is packed with advanced features, thanks to its internal processor and operating system. In addition to highly personalized settings, the Elite can be individually programmed according to your own schedule.

Add features such as auxiliary fans, fragrance pumps or sound systems – the Elite control panel handles it all with clear and concise precision. The crystalline 4.5-inch screen delivers real-time status on every aspect of your sauna bath. Naturally, it includes steam and temperature settings and WiFi app-connectivity.

### WELLACCESS™ - AN ALL-NEW CONTROL PANEL APP FOR MOBILE DEVICES AND COMPUTERS

In order to increase comfort, convenience and a better user experience adapted to people's everyday living patterns, we recently launched WellAccess™, an ingenious computer and smartphone app.

The user interface, developed for mobile devices and personal computers, perfectly emulates that of the sauna control panel. Through sensible engineering, the outcome is highly usable functionality, allowing sauna bathers to log on to the control panel through the smartphone app over their local WiFi network and remotely control most aspects of their sauna.

On both the control panel itself and via WellAccess™, it is possible to create and save several different user profiles and favourite settings, and set different schedules. In commercial settings, it is possible to manage multiple units from one point of access, and set unique profiles for different locations.



- Set temperature and humidity
- Can create multiple user profiles
- Control sauna/steam via WiFi and app
- Control several units at a time
- Set different schedules for different week days
- Set specific profiles for specific times or dates
- Instant fault notification



Wi-Fi



Desktop PC



Android/iOS



## Pure

### INTUITIVE DESIGN AND FEATURES

The elegant, compact design of Tylö's Pure control panel makes it the go-to choice for those who value functionality and advanced technology without compromising on aesthetics.

The ultra-thin black control lights up and lets you set the lighting, temperature and sauna time easily with only a few touches. Of course, choosing the default start time means you can step into a wonderfully hot sauna as soon as you get home.





## Wood burning sauna heaters

Crackling heat, a resinous fragrance – there is something very special about a wood-fired sauna. Here at Tylö, we appreciate saunas in all their various forms, so we naturally have a wide range of wood-fired saunas too. We are pleased to offer wood-fired stoves from long-standing Finnish manufacturer, Kastor, renowned for its world-class quality products.

The wood-fired stoves can be installed with Tylö's complete chimney systems made of easy-to-assemble modular components. Our wood-fired sauna heaters are designed with

optimum quality in mind. Not just in terms of physical construction, but also for optimum function. Based on age-old Finnish sauna traditions, we offer wood-fired sauna heaters that show optimum consideration for environmental factors such as fuel economy and environmental impact. Thanks to skilful engineering we have succeeded in combining modern aesthetics and functionality with the genuine feeling provided by a wood-fired sauna.

### COANDA DESIGN

The Karhu wood-fired stove is equipped with our patented Coanda design, a feature that stores the heat for a very long period. One stoking is usually sufficient to heat the sauna from 20°C to the temperature required.

## Smart chimneys for wood burning heaters

### SAUNA CHIMNEYS

We offer complete, high-quality chimney kits specially developed for use with our wood-fired sauna stoves. Our top-quality modular chimney systems are used primarily with wood-fired sauna stoves in sauna rooms without an existing chimney, and for conversions and new constructions. The flues are manufactured in acid-resistant stainless steel, with high-grade ceramic insulation on the outside.

### KARHU & SAGA CHIMNEY KIT

Flue 1.5 m stainless steel, Ø 115 mm.

Contents: uninsulated connecting flue pipe (1000 mm), insulated extension section (1500 mm), start piece, ceiling plate Ø 0-30, attic insulation shield, storm collar, end piece, chimney cowl.

Ø 115 mm to fit our Karhu PK 12-20 wood-fired sauna stoves.

Item no. 6505 3100.

Ø 130 mm to fit our Karhu PK 27,

Karhu PK 37 and Saga wood-fired sauna stoves. Item no. 6505 3080.

### INSULATED EXTENSION MODULES

**115/500 mm - Insulated intermediate section, length 500 mm. Ø 115 mm.**

Item no. 6505 3102.

**115/1000 mm - Insulated intermediate section, length 1000 mm. Ø 115 mm.**

Item no. 65053104.

**130/500 mm - Insulated intermediate section, length 500 mm. Ø 130 mm.**

Item no. 6505 3084

**130/1000 mm - Insulated intermediate section, length 1000 mm. Ø 130 mm.**

Item no. 6505 3082



### PROTECTIVE COVER KARHU

Halves the safety distance for combustible material.

**Protective cover Karhu PK 12.** Item no. 6405 4322

**Protective cover Karhu PK 16.** Item no. 6405 4324

**Protective cover Karhu PK 20.** Item no. 6405 4326

**Floor cover Karhu PK 12-27.** Item no. 6405 4318



**SAGA 20 PK** Takes wood-fired saunas to new heights with 150 to 230 kg of exposed stone providing soothing heat and steam. The surface of the stones makes the stove a delightful focal point.

Item no. 6405 4290

**KARHU** With its depth, air control system and reinforced door, the Karhu is a safe and strong sauna stove. The Coanda system ensures optimal heating efficiency with reduced wood consumption.

**Karhu PK 12** Item no. 6405 4270

**Karhu PK 16** Item no. 6405 4271

**Karhu PK 20** Item no. 6405 4272

**Karhu PK 27** Item no. 6405 4274

**Karhu PK 37** Item no. 6405 4276

**KARHU VO/VV** As Karhu. VO has a water tank on the right. VV has a water tank on the left (viewed from the front).

**Karhu PK 20 VO** Item no. 6405 4278

**Karhu PK 20 VV** Item no. 6405 4280

**Karhu PK 27 VO** Item no. 6405 4282


**Karhu PK 27 VV** Item no. 6405 4284

**Karhu PK 37 VO** Item no. 6405 4286

**Karhu PK 37 VV** Item no. 6405 4288



Buying guide - sauna heaters



Home electric sauna heaters




Model	Item no.	Output kW	Sauna volume m <sup>3</sup>	Min. distance to side wall (mm)	Min. ceiling height (mm)		Suitable control panel	Weight heater + rocks (kg)	A	B	C	D	E	F
Compact 2/4	62202000	2.2-4.5	1.2-4.5	50	1900		Built-in	6+7	400	310	195	260	135	170
Combi Compact 4 with H1	62305000	4	1.2-4.5	50	1900		H1 included	12+7	400	310	-	245	-	225
Sense Sport 6	61001018	6.6	4-8	110	1900		Built-in	17+20	559	431	206	262	262	375
Sense Sport 8	61001012	8	6-12	110	1900		Built-in	17+20	559	431	206	262	262	375
Sense Pure 6	61001031	6.6	4-8	110	1900		Pure included	17+20	559	431	206	262	262	375
Sense Pure 8	61001033	8	6-12	110	1900		Pure included	17+20	559	431	206	262	262	375
Sense Pure 10	61001110	10.5	10-18	110	1900		Pure included	17+20	559	431	206	262	262	375
Sense Elite 6	61001034	6.6	4-8	110	1900		Elite included	17+20	559	431	206	262	262	375
Sense Elite 8	61001035	8	6-12	110	1900		Elite included	17+20	559	431	206	262	262	375
Sense Elite 10	61001112	10.5	10-18	110	1900		Elite included	17+20	559	431	206	262	262	375
Sense Combi Pure 6	61001080	6.6	4-8	110	1900		Pure included	23+20	559	431	280	185	210	375
Sense Combi Pure 8	61001082	8	6-12	110	1900		Pure included	23+20	559	431	280	185	210	375
Sense Combi Pure 10	61001086	10.5	10-18	110	1900		Pure included	23+20	559	431	280	185	210	375
Sense Combi Elite 6	61001036	6.6	4-8	110	1900		Elite included	23+20	559	431	280	185	210	375
Sense Combi Elite 8	61001038	8	6-12	110	1900		Elite included	23+20	559	431	280	185	210	375
Sense Combi Elite 10	61001084	10.5	10-18	110	1900		Elite included	23+20	559	431	280	185	210	375
Expression 10 Black	61001000	10	10-18	200	1900		Pure or Elite with relay box Commercial Lite	29+12	730	500	-	-	-	200
Expression 10 Champagne	61001003	10	10-18	200	1900		Pure or Elite with relay box Commercial Lite	29+12	730	500	-	-	-	200
Expression 10 Copper	61001006	10	10-18	200	1900		Pure or Elite with relay box Commercial Lite	29+12	730	500	-	-	-	200
Expression 10 Black Thermosafe	61001120	10	10-18	200	1900		Pure or Elite with relay box Commercial Lite	29+12	730	500	-	-	-	200
Expression Combi 10 Black	62001010	10	10-18	200	1900		H2 and relay box 45 included	30+12	730	500	-	-	-	200
Expression Combi 10 Champagne	62001013	10	10-18	200	1900		H2 and relay box 45 included	30+12	730	500	-	-	-	200
Expression Combi 10 Copper	62001016	10	10-18	200	1900		H2 and relay box 45 included	30+12	730	500	-	-	-	200
Expression Combi 10 Black Thermosafe	62001018	10	10-18	200	1900		H2 and relay box 45 included	30+12	730	500	-	-	-	200
Air 10 Pure	61001042	10.5	10-18	120	1900		Pure included	29+100	923	410	-	-	-	252

Professional electric sauna heaters




Sense Commercial 6	61001025	6.6	4-8	110	1900		Pure or Elite with relay box Commercial Lite	16+20	559	431	206	262	262	375
Sense Commercial 8	61001027	8	6-12	110	1900		Pure or Elite with relay box Commercial Lite	16,5+20	559	431	206	262	262	375
Sense Commercial 10	61001090	10	10-18	150	1900		Pure or Elite with relay box Commercial Lite	32+25	650	650	310	600	165	400
Sense Commercial 16	61001092	16	15-35	150	2100		Pure or Elite with relay box Commercial	32+25	650	650	310	600	165	400
Sense Commercial 16 3x230V	61001100	16	15-35	150	2100		Pure or Elite with relay box Commercial	32+25	650	650	310	600	165	400
Sense Commercial 20	61001094	20	22-43	150	2100		Pure or Elite with relay box Commercial	32+25	650	650	310	600	165	400
Sense Commercial 20 3x230V	61001102	20	22-43	150	2100		Pure or Elite with relay box Commercial	32+25	650	650	310	600	165	400
Megaline OC 10	64050230	10.5	8-13	25	1900		H2 with relay box WE14	27+60	725	540	-	-	-	500
Megaline OC 12	64050234	12	10-18	65	2100		H2 with relay box WE14	28+60	725	540	-	-	-	500
Megaline OC 15	64050235	15	14-24	65	2100		H2 with relay box WE14	29+60	725	540	-	-	-	500
Megaline SK 18	64050236	18	18-30	140	2100		H2 with relay box WE14	41+120	700	895	-	-	-	520
Megaline SK 21	64050238	21	24-36	140	2100		H2 with relay box WE14	42+120	700	895	-	-	-	520
Megaline SK 26	64050240	26	30-46	140	2100		H2 with relay box WE14	44+120	700	895	-	-	-	520

Buying guide - accessories, relay boxes and Tylarium

Accessories

	Model	Item no.	Features
	External switch	90908047	On/off switch to control the sauna from locations other than where the control panel is installed.
	Door contact	90908035	Prevents unintentional start-up of the sauna by remote control if the sauna door is open. Included in Sense Elite, Sense Combi Elite, Relay box Commercial/ Commerical Lite.
	Elite recessed frame	90001056	Specially designed to work with Elite control panel. The control panel and mounting frame are fully integrated into the wall, regardless of whether they are located outside or inside the sauna room.
	Steam outlet Commercial	90029263	Steam outlet for Tylarium. The Tylö steam outlet Commercial improves the distribution of steam in your sauna room. Specially designed for Sense Commercial heaters 10-20 kW. Add Tylarium Elite kit, Item no. 71016000.
	Steam outlet Bahia Home	90029254	High-efficient and low-noise steam outlet for smaller steam rooms. Made of high-gloss plastic and tempered safety glass panels with a protective coating. Size: 280 x 180 mm (BxH).
	Steam outlet Bahia Pro	90029252	Made of tempered safety glass with an exclusive Corian front panel, highly suitable for large steam rooms. Extremely quiet in operation. Size: 500 x 300 mm (WxH).
	Legs for Sense 6/8/10	90001060	Legs for all Sense sauna heaters 6.6-10.5 kW. Color black.
	Legs for Sense Combi 6/8/10	90001061	Legs for all Sense Combi sauna heaters 6.6-10.5 kW. Color black.
	Sauna stones Mini Compact, 7 kg	90141005	Natural stones of black diabase that tolerate rapid heating and cooling. Suitable for our Compact and Combi Compact heaters.
	Sauna stones, 14 kg	90141000	Natural stones of black diabase that withstand rapid heating and cooling. One carton (approx. 14 kg) is sufficient for our Expression heaters. Sense Commercial 10-20 heaters requires two cartons.
	Sauna stones, 20 kg	90141050	Natural stones of black diabase that withstand rapid heating and cooling. This is a suitable volume for our heaters Sense 6.6-10.5 kW and Sense Combi 6.6-10.5 kW.
	Sauna stones for Air, 20 kg	90141007	Larger diabase stones, suitable for Air sauna heater. The stones provide better air circulation and retain heat longer. One box holds 20 kg. For Air heater you will need 5 boxes (100 kg).

Reläboxar för bastuaggregat

	Model	Item no.	Size WxHxD mm
	Relay box Commercial Lite	71016014	482x293x75
	Relay box Commercial	71016012	482x293x75
	Relay box RB30	71016006	230x310x75
	Relay box RB60	71016007	305x350x125
	Relay box WE14	71016010	340x300x125








Tylarium

Sauna volume m³	Sauna heater kW	Relay box	Steam generator kW	Control panel	Required	Optional
10-18	Sense Commercial 10	Commercial Lite	Steam Commercial 9	Elite	Tylarium Elite Kit Item no. 71016000	Steam outlet
15-35	Sense Commercial 16	Commercial	Steam Commercial 9	Elite	Tylarium Elite Kit Item no. 71016000	Steam outlet
22-43	Sense Commercial 20	Commercial	Steam Commercial 12	Elite	Tylarium Elite Kit Item no. 71016000	Steam outlet



Buying guide – control panels and wood burning sauna heaters

Control panels for sauna

	Model	Item no.	Size WxHxD mm	Features		For sauna or steam?	Suitable sauna heater	Relay box required? (Sauna)	Suitable steam generator
	Pure	72001410	86x86x8	Thermostat controlled touch control panel, for installation inside or outside the sauna or steam room. Add a door contact to enable use of the timer function and external switch for start-up.		Both	Sense Pure - included	No	Steam Home
							Sense Combi Pure - included	No	
							Air - included	No	
							Expression	Yes, relay box Commercial Lite	
							Sense Commercial 6-10 kW	Yes, relay box Commercial Lite	
							Sense Commercial 16-20 kW	Yes, relay box Commercial	
	Elite	72005000	85x127x12	The multi-disciplinary control panel is packed with advanced features, thanks to its internal processor and operating system. Naturally it includes energy saving functions and WiFi/App connectivity.		Both	Sense Elite - included	No	Steam Home
							Sense Combi Elite - included	No	Steam Commercial
							Expression	Yes, relay box Commercial Lite	
							Sense Commercial 6-10 kW	Yes, relay box Commercial Lite	
							Sense Commercial 16-20 kW	Yes, relay box Commercial	
	H1	72001020	80x140x19	H1 is equipped with touch-control and shows temperature and time in operating mode. Can be set for start within a 24-hour period and has a running time between 0-23 hours. Also equipped with a switch for lighting, 12h/24 format and multiple languages. Compatible with Tylö's older heaters Sense Plus, Sense SK (via RB30/60) and SDK/SD (via RB30/60).		Both	Combi Compact 4 - included	No	VA
							Expression	Yes, relay box RB30	VB
							Sense Commercial 6-10 kW	Yes, relay box RB30	
							Sense Commercial 16-20 kW	Yes, relay box RB60	
	H2	72001100	80x140x19	Same functions as the H1. But with the H2 control panel, you can even preset the start program for one week in advance complete with repetitions, do trouble-shooting and control the atmospheric humidity in the sauna room. Compatible with Tylö's older heater Sense Combi.		Sauna	Expression Combi - included	Yes, relay box RB45 - included	
							Megaline OC 10-15 kW	Yes, relay box WE14	
							Megaline SK 18-26 kW	Yes, relay box WE14	
	CC50	71214005	130x190x27	Has a display for time and temperature, switch for lighting and security code function. Programmable for 1, 3, 12 and 24 hours or continuous operation. 0–10 hour preset. Compatible with Tylö's older heaters Sense Plus, Sense SK (via RB30/60) and SDK/SD (via RB30/60).		Both	Expression	Yes, relay box RB30	VA
							Sense Commercial 6-10 kW	Yes, relay box RB30	VB
							Sense Commercial 16-20 kW	Yes, relay box RB60	
	TS 30-6	70202038	195x225x89	Thermostatically-controlled panel for Sense Commercial heaters. For wall-mounted installation outside the sauna (max. distance 1.8 m). Equipped with timer for 6-hour operating time. Compatible with Tylö's older heaters Sense SK, SDK 10 and SD 16.		Sauna	Expression	No	
							Sense Commercial 6-16 kW	No	
	TS 30-12	70212020	195x225x89	Thermostatically-controlled panel for Sense Commercial heaters. For wall-mounted installation outside the sauna (max. distance 1.8 m). Equipped with timer for 12-hour operating time. Compatible with Tylö's older heaters Sense SK, SDK 10 and SD 16.		Sauna	Expression	No	
							Sense Commercial 6-16 kW	No	

Wood burning sauna heaters

Model	Output (kW)	Sauna volume (m³)	Minimum distance to side wall (mm)				Flue opening diameter	Weight without stones (kg)	Weight of stones (kg)	Size in mm width x depth x height
			Front	Side	Back					
Karhu PK 12	18.2	8 – 12	500	400	400		115	61	35 - 40	415 x 485 x 715
Karhu PK 16	19.9	12-18	500	400	400		115	70	40-45	445 x 485 x 780
Karhu PK 20	21.6	13 – 20	500	400	400		115	76	45 - 50	480 x 480 x 790
Karhu PK 27	24.7	20 – 27	500	400	400		129	84	55 - 60	480 x 480 x 920
Karhu PK 37	29	25 – 30.5***	500	400	400		129	124	85 - 90	580 x 580 x 920
Karhu PK 20 VO*/VV**	21.6	13 - 20	500	400/150****	400		115	81	45 - 50	670 x 480 x 790
Karhu PK 27 VO*/VV**	24.7	20 – 27	500	400/150****	400		129	88	55 - 60	670 x 480 x 920
Karhu PK 37 VO*/VV**	29	25 – 30.5***	500	400/150****	400		129	129	85 - 90	750 x 580 x 920
Saga 20 PK	20	13 – 20	500	250	500		129	93	145 - 150	600 x 585 x 825

\*Karhu VO is the same as Karhu, except with the water tank on the right-hand side (viewed from the front). \*\*Karhu VV is the same as Karhu, except with the water tank on the left-hand side (viewed from the front). \*\*\* Also suitable for a larger sauna of 37 m³. \*\*\*\* 150 mm on the water tank side.

# Steam

Water has a relaxing effect whether you let it fall on you or envelope your body in the form of steam. Tylö's extensive range includes both steam rooms and steam showers. The steam bath has a relaxing effect and makes your skin feel smooth and supple. The shower range combines smart features and tasteful design.

STEAM



STEAM





Maximum freedom in a small space

## Impression i110/c

Within a minimal space of less than 1.3 m<sup>2</sup>, Tylö has created a home spa solution for corner installation that incorporates both a relaxing steam bath and a conventional shower. It's a revolution in home spa design, compact enough to fit into even a small bathroom. The steam bath is a gentler experience. The atmospheric humidity inside reaches 100%, yet the temperature is only 40-45 °C, inviting you to relax a little longer.

### HIGH-QUALITY MATERIALS

Tylö's steam bath with shower in the Impression range is now available with a floor tray. The structure is made entirely of cast marble, an extremely stable material with a surface finish that ensures good water run-off.

### SMART, ADAPTABLE SOLUTIONS

Tylö's floor tray for the Impression series has adjustable feet and an integral water trap. The tray entails an additional height of 100 mm, producing a total external height of 2200 mm for an Impression mounted on a tray. The tray is also supplied with a cup for waste water that is mounted on the steam head. The cup protects the tray and guarantees its function.

### WELL-DESIGNED CONSTRUCTION

Tylö Impression i110/c is built around the same unique profile system as other steam baths with showers in Tylö's Impression series. It is made completely of aluminium, glass and high-gloss acrylic.

### TYLÖ IMPRESSION I110/C


The Impression i110/c measures just 1125 x 1125 mm and comes with a bench. Exterior height 2100 mm. Includes a ceiling shower. Accommodates one person at a time.

**White profiles** Item no. 9607 4930

**Black profiles** Item no. 9607 4932

**White profiles with floor tray** Item no. 9607 4931

**Black profiles with floor tray** Item no. 9607 4933



## Impression i130 & i170

Tylö's i170 and i130 steam showers offer a spa experience with a steam bath and shower. The steam showers are perfect in the modern bathroom and embody a distinct Scandinavian design. They both provide flexible solutions that are easily adapted to an existing layout. They are well suited to small or medium-sized rooms and for anyone who wants to enjoy shared moments of bathing bliss.

### MAXIMUM FREEDOM IN A SMALL SPACE

Impression is available in a slightly larger 1725 x 925 mm version with twin benches and a smaller 1325 x 925 mm version with a single bench. Both are set up for easy connection to a water supply. The integral steam generator (max 4.5 kW) is convertible between 230 V~ and 400V 2N~.

### A FLEXIBLE SYSTEM

The walls can be reversed and assembled in a variety of ways to suit your bathroom layout. The steam generator is operated using the touch control panel on the steam shower column.

The lacquered aluminium profiles conform to a registered design that ensures maximum versatility within the unique Tylö system, without any screws or visible fittings. The sleek lines of the design are a joy to behold – and simplicity itself to clean.

### TYLÖ IMPRESSION I170

Exterior height 2100 mm.

**White profiles** Item no. 9607 4960


**Black profiles** Item no. 9607 4962

**White profiles with floor tray**

Item no. 9607 4961

**Black profiles with floor tray**

Item no. 9607 4963




**TYLÖ IMPRESSION I130** Exterior height 2100 mm.

**White profiles** Item no. 9607 4950

**Black profiles** Item no. 9607 4952

**White profiles with floor tray** Item no. 9607 4951

**Black profiles with floor tray** Item no. 9607 4953





# Impression Twin

**A FLEXIBLE SYSTEM**

Walls, glass sections and doors can be assembled in a variety of ways to suit your bathroom layout. All interior fittings – except for the sauna heater – can be placed where you wish.

Exterior height 2100 mm. All rooms can be reversed.

Included
– Insulated wall and ceiling panels
– Doors
– Shower column including mixer tap
– Steam generator
– Sauna section including panels and benches
– Aspen and dark, heat-treated ash fittings
– Shower section lighting
– Light strip hygro/thermo
– Aluminium floor frame
– Corner and ceiling mouldings
– Vents and assembly hardware

STEP

1

Measure your bathroom

STEP

2

Select size & heater


STEP

3


Contact your dealer

Combined sauna and steam shower offering unique relaxation options. The design and materials exude a palpable feeling of luxury. The perfect way to relax after a workout session is to combine a sauna and steam shower. Impression Twin really gives you the best of both worlds.


Exterior height 2100 mm.  
All rooms can be reversed.




**TWIN 130/1309**  
*White* Item no. 9607 4840  
*Black* Item no. 9607 4841




**TWIN 130/1313**  
*White* Item no. 9607 4842  
*Black* Item no. 9607 4843




**TWIN 130/1713**  
*White* Item no. 9607 4844  
*Black* Item no. 9607 4845




**TWIN 130/1313/W**  
*White* Item no. 9607 4854  
*Black* Item no. 9607 4855



**TWIN 130/1713/W**  
*White* Item no. 9607 4856  
*Black* Item no. 9607 4857




**TWIN 130/1309/W**  
*White* Item no. 9607 4852  
*Black* Item no. 9607 4853



**TWIN 130 SQ/1309**  
*White* Item no. 9607 4846  
*Black* Item no. 9607 4847



**TWIN 130 SQ/1313**  
*White* Item no. 9607 4848  
*Black* Item no. 9607 4849



**TWIN 130 SQ/1713**  
*White* Item no. 9607 4850  
*Black* Item no. 9607 4851

- BLACK GLASS
- WHITE PLASTIC
- GLASS/DOOR
- WOOD





Discreet, exclusive design

# Panacea

Panacea is the name of the Greek goddess of universal remedy and has laid the foundation for the development of our new and exclusive steam bath. With Panacea, we have interpreted classical elements and therapies, and forged them into a revolutionary and innovative steam bath experience.

## THE MATERIAL

Thanks to its extremely flexible and multi-faceted properties, Corian® is every architect's preferred material. Accordingly, when creating Panacea, we used Corian® for all the interior features, such as benches and accessories. Corian® is a highly versatile, durable and hygienic material. The translucent glass in the walls and

the atmospheric lighting combine beautifully to create an almost immeasurable experience.

The Panacea steam sauna features a shifting light and colour therapy called chromo-therapy. To create a full therapeutic experience for all senses, Tylö offers the possibility to complement the light therapy with a range of products that are suitable for sound therapy and aromatherapy. The Panacea has Corian® benches, tinted glass walls and a black frame.

Manifesting itself through carefully appointed materials and restrained design, Panacea makes a strong and exclusive impression. Our goal has been to create a highly flexible steam bath where versatility and bespoke solutions have been our key focus.

The Panacea steam bath has been designed with infinitude in mind. We have therefore created a versatile design which makes the Panacea suited to the most diverse settings. Installation is also very simple and is usually completed within hours rather than days.

The Panacea steam bath by Tylö is the epitome of soothing properties. The hot steam envelops the body and soul, releasing tensions and easing stiff and aching muscles. The experience is further enhanced by individualised sound and light therapies, inspired by age-old, natural treatments, which relax and harmonise the mind.

Choose your Panacea in 3 easy steps. Supplied as prefabricated modules, easy to assemble.


- 1 **Choose size and model** – the Panacea steam bath comes in 7 different sizes and 15 different models. Choose the model that best suits you, the way you wish to enjoy steam, and the measurements of the available space.
- 2 **Choose glass sections** – choose the combination or colour and glass that suits you. See the illustrations on the next page.
- 3 **Order your Panacea** – Contact your local Tylö dealer or send an email to [info@tylo.se](mailto:info@tylo.se).




# Panacea models

## MODEL 1309

Our smallest Panacea room. Choose between steam outlet and steam column including ceiling shower. Both models have a threshold and a fixed door opening to the right. Door opening 730 mm.




**PANACEA 1309 TX/T**  
**WITH STEAM COLUMN AND CEILING SHOWER**  
Size 1325 x 925 mm  
Item no. 9607 5028




**PANACEA STEAM 1309**  
**WITH STEAM OUTLET**  
Size 1325 x 925 mm  
Item no. 9607 5020. Accompany with steam generator.

## MODEL 1709


A Panacea with space for two benches. Choose between steam outlet and steam column including ceiling shower. Select with or without threshold. The doors can be hung to open left or right. Door opening 730 mm.




**PANACEA 1709 TX**  
**WITH STEAM COLUMN AND CEILING SHOWER**  
Size 1725 x 925 mm  
Item no. 9607 5034



**PANACEA 1709**  
**WITH STEAM OUTLET**  
Size 1725 x 925 mm  
Item no. 9607 5026. Accompany with steam generator.




**PANACEA 1709 TX/T**  
**WITH STEAM COLUMN AND CEILING SHOWER**  
Size 1725 x 925 mm  
Item no. 9607 5030



**PANACEA STEAM 1709 T**  
**WITH STEAM OUTLET**  
Size 1725 x 925 mm  
Item no. 9607 5022. Accompany with steam generator.

## MODELL 1717


A square Panacea for corner installation with a bench and steam outlet. You can choose from a variety of glazing options for the left outer wall. Accompany with steam generator.




**PANACEA STEAM 1717**  
Size 1725 x 1725 mm  
Item no. 9607 5070  
With door opening 930 mm  
Item no. 9607 5072

## MODEL 2117

Available for corner installation, but also free-standing with a choice of glazing options for both left and right wall. 1 or 2 benches. Attractive steam outlet on illuminated design wall. Accompany with steam generator.




**PANACEA STEAM 2117**  
Size 2125 x 1725 mm  
Item no. 9607 5074  
With door opening 930 mm  
Item no. 9607 5078




**PANACEA STEAM 2117**  
Size 2125 x 1725 mm  
Item no. 9607 5076

## MODEL 2521 & 2525

Our largest Panacea with space for 2 long benches. Steam outlet on rear wall and a choice of glazing options for the left wall. Accompany with steam generator.



**PANACEA STEAM 2521**  
Size 2525 x 2125 mm  
Item no. 9607 5080  
With door opening 930 mm  
Item no. 9607 5082



**PANACEA STEAM 2525**  
Size 2525 x 2525 mm  
Item no. 9607 5084  
With door opening 930 mm  
Item no. 9607 5086

### SYMBOLER:

- Mood lit back section with steam outlet.
- Mood lit back section with steam column including steam generator and ceiling shower.
- Transparent smoke colored glass.
- Opaque pale glass/basic (pale tint on the inside, non transparent).
- Opaque pale glass/black glass (pale tint on the inside, non transparent).
- Glass door without threshold. Can be hung to the right or left.
- Smoke colored glass door with threshold. Can be hung to the right or left.
- Smoke colored glass door with threshold. Delivered hung to the right.



# Elysée

STEAM | Steam room Elysée

The choice of professionals. A luxurious steam room that meets the highest criteria for style and function. Tylö Elysée is the perfect complement to public bathing facilities in hotels, spas and corporate hospitality suites – and a dream come true in most homes. Tylö Elysée comes in many different sizes and styles (see following pages for details).


### SEAMLESS STEAM BATH EXPERIENCE

Tylö's Elysée is made of high-tech, vacuum-formed, special-grade white plastic for a sturdy, steamtight construction. Supplied in ready-to-assemble wall and ceiling sections with integral seating and a recessed downlight above

each seat. The door is made of tinted, tempered safety glass with a sturdy white lacquered frame and aluminium handles. Transformer for lighting, air outlet vent and all assembly hardware included. Glass wall sections and service walls are available in widths 398, 588 and 778 mm. They can replace sections in Excellent steam rooms at no additional charge.

The configurations below can also be reversed. Add a suitable steam generator and control panel. Outer wall coverings are not included. The dashed lines show the roof extension. The rooms can be extended further in the direction of the arrow.

- ELYSÉE 2D\*** Item no. 9609 1000
- ELYSÉE 2DC\*** Item no. 9609 1002
- ELYSÉE 2DS\*** Item no. 9609 1010
- ELYSÉE 2DM\*** Item no. 9609 1012
- ELYSÉE 4F\*\*** Item no. 9609 1028
- ELYSÉE 3FCR\*** Item no. 9609 1140
- ELYSÉE 3FCL\*** Item no. 9609 1144
- ELYSÉE 5FCR\*** Item no. 9609 1148
- ELYSÉE 5FCL\*** Item no. 9609 1152
- ELYSÉE 6F\*\*** Item no. 9609 1032
- ELYSÉE 8F\*\*** Item no. 9609 1036
- ELYSÉE 7E\*\*** Item no. 9609 1050



The steam room in the image has incorporated certain optional extras.





# Excellent

Steam bath without limits. A luxurious steam room raises the standard in any public bathing facility. Tylö Excellent has been designed primarily for professional use, but smaller models can also be a dream solution at home. Tylö Excellent is available in many sizes, from versions for just four bathers to magnificent steam rooms that cater for more than 50 guests in comfort.

## COMPLETE SOLUTION FOR PROFESSIONALS

Tylö's Excellent is made of high-tech, vacuum-formed, special-grade white plastic for a sturdy, steamtight construction. Supplied in ready-to-assemble wall and ceiling sections with interior fittings consisting of wide, comfort-

able benches in white lacquered aluminium. The door is made of tinted, tempered safety glass with a sturdy white lacquered frame and aluminium handle. Air outlet vent and assembly hardware included.

## LAYOUTS FOR EXCELLENT

Item numbers for sizes can be found in the applicable price list. Exterior height 2070 mm. The dashed lines show the roof extension. For other dimensions and designs, please contact us for a quote. Glass wall sections and service walls are available in widths 588 and 778 mm. They can replace sections in Excellent steam rooms at no additional charge.

## EXCELLENT 8FL

Item no. 9609 1116

## EXCELLENT 12FL

Item no. 9609 1118

## EXCELLENT 14FL

Item no. 9609 1120

## EXCELLENT 16FL

Item no. 9609 1122

## EXCELLENT 12EL


Item no. 9609 1130

## EXCELLENT 16EL

Item no. 9609 1132

## EXCELLENT 18EL

Item no. 9609 1134








# Steam column

With the freestanding TX-range of steam showers, you can easily convert your shower niche into a compact steam room for your home. The specially adapted options allows for a fully functional and luxurious steam solution even in small spaces.



## CONVERT A NICHE INTO A STEAM ROOM

Tylö's glass sections and steam doors enable a tightly-sealed structure together with steam column TX202/G and can easily create a niche for a complete steam room. Accompany with a domed roof.



# Steam column tx202

STEAM | Steam column tx202

Tylö's existing steam bath system (steam column with shower) is also available as a pure steam column with no shower (t202/g). A perfect solution for people who already have a shower and only want to use the steam room for wonderful, soothing steam baths. Specially designed to convert an existing niche (up to 5.5 m3) into a steam room, this product range comprises a steam column, glass sections and steam door 60 G.

### STEAM COLUMN TX202/G

Tylö's steam column tx202/g is a truly flexible solution developed especially to convert a niche into a steam room. The actual steam column can easily be combined with suitable glass sections and a steam door to achieve a fully bespoke solution. The steam column is easily operated with the control panel from the h-series on the outside and is fitted on the inside with a steam head and hand-held shower. The steam column is also available as a pure steam column with no shower, called t202/g.

#### Steam column with shower

Item no. 8900 8160


#### Steam column without shower

Item no. 8900 8170

### STEAM COLUMN TX202/W

The tx202/w is a wall-mounted steam column that offers both steam and shower options. The steam column makes it possible to convert a niche into a complete steam room with glass sections and steam doors. The column includes both a hand-held and a main sprinkler head, as well as a steam head. The main sprinkler head can be attached vertically, from 2180 mm to 1960 mm, as well as horizontally. The minimum installation size is 2140 mm. The column is also equipped with storage shelves and Tylö's h1 touch-control operating panel.

Item no. 8900 8140



You can achieve your desired width by combining a steam column and steam door with your choice of glass sections.

#### 1 - Glass section 778/2020

Size 778 x 2020 mm.

Item no. 9091 4060

#### 2 - Glass section 588/2020

Size 588 x 2020 mm.

Item no. 9091 4050

#### 3 - Glass section 398/2020

Size 398 x 2020 mm.

Item no. 9091 4040

#### 4 - Steam column tx2020/G

#### 5 - Steam door 60 G 2020

Size: 778 x 2020 mm

Item no. 9091 4000



STEAM | Steam column tx202





# Steam doors

Our top-quality doors are specially manufactured to withstand the considerable temperature differences between the outside and inside of the sauna without warping or becoming deformed. If you want a steam door with different dimensions or made from different materials, request a quote.



**1 - STEAM DOOR 101 G** Tempered, tinted safety glass door specially adapted for wheelchair access with an extra wide opening and flat sill. Outer frame dimensions: 1870 x 1010 x 60 mm, width of opening: 900 mm.

*Right-hinge door with tinted glass and aluminium frame*

Item no. 9091 2025

*Left-hinge door with tinted glass and aluminium frame*

Item no. 9091 2030

*Right-hinge door with tinted glass and white aluminium frame*

Item no. 9091 2027

*Left-hinge door with tinted glass and white aluminium frame*

Item no. 9091 2032

**2 - STEAM DOOR 60 G** Tempered safety glass door. Opening 670 mm.

*Tinted glass with aluminium frame*

1870x778x60 mm Item no. 9091 2000

*Tinted glass with white aluminium frame*

1870x778x60 mm Item no. 9091 2003

*Tinted glass with aluminium frame*

2020x778x60 mm Item no. 9091 4000

*Tinted glass with white aluminium frame*

2020x778x60 mm Item no. 9091 4005

*Tinted glass with aluminium frame*

2100x778x60 mm Item no. 9091 2040

*Clear glass with aluminium frame*

1870x778x60 mm Item no. 9091 2001

*Clear glass with white aluminium frame*

1870x778x60 mm Item no. 9091 2005

*Clear glass left, no door threshold, aluminium frame*

2020x778x60 mm Item no. 9091 4070

*Clear glass right, no door threshold, aluminium frame*

2020x778x60 mm Item no. 9091 4075

**3 - STEAM DOOR 50 G** Narrow door in tempered clear glass with concealed hinges. Outer frame dimensions: 1855 x 635 x 43 mm, width of opening: 550 mm. Item no. 9091 1010

**4 - STEAM DOOR** Tempered safety glass door. Available with either tinted glass or clear glass. The new steam door G60 has no threshold, a major advantage in facilities requiring disabled access, and is fitted with four hinges to complement the designs of the other doors in the DGL and DGB ranges.

## TINTED GLASS

**9x19** right Item no. 9091 2250

**9x20** right Item no. 9091 2254

**9x21** right Item no. 9091 2258

**10x19** right Item no. 9091 2262

**10x20** right Item no. 9091 2266

**10x21** right Item no. 9091 2270

**9x19** left Item no. 9091 2274

**9x20** left Item no. 9091 2278

**9x21** left Item no. 9091 2282

**10x19** left Item no. 9091 2286

**10x20** left Item no. 9091 2290

**10x21** left Item no. 9091 2294

## CLEAR GLASS

**9x19** right Item no. 9091 2252

**9x20** right Item no. 9091 2256

**9x21** right Item no. 9091 2260

**10x19** right Item no. 9091 2264

**10x20** right Item no. 9091 2268

**10x21** left Item no. 9091 2272

**9x19** left Item no. 9091 2276

**9x20** left Item no. 9091 2280

**9x21** left Item no. 9091 2284

**10x19** left Item no. 9091 2288

**10x20** left Item no. 9091 2292

**10x21** left Item no. 9091 2296



# Steam generators

Our newest line of steam generators are engineered to provide top performance under demanding conditions and a variety of water types without failing. Smart control units give you full access to current status and functions. And most importantly our steam generators will envelope you in rich, dense and warm steam and relaxation.



Speed heat

Greater energy efficiency through faster warm-up times.



Standby

Less energy consumed and faster reaction time to heat sauna or steam room.





# The new steam generation

**FOR DECADES** we have been supplying high quality products to provide personal well-being and an improved standard of living for our customers. With our new generation of steam generators and smart digital control panels we are taking the steam room experience to a new level.

**QUALITY**  
For over 30 years we have been manufacturing steam generators at our factory in Sweden and have taken great pride in producing top quality products. Smart technical solutions form the basis for sustainable products and are a key contributing factor to our industry leading position.

**COMMUNICATION**  
Our control panels allow you to regulate up to three steam generators from the same location. Control your steam bath directly via the control panel or set it up so that you can control it from your computer or mobile device. The option for wireless network connection allows remote control.

**INTELLIGENCE**  
Our new steam generators for home and public environments set a new standard with their smart solutions for optimum effect. Two-way communication between the control panel and the steam generator facilitates an effective overview of all functions, with updates in real-time.

**SUSTAINABILITY**  
With scrupulous quality control, smart technology and a strong focus on water and energy consumption, we have designed Tylö's steam generators for minimal impact on our environment.

**LESS MAINTENANCE**  
We design our steam generators with great attention to detail. They should run for many years with no interruption and a minimum of maintenance. They come with an automatic emptying function that is set according to the water quality in your area.

**HIGH LEVEL OF COMFORT**  
Whether our steam generators are installed in a home or public setting, they are designed to offer top-quality enjoyment and comfort without interruption. The convenient Multi-Steam function ensures uninterrupted operation in heavily-utilised facilities, and the Bahia steam outlet, which can be added as an optional extra, is specially designed to spread abundant, billowing steam with minimal noise and risk of burns.


**ENERGY SAVING**  
Scandinavian design has always been influenced by consideration for efficiency and the overall feel. Accordingly, we have employed technology to make our steam generators as efficient as possible. The stand-by mode option and our "divided output" function can reduce energy consumption by up to 30%. Once the air in the steam room has reached the desired temperature, the output of the steam generator drops to a suitable level to maintain this temperature.

# It's all about water

**IT'S NOT JUST STEAM**  
Our new steam generators set a new industry standard with their innovative solutions based on experience. For you, it's all about enjoying quality time relaxing in a soothing steam bath. While for us, it's all about ensuring that you can enjoy fantastic, problem-free relaxation.


**WE MAKE SURE EVERYTHING OPERATES SMOOTHLY**  
To ensure the steam is generated in the best way, it is important to analyse the water used. It's not just about calcium deposits, but also about the conductivity of the water, which may differ in different regions. The quality of the water has a major bearing on both the function and service life of your steam generator.

If you are not sure about the water in your region contact your local dealer to test the water before ordering your steam generator system. Sometimes your local water company may be able to provide the information you need.



**It is essential** that the analysis takes into account both the degree of hardness and the conductivity of the water. Softer water yields increased conductivity and increased risk of foaming, which can affect the efficiency of the steam generator.

Water quality	Water treatment, low consumption	Water treatment, high consumption
Soft water: 0–4 dH	No additives needed	Softener needed
Medium hard water: 4–14 dH	Softener needed	RO filter needed
Hard water: 14–24 dH	Softener and RO filter needed	Softener and RO filter needed



For reliable, continuous operation, service life and minimum energy and water consumption, we strongly recommend an RO filter for your steam generator. This is especially applicable for operation in public environments where the conductivity of the water is high.



# Smarter steam generation

Leave the challenges of everyday life behind and enjoy the perfect end to your day in a relaxing steam bath.

Tylö has a strong tradition of providing steam generators for public and private use. Our latest series is fitted with a state-of-the-art control unit to ensure precise operation. Control the steam, lights, timer and other features at the simple touch of a button. Add fragrances and relax. Indulge yourself and all your senses.



### Total control with Elite

Control and monitor your steam room from a distance using nothing but local WiFi, a mobile device and Tylö's app WellAccess™. The app is especially developed to optimise your steam experience and is compatible with iOS, Android and desktop PCs.

Steam Commercial & Home
- Automatic empty
- Automatic flush
- Energy saving feature
- Replaceable heater
- Limescale repellent electrodes
- Level detection outside the water tank
- Automatic shut-off if water level low
- Electronic temperature limiter
- Stand-by
- Fragrance pump control (Steam Commercial)
- Fan control



Speed heat



Standby



### STEAM COMMERCIAL

Our Steam Commercial steam generator is equipped with a large water tank and is designed to easily connect to our Multi-Steam function – an effective way to avoid stoppages in frequently used systems.



### STEAM HOME

Our latest compact and effective steam generator for home environments. It offers new and improved features such as stand-by, an aromatherapy option and improved protection against stoppages.

You'll find the full product range in the buying guides.



# Control your steam bath from anywhere - all you need is WiFi

## Elite & WellAccess™

### EFFORTLESS BATHING

The new multi-disciplinary control panel Elite from Tylö is packed with advanced features, thanks to its internal processor and operating system. In addition to highly personalized settings, the Elite can be individually programmed according to your own schedule.

Add features such as auxiliary fans, fragrance pumps or sound systems – the Elite control panel handles it all with clear and concise precision. The crystalline 4.5-inch screen delivers real-time status on every aspect of your steam bath. Naturally, it includes steam and temperature settings and WiFi app-connectivity.

### WELLACCESS™ - AN ALL-NEW CONTROL PANEL APP FOR MOBILE DEVICES AND COMPUTERS

In order to increase comfort, convenience and a better user experience adapted to people's everyday living patterns, we recently launched WellAccess™, an ingenious computer and smartphone app.

The user interface, developed for mobile devices and personal computers, perfectly emulates that of the steam room's or sauna's control panel. Through sensible engineering, the outcome is highly usable functionality, allowing steam bathers to log on to the control panel through the smartphone app over their local WiFi network and remotely control their steam bath.

On both the control panel itself and via WellAccess™, it is possible to create and save several different user profiles and favourite settings, and set different schedules. In commercial settings, it is possible to manage multiple units from one point of access, and set unique profiles for different locations.



- Set temperature and humidity
- Can create multiple user profiles
- Control sauna/steam via WiFi and app
- Control several units at a time
- Set different schedules for different week days
- Set specific profiles for specific times or dates
- Instant fault notification



Wi-Fi

Desktop PC

Android/iOS



## Pure

### INTUITIVE DESIGN AND FEATURES

The elegant, compact design of Tylö's Pure control panel makes it the go-to choice for those who value functionality and advanced technology without compromising on aesthetics.

The ultra-thin black control lights up and lets you set the lighting, temperature and steam time easily with only a few touches. Of course, choosing the default start time means you can step into a steamy bath as soon as you get home.






Buying guide – steam generators, Accessories och Tylarium

Steam generators

Model	Item no.	Output (kW)	Steam room's min./max. volume (m³)				Steam production (kg/h)	Size in mm (LxWxH)	Suitable control panel
			Light wall made of glass, plastic, Elysée Excellent room, etc.		Heavy wall made of tiles, concrete, stone, etc.				
			With ventilation	Without ventilation	With ventilation	Without ventilation			
Steam Home	66210120	3 6 9	– 3 - 8 6 – 16	max. 3 4 - 15 13 - 24	– 2 – 5 4 – 10	max. 2 2.5 - 8 7 – 16	3.5 8 12	480 x 350 x 159	Elite or Pure
Steam Commercial	66210010 66210015 66210020	9 12 15	6 – 16 14 – 22 18 – 25	13 – 24 22 – 30 28 – 38	4 – 10 8 – 15 10 – 19	7 – 16 14 – 20 18 – 25	12 16 20	585 x 415 x 230	Elite or Pure
2 x 9 2 x 12 2 x 15 Steam Commercial		18 24 30	20 – 30 28 – 40 36 – 50	28 – 40 38 – 50 56 – 76	13 – 20 18 – 30 32 – 42	18 – 30 28 – 40 42 – 57	24 32 40	585 x 415 x 230	Elite or Pure
3 x 9 3 x 12 3 x 15 Steam Commercial		27 36 45	38 – 45 43 – 60 54 – 75	46 – 60 58 – 70 84 – 114	28 – 40 38 – 50 47 – 63	38 – 52 48 – 60 60 – 75	36 48 60	585 x 415 x 230	Elite or Pure
VA 6	66202020	6	3 – 8	4 – 15	2 – 5	2.5 – 8	8	570 x 224 x 485	CC50 or H1
VA 9-K	66203021	9	6 – 16	13 – 24	4 – 10	7 – 16	12	570 x 224 x 485	
VA 12	66204020	12	14 – 22	22 – 30	8 – 15	14 – 20	16	570 x 224 x 485	
VA 18	66205020	18	20 – 30	28 – 40	13 – 20	18 – 30	24	615 x 445 x 485	
VA 24	66206020	24	28 – 40	38 – 50	18 – 30	28 – 40	32	615 x 445 x 485	
VA 3x9**		27	38 – 45	46 – 60	28 – 40	38 – 52	36	570 x 224 x 485	
VA 3x12**		36	43 – 60	58 – 70	38 – 50	48 – 60	48	570 x 224 x 485	
VB 2/4/6*	66201830	2.2 4.5 6.6	– max. 4 3 – 8	max. 2.5 max. 5.5 4 – 15	– max. 2.5 2 – 5	max. 1.5 max. 3.3 2.5 – 8	3 5.5 8	445 x 130 x 415	CC50 or H1

\* 2.2/4.5/6.6 kW convertible for single, two or three phase connection. \*\* Only one control panel is required for connection.

Tillbehör





	Model	Item no.	Features
	Steam outlet Commercial	90029263	Steam outlet for Tylarium. The Tylö steam outlet Commercial improves the distribution of steam in your sauna room. Specially designed for Sense Commercial heaters 10-20 kW. Add Tylarium Elite kit, item no. 71016000.
	Steam outlet Bahia Home	90029254	High-efficient and low-noise steam outlet for smaller steam rooms. Made of high-gloss plastic and tempered safety glass panels with a protective coating. Size: 280 x 180 mm (BxH).
	Steam outlet Bahia Pro	90029252	Made of tempered safety glass with an exclusive Corian front panel, highly suitable for large steam rooms. Very quiet in operation. Size: 500 x 300 mm (WxH).

Tylarium

Sauna volume m³	Sauna heater kW	Relay box	Steam generator kW	Control panel	Required	Optional
10-18	Sense Commercial 10	Commercial Lite	Steam Commercial 9	Elite	Tylarium Elite Kit Item no. 71016000	Steam outlet
15-35	Sense Commercial 16	Commercial	Steam Commercial 9	Elite	Tylarium Elite Kit Item no. 71016000	Steam outlet
22-43	Sense Commercial 20	Commercial	Steam Commercial 12	Elite	Tylarium Elite Kit Item no. 71016000	Steam outlet

Buying guide - control panels for steam

Control panels

	Model	Item no.	Size WxHxD mm	Features
	Pure	72001410	86x86x8	Thermostat controlled touch control panel, for installation inside or outside the sauna or steam room. Add a door contact to enable use of the timer function and external switch for start-up.
	Elite	72005000	85x127x12	The multi-disciplinary control panel is packed with advanced features, thanks to its internal processor and operating system. Naturally it includes energy saving functions and WiFi/App connectivity.
	H1	72001020	80x140x19	H1 is equipped with touch-control and shows temperature and time in operating mode. Can be set for start within a 24-hour period and has a running time between 0-23 hours. Also equipped with a switch for lighting, 12h/24 format and multiple languages. Compatible with Tylö's older heaters Sense Plus, Sense SK (via RB30/60) and SDK/SD (via RB30/60).
	CC50	71214005	130x190x27	Has a display for time and temperature, switch for lighting and security code function. Programmable for 1, 3, 12 and 24 hours or continuous operation. 0–10 hour preset. Compatible with Tylö's older heaters Sense Plus, Sense SK (via RB30/60) and SDK/SD (via RB30/60).





# Infra

The integral infra panels in Tylö's Prime infra cabins emit restorative long-wave infrared heat. The pleasant infrared heat is based on a Carbon-Flex heating system, whose large infra panels guarantee even distribution of heat across the benches, walls and floor. The CarbonFlex heating system is built on tried-and-tested technology that delivers superior safety and performance.

Infra heat in the sauna offers numerous benefits to you and your wallet. Electromagnetic radiation heats the sauna effectively and almost instantly, thus using 20% less energy than conventional saunas. Tylö's EvenHeat™ system spreads the heat evenly over your whole body.

Our Pure Infra cabin provides reliable heat using state-of-the-art infrared technology. Naturally, this means the lowest electromagnetic radiation (EMR) and electrical field (EF) levels of any infrared system on the market today.

The exclusive EvenHeat™ system soothes your body by spreading the heat evenly throughout the cabin without any unnecessary exposure to electrical fields. Your body is effectively detoxified and aches and pains are relieved, leaving you totally relaxed and refreshed.



# Prime+

All infrared delivery systems produce EMR and EF to some extent. While the levels are typically low, it is still not clearly understood what the long-term effects of low exposure might mean. Pure Infra technology was developed to take the worry out of unnecessary exposure to EMR and EF. For instance, the electrical field in a Pure Infra is less than you'd experience from a computer screen or cell phone. After all, if the point is to detoxify, why expose yourself to any level of unnecessary radiation?

**BETTER FOR EVERYONE**

Pure Infra cabins heat up quickly and efficiently with a simple tap of the touchscreen control. A Pure Infra cabin also heats up near-instantly to your set comfort level using up to 20% less energy than other systems. The safest and most comfortable infrared heat available for an infra cabin is therefore also the most energy-efficient – and that's better for everyone.

**FULL-BODY HEAT**

The exclusive EvenHeat™ system emits waves of infrared heat from its large heating panels to evenly warm your entire body. EvenHeat™ ensures that there are no "cold spots" due to non-uniform distribution of heat. Just plug it in and you're ready to relax and detox in the comfort of your own home.

**MUSIC TO YOUR EARS**


Every Pure Infra cabin includes a touch-screen operated sound system so that you can listen to your favourite music. The discreet speakers enhance the minimalist finish of the interior and your well-being as you take your daily infrared sauna.

**EASY ON THE EYES**

Pure Infra cabins include tri-modal lighting systems, with soft valance lighting, ceiling reading lights and colour light therapy. This allows you to relax in the soft and diffuse valance lighting, use colour to create an energising ambience, or simply enjoy your favourite magazine or book without straining your eyes.

**LOWEST EMR AND EF LEVELS**

To put it simply, no other infrared cabin system keeps exposure to EMR and EF to a minimum better than Pure Infra. Our exclusive patent-pending technology means that Pure Infra cabins produce lower levels of EMR and EF than sanctioned by Sweden's radiation standards, which are the most stringent in the world.



Included
A heating system with the lowest EMR and EF levels – lower than Sweden's stringent standards.
Exclusive EvenHeat™ technology – heats quickly and evenly without any “cold spots”.
Robust quality and attractive design, made of light Canadian hemlock.
Prefabricated panels for fast assembly without any tools.
Full glass fronts and floor-to-ceiling doors of top-quality tempered glass.



A - **PRIME+ 99**  
1-person. 913 x 913 x 1940 (mm) (WxDxH)  
Item no. 9510 9700



B - **PRIME+ 1210**  
2-person. 1213 x 1013 x 1940 (mm) (WxDxH)  
Item no. 9510 9710



C - **PRIME+ 1515/C**  
4-person. 1513 x 1513 x 1940 (mm) (WxDxH)  
Item no. 9510 9760



D - **PRIME+ 1611**  
3-person. 1633 x 1078 x 1940 (mm) (WxDxH)  
Item no. 9510 9720



E - **PRIME+ 1811**  
3-person. 1813 x 1078 x 1940 (mm) (WxDxH)  
Item no. 9510 9730



F - **PRIME+ 1814**  
4-person. 1813 x 1438 x 1940 (mm) (WxDxH)  
Item no. 9510 9740




G - **PRIME+ 1313/C**  
3-person. 1301 x 1301 x 1940 (mm) (WxDxH)  
Item no. 9510 9750



# Accessories

Our sauna accessories are designed to work together with and match your sauna or steam room from Tylö. We give you scope to adapt both your sauna and steam room to suit your individual requirements with the products on offer. You will find a large number of sauna and steam accessories to make your experience complete.





# Sauna accessories



### FIXED HEADREST

Headrest made of narrow wooden slats. 37.5 x 27 x 8 cm.

**Alder** Item no. 9008 1016

**Aspen** Item no. 9008 1014

### ADJUSTABLE SAUNA HEADREST

Height adjustable. 42.5 x 37.5 x 7 cm.

**Alder** Item no. 9008 1012

**Aspen** Item no. 9008 1010

### PRO ACCESSORIES

Stainless steel and aspen accessories.

#### Bucket pro

Item no. 9004 1005

#### Ladle pro

Item no. 9012 1020

#### Hygrometer/

#### Thermometer pro

Item no. 9070 1030



### STRIP PACKAGE

Contains three strips of light aspen, measuring 12 x 43 x 2400 mm. Suitable as a door lining, internal or external ceiling strip, etc.

Item no. 9103 1575



### THRESHOLD

Suitable for DGB and DGL doors with door widths 7 and 8. Size: 30 x 92 mm.

**DGB width 7 spruce** Item no. 9103 1560

**DGL width 7 aspen** Item no. 9103 1561

**DGB width 8 spruce** Item no. 9103 1565

**DGL width 8 aspen** Item no. 9103 1566



### STEAM DISTRIBUTOR COMMERCIAL

The Tylö Steam Distributor Commercial improves the distribution of steam in your sauna room. Specially designed for the sauna heater Sense Commercial 10-20 kW.

Item no. 9002 9263

NEW



### TARRED WOODEN BUCKET

Item no. 9004 1052

### TARRED WOODEN LADLE

Item no. 9012 1017



### SAUNA WHISKS 5-PACK

Tylö's sauna whisks are carefully dried and packaged in packs of 5.

Item no. 9002 9032



### HEATER GUARD

**6-8 V** Wall-mounted heater guard

6.6-8 kW. Item no. 9000 1002

**10-20 V** Wall-mounted heater guard

10.7-20 kW. Item no. 9000 1012

**6-8 H** Corner-mounted heater guard.

6.6-8 kW. Item no. 9000 1003

**10-20 H** Corner-mounted heater guard

10.7-20 kW. Item no. 9000 1013



### LEGS FOR SENSE

Legs for all Sense sauna heaters.

Color black.

**Sense 6/8/10** Item no. 9000 1060

**Sense Combi 6/8/10** Item no. 9000 1061



### BUCKET CLASSIC

Item no. 9004 1010

### LADLE CLASSIC

Item no. 9012 1025



### SHOWER BARREL

10-litre shower barrel with automatic water refill for a refreshing cool-down after your sauna.

Height with chain: 630 mm.

Item no. 9002 9050



### WATER SPRINKLER

Kit for sprinkling water. Connect to hot or cold water. Available in a gift package complete with bronze plaque.

Item no. 9034 1000

### SAUNA OIL 1L

For treating benches and other wood surfaces in the sauna.

Covers approx. 6 m².

Item no. 9002 2050



### ESSENTIAL OILS

Concentrate of natural fragrances specially produced for our Tylö Fresh fragrance dispenser for saunas and steam baths. 25 cl plastic bottle.

#### Eucalyptus 25

Item no. 9002 2030

#### Peppermint 25

Item no. 9002 2031

#### Pine 25

Item no. 9002 2032

#### Lavender 25

Item no. 9002 2033

#### Citrus 25

Item no. 9002 2036



### FRAGRANCE STONE

Place on top of the stones in the sauna heater's stone compartment. Fill with water and essential oils. Approx. size (WxDxH) 120x100x80 mm

Item no. 9002 9048



### LUXURY FRAGRANCE 2-PACK

Natural oils in a gift pack, not essential oils. Limited edition. Good Father (smoky tobacco), Champagne (fruity). 10 ml/bottle.

Item no. 9002 3032



### COLLECTION OF ESSENTIAL OILS

Five selected blends in a gift pack.

10 ml/bottle.

Item no. 9002 3024



### CLASSIC FRAGRANCE COLLECTION 4-PACK

Essential oils gift set. Eucalyptus, peppermint, lavender and lemon.

10 ml/bottle.

Item no. 9002 3030



### VENTILATION GRILLE C

For saunas over 25 m³.

Vent opening 300 cm².

Size: 24.5 x 25.5 cm.

**Aspen** Item no. 9018 1032

### VENTILATION GRILLE B

Size: 14 x 22 cm.

**Aspen** Item no. 9018 1040

**Alder** Item no. 9018 1038



### VENTILATION HATCH B

Fits over the air outlet inside the sauna to regulate air flow.

Size: 14 x 37.5 cm.

**Aspen** Item no. 9018 1036

**Alder** Item no. 9018 1034

### VENTILATION HATCH C

For sauna rooms over 25 m³.

Adjustable opening 0 – 300 cm².

Size: 24.5 x 45.5 cm.

**Aspen** Item no. 9018 1030



### ESSENTIAL OILS

100% essential oils. Release invigorating scents in your sauna.

#### Eucalyptus 50 ml

Item no. 9002 3022

#### Eucalyptus 10 ml

Item no. 9002 3010

#### Peppermint 10 ml

Item no. 9002 3012

#### Lavender 10 ml

Item no. 9002 3014

#### Orange 10 ml

Item no. 9002 3016

#### Grapefruit 10 ml

Item no. 9002 3018

#### Lemon 10 ml

Item no. 9002 3020

#### Night time 10 ml

Item no. 9002 3002

#### Energy 10 ml

Item no. 9002 3004

#### Refresh 10 ml

Item no. 9002 3006

#### Harmony 10 ml

Item no. 9002 3008

#### Sensual 10 ml

Item no. 9002 3000



### CONCENTRATED FRAGRANCES

For earlier models of Tylö Sauna Fresh and Stream Fresh.

#### Eucalyptus-250

Item no. 9002 0000

#### Lemon-250

Item no. 9002 0010

#### Pine-250

Item no. 9002 0020



### SAUNA STONE

Natural stones of black diabase that tolerate rapid heating and cooling.

#### Sauna stones Mini Compact 7 kg

Natural stones of black diabase that tolerate rapid heating and cooling. Suitable for our Compact and Combi Compact heaters.

Item no. 9014 1005

#### Sauna stones 14 kg

Natural stones of black diabase that withstand rapid heating and cooling. One carton (approx. 14 kg) is sufficient for our Expression heaters. Sense Commercial 10-20 heaters requires two cartons.

Item no. 9014 1000

#### Sauna stones 20 kg

Natural stones of black diabase that withstand rapid heating and cooling. This is a suitable volume for our heaters Sense 6.6-10.5 kW and Sense Combi 6.6-10.5 kW.

Item no. 9014 1050

#### Wood-fired sauna stones for Air 20 kg

Larger diabase stones, suitable for Air sauna heater. The stones provide better air circulation and retain heat longer. One box holds 20 kg. For Air heater you will need 5 boxes (100 kg).

Item no. 9014 1007





**DARK ACCESSORIES**  
Aluminium and dark wood.

<b>Bucket</b> Item no. 9015 2700	<b>Hygrometer/Thermometer</b> Item no. 9015 2740
<b>Ladle</b> Item no. 9015 2710	<b>Hourglass</b> Item no. 9015 2750
<b>Thermometer</b> Item no. 9015 2720	<b>Towel rack</b> Item no. 9015 2770
<b>Hygrometer</b> Item no. 9015 2730	



**BASIC ACCESSORIES**  
Light wood and stainless steel.

<b>Thermometer</b> Item no. 9015 2821
<b>Hygrometer</b> Item no. 9015 2831
<b>Hygrometer/Thermometer</b> Item no. 9015 2811
<b>Hourglass</b> Item no. 9015 2840



**BLONDE GIFT PACKAGE**  
Contains ladle, bucket, fragrance, hygro/thermo.  
Item no. 9015 2882



**BLONDE ACCESSORIES**  
Aluminium and light wood.

<b>Bucket</b> Item no. 9015 2000	<b>Hygrometer/Thermometer</b> Item no. 9015 2045
<b>Ladle</b> Item no. 9015 2010	<b>Hourglass</b> Item no. 9015 2050
<b>Thermometer</b> Item no. 9015 2025	<b>Towel rack</b> Item no. 9015 2070
<b>Hygrometer</b> Item no. 9015 2035	



**DARK GIFT PACKAGE**  
Contains ladle, bucket, fragrance, hygro/thermo.  
Item no. 9015 2884



**SAUNA CLASSIC GIFT PACKAGE**  
Contains classic bucket, ladle, hygrometer/  
thermometer, hourglass and sauna fragrance.  
Item no. 9015 2894



**LED DOWNLIGHTS**  
**Downlight**  
Item no. 9001 1096  
**Downlight with Halogen LED adapter**  
Item no. 9001 1098



**LAMP SHADE ASPEN**  
Decorative aspen lamp shade,  
spreads a gentle glow in the sauna.  
Fits our 40 W lamps.  
**Aspen-V** Wall-mounted. 50 x 28 x 15 cm.  
Item no. 9009 1010  
**Aspen-H** Corner-mounted. 50 x 34 x 8 cm.  
Item no. 9009 1011



**SAUNA LAMP 40 W**  
For wall mounting. White lamp  
holder E14. IP 55. Max 40 W.  
Diameter 90 mm, height 170 mm.  
Item no. 9001 1000



**SAUNA LIGHT E28**  
Dimensions: 65 x 28 x  
350/700/1070 mm. IP class 54.  
Warm-white glow. Voltage 12 V DC.  
Transformer not included.

<b>1070 mm 4.1 W</b> Item no. 9001 1400
<b>700 mm 2.4 W</b> Item no. 9001 1402
<b>350 MM 0.8 W</b> Item no. 9001 1404



**SAUNA LED LIGHTING**  
Includes lighting strips and transformer. Can be installed either inside or  
outside the sauna (not in the ceiling). Warm-white glow. Voltage 12 V. IP 54.  
Transformer LED 12 V DC 20 W.

<b>LED 1</b> Length 500 mm. 2.4 Watt. Item no. 9001 1022
<b>LED 2</b> Length 870 mm. 4.1 Watt. Item no. 9001 1024
<b>LED 3</b> Length 2 x 500 mm. 4.4 Watt. Item no. 9001 1026
<b>LED 4</b> Length 3 x 500 mm. 7.2 Watt. Item no. 9001 1028



**SAUNA LIGHT E90**  
0.8 W. 90 x 90 x 200 mm. IP class 54.  
Warm-white glow.  
Transformer not included.  
Item no. 9001 1420



#### LIGHTING STRIPS

Installed behind the backrest for pleasant, subdued lighting in sauna or steam room. Can be cut to size. 12 V. Connect to 12 V transformer. IP 65.

**Lighting strip 38** Length 38 cm. 12 W output. Item no. 9001 1190

**Lighting strip 50** Length 50 cm. 15 W output. Item no. 9001 1192

**Lighting strip 90** Length 90 cm. 27 W output. Item no. 9001 1194

**Lighting strip 190** Length 190 cm. 57 W output. Item no. 9001 1196



#### DOWNLIGHT LED 0.66W SAUNA 6ST

Downlight in brushed steel, incl. transformer, that creates a warm glow. (2700K). Item no. 9001 1099



#### TRANSFORMER LED 0-20W

200-240 V ~ /12 V. Max. load 20 W. NB: The transformer must always be installed outside the sauna. Suitable for E90, E28 and LED light strip. LED transformer dimmable on the secondary side. Item no. 9090 1030



#### LED LIGHT STRIP

Developed to allow for more subtle lighting effects. 12 V DC. Dimmable. Warm white 3000K.

**LED 38CM 12V/DC 0.16w**

Item no. 9001 1350

**LED 50CM 12V/DC 0.25w**

Item no. 9001 1352

**LED 90CM 12V/DC 0.50w**

Item no. 9001 1354

**LED 190CM 12V/DC 1.20w**

Item no. 9001 1356

**LED made-to-measure 12V/DC 1 w/m**  
Price on request



#### LED DOWNLIGHT

LED downlight for ceiling installation. Warm-white glow (3200-3500 K), 1.2 W output. Height 30 mm, ø 60 mm. Supplied in pairs including transformer to handle up to 7 downlights. IP class 68.

**2 including transformer**

Item no. 9001 1089

**1 excluding transformer**

Item no. 9001 1088



#### TRANSFORMER LED 3-6W

230V~/9-18V. Max. load 6 W. NB: The transformer must always be installed outside the sauna. Suitable for Tylö LED downlights. IP class 21. Item no. 9090 1022



#### TRANSFORMER LED 0-4W

240V~/0.5-10.5V. Max. load 4 W. NB: The transformer must always be installed outside the sauna. Suitable for Tylö LED downlights. IP class 65. Item no. 9090 1026



#### OPUS 200 H135

Sauna lamp for wall/ceiling. E27, 40 W ceiling, 60 W wall, 230 V, IP 44, matt opalescent glass. Diameter 200 mm, height 135 mm. Item no. 9001 1094



#### OPUS 100 H100

Sauna lamp for wall. G9, 25 W, 230 V, IP 44, matt opalescent glass. Diameter 100 mm, height 100 mm. Item no. 9001 1090



#### OPUS 100 H125

Sauna lamp for wall/ceiling. G9, 25 W, 230 V, IP 44, matt opalescent glass. Diameter 100 mm, height 125 mm. Item no. 9001 1091



#### OPUS 100 H175

Sauna lamp for wall/ceiling. E27, 40 W ceiling, 60 W wall, 230 V, IP 44, matt opalescent glass. Diameter 100 mm, height 175 mm. Item no. 9001 1092



#### OPUS 100 H175

Sauna lamp for wall/ceiling. E27, 40 W ceiling, 60 W wall, 230 V, IP 44, clear glass. Diameter 100 mm, height 175 mm. Item no. 9001 1093



A



B

#### LOUDSPEAKERS

Steam and heat-resistant design.

**Speaker A** For installation under the lower bench.

Installation size: diameter 117 mm, depth 60 mm. Item no. 9080 2000

**Speaker B** For surface mounting.

Size 230 x 145 mm, depth 165 mm. Item no. 9080 3002



#### RUBEN SKY LED

Starry sky lighting for a meditative starlit mood. Choice of colours. The included control gives you a choice of seven pre-installed programmes or the option of creating your own programme lasting up to 20 minutes with as many as 20 colour changes. Cable connections, 180 mm mounting sleeves and electronic equipment are included. Can also be synchronised with lighting behind the backrest.



**Ruben Sky 20** Number: 20.

11.6 W output.

Item no. 9001 1072

**Ruben Sky 30** Number: 30.

17.4 W output.

Item no. 9001 1074

**Ruben Sky 40** Number: 40.

23.2 W output.

Item no. 9001 1076

**Ruben Sky 60** Number: 60.

34.8 W output.

Item no. 9001 1078



#### RGB LIGHTING

Ready-made package containing LED strip RGB 2 x 1.91 m, transformer and remote control.

Item no. 9001 1360



#### SAUNA KILT

100 % cotton.

**Men's kilt Granit grey**

Item no. 9016 2126

**Women's kilt Granit grey**

Item no. 9016 2128



#### SAUNA HAT

Item no. 9015 2896



#### ELITE RECESSED FRAME

The Elite control panel and mounting frame are fully integrated into the wall, inside or outside the sauna room.

Item no. 9000 1056



#### LIGHT ON HALOGEN

Sauna lamp for wall/ceiling. GU10, 35 W, 230 V, IP 44. Diameter 100 mm, height 115 mm.

Item no. 9001 1003



#### EXTERNAL SWITCH

On/off switch to control the sauna from locations other than where the control panel is installed.

Art. nr. 9090 8047



#### DOOR CONTACT

Prevents unintentional start-up of the sauna by remote control if the sauna door is open.

Art. nr. 9090 8035



# Steam bath accessories

**WATER SOFTENER  
PREMIER COMPACT**  
Item no. 9090 8027  
**Water softening salt (3-PACK)**  
Item no. 9090 3005



**FRAGRANCE PUMP**  
Available as an option for your steam generator and connects simply to the outlet pipe. Add any 5-litre concentrated fragrance.  
Item no. 9090 8012



## CONCENTRATED FRAGRANCES

**Eucalyptus-5 litres**  
Item no. 9002 2007  
**Lemon-5 litres**  
Item no. 9002 2012  
**Pine-5 litres**  
Item no. 9002 2044

**Peppermint-5 litres**  
Item no. 9002 2022  
**Menthol-5 litres**  
Item no. 9002 2027

**BAHIA HOME AND PRO STEAM OUTLET**  
The Bahia steam outlet is the obvious choice for form, function and aesthetics. Tempered safety glass design with Corian® or high-gloss plastic.

**BAHIA PRO**  
Tempered safety glass and Corian®  
Size: B: 500 mm H: 300 mm  
Item no. 9002 9252

**BAHIA HOME**  
Tempered safety glass and high-gloss plastic  
Size: B: 280 mm H: 180 mm  
Item no. 9002 9254



**STEAM OUTLET GRACE**  
Steam head with integral dispenser for Tylö fragrances. Connect to the steam generator's steam pipe.  
Item no. 9002 9250

**SOUND SYSTEM FOR  
STEAM ROOM**  
Enhance your experience with a specially-designed sound system.  
Item no. 9080 2010




**DOMES**  
Turn your shower into a steam bath with a one-piece dome in special-grade plastic with assembly profiles of natural anodised aluminium. Made to measure (TK special). Max. length 200 cm. Domes can be fitted with profiles and doors. Contact a Tylö dealer for made-to-measure orders.



**CORIAN BENCH**  
Ergonomic and easily portable bench.  
Size: 660 x 310 x 450 mm (LxDxH).  
Item no. 9607 5060



**CORIAN BENCH**  
Hardwearing and hygienic bench for larger steam rooms.



**Bench 1545**  
Size: 1545 x 600 x 450 mm (LxDxH).  
Item no. 9607 5050  
**Bench 1945**  
Size: 1945 x 600 x 450 mm (LxDxH).  
Item no. 9607 5052

**Bench 2345**  
Size: 2345 x 600 x 450 mm (LxDxH).  
Item no. 9607 5054



**STEAM LIGHT + transformer  
Steam Light A**  
Exclusive wall light for steam rooms.  
Item no. 9090 1000  
**Transformer steam light A, 24V**  
Transformer (type Steam Trans 24 V).  
200-240 V-/24 V, max. 210 W.  
Item no. 9090 1010  
**Transformer 12 V/210W**  
200-240 V-/12 V max. 210 W.  
Size: 106 x 136 x 93 mm (WxLxH)  
Item no. 9090 1015  
**Transformer 12 V/60W**  
As above, but for max. 60 W.  
Size: 73 x 124 x 61 mm (WxLxH).  
57 W output.  
Item no. 9090 1020



**SERVICE SECTION 778**  
Vacuum-formed, special-grade white plastic with thermostatically-controlled mixer tap, handheld shower head, riser rail and shelf compartments. This section can be ordered in place of a wall/seat section for an extra charge.



**MEGACLEAN 150 ML**  
Kit containing bottle and cleaning sponge. For sparkling cleaning results on washbasins, baths, taps, tiles and plastic.  
Item no. 9090 3050

**DESCALING AGENT  
PRIVATE 0.5L**  
Liquid descaling agent for Tylö's products that require descaling.  
Item no. 9090 3002

**DESCALING AGENT  
PROFESSIONAL 5L**  
Liquid descaling agent for Tylö's products that require descaling, for professional use.  
Item no. 9090 3012

**SOLVENT 1-PACK**  
For descaling of water tanks.  
Item no. 9090 3000

**SOLVENT 50-PACK**  
For descaling of water tanks, large pack of 50.  
Item no. 9090 3007

**SOLVENT SULFAMIC 5KG**  
Descaling agent for professional use.  
Item no. 9090 3010







Tylö dealer

