



PISCINE
LAGHETTO®

by **ASTRALPOOL** ▲

2018
PRICE LIST

Bluespring

votre miroir d'eau

your own pool

il tuo specchio d'acqua

	PAGE
BLUESPRING PRESENTATION	2
BLUESPRING IN-GROUND PRICE LIST	6
BLUESPRING ABOVE-GROUND PRICE LIST	14
BLUESPRING STAIRS PRICE LIST	22
BLUESPRING ACCESSORIES PRICE LIST	24
BLUESPRING INFINITY POOL PRICE LIST	26
TECHNICAL DRAWINGS	27
BLUESPRING H.130 PRICE LIST	30
BLUESPRING H.152 PRICE LIST	32
WARRANTY CONDITIONS (ITALY) - DURATION AND LIMITATIONS	
GENERAL CONDITIONS OF SALES	34
ORDER FORM	36



Bluespring

PISCINE
LAGHETTO[®]
by ASTRALPOOL



PRIX PUBLICS HORS TAXES (€)

Agrisilos Srl se réserve le droit d'apporter des modifications sans obligation préalable d'information. Les produits illustrés dans ce catalogue sont uniquement destinés à un usage privé.

Toute fin publique ou commerciale devra être autorisée par Agrisilos Srl qui décline toute responsabilité en matière de sécurité pour la filtration et la pureté de l'eau. L'acquéreur est tenu de respecter les règles du pays dans lequel la piscine est installée.

Images non contractuelles.

Attention: les couleurs dans cette liste de prix ont le seul but d'illustrer le produit. Elles ne font pas référence à une couleur spécifique, donc nous conseillons de visionner et faire visionner directement les produits et/ou les échantillons de matériel et tissu originaux Piscine Laghetto.

IL EST INTERDIT DE REPRODUIRE, MÊME PARTIELLEMENT CE CATALOGUE / CES TARIFS SANS L'AUTORISATION ECRITE D'AGRISILOS Srl

PUBLIC PRICE (€) - TAXES EXCLUDED

Agrisilos Srl reserves the right to change specifications without prior notice or obligation. The products shown in this price list are for private use only.

Every public or commercial use has to be authorized by Agrisilos Srl who accepts no responsibility for safety, filtration and water purity.

Images are not contractual.

Attention: Colors shown in this price list are for product description and illustration only.

They do not refer to a specific color, therefore it is advisable to show and/or directly view the products and/or samples of Piscine Laghetto original materials and fabrics.

ALL RIGHTS RESERVED

PREZZI AL PUBBLICO (€) - TASSE ESCLUSE

Agrisilos Srl si riserva il diritto di apportare modifiche senza obbligo di preavviso. I prodotti illustrati in questo listino sono solo per uso privato.

Qualsiasi utilizzo pubblico o commerciale deve essere autorizzato da Agrisilos Srl che non si assume la responsabilità per la sicurezza, per la filtrazione o la purezza dell'acqua. L'acquirente è tenuto ad osservare le regole del paese in cui la piscina è installata.

Immagini non contrattuali.

Attenzione: I colori indicati in questo listino hanno la sola finalità di illustrare il prodotto. Non si riferiscono ad un colore specifico, pertanto si consiglia di visionare e far visionare direttamente i prodotti e/o i campioni di materiale e tessuto originali Piscine Laghetto.

VIETATA LA RIPRODUZIONE ANCHE PARZIALE DEL PRESENTE CATALOGO / LISTINO



VERSATILE, ATTRACTIVE AND FUNCTIONAL

20 - 2 years
WARRANTY

MADE IN
ITALY

ZSV-TEC

Bluespring, the overflowing pool of Piscine Laghetto, combines cutting-edge technology with the unique Italian design.

The overflowing system allows to create high-functional and refined-looking swimming pools.

In overflowing pools, water overflows from the upper edge of the pool into a large channel located under the pool coping, giving the appearance of vanishing inside the perimeter of the pool and creating a striking visual effect.

The overflowing system ensures the best filtration possible.

For this reason, it has become mandatory for all public swimming pools.

DIFFERENT TYPES OF INSTALLATION

Bluespring has a modular structure that makes it possible to create pools of countless sizes and shapes according to your needs. It is a self-standing structure that doesn't require any retaining walls or backfilling with gravel or sand, thus limiting to a minimum the installation works involved. It only requires a concrete base, because the surrounding ground is supported directly by the structure.

For this reason, the pool can also be installed completely above-ground or partially in-ground without carrying out structural modifications or expensive additional works.



In-ground structure



Partially in-ground structure



Above-ground structure

BLUESPRING IN-GROUND OR PARTIALLY IN-GROUND STRUCTURE

In this version both the water and ground retaining walls reach the bottom of the pool foundation in order to create two different walls.

Between the two walls a 60 cm wide channel allows the pool to be completely inspectable and maintainable over its lifetime.

ABOVE-GROUND BLUESPRING STRUCTURE

In this version the external wall is only 30 cm high in order to leave all the internal parts completely accessible from the outside. The above-ground structure makes maintenance even easier if you choose to build a terrace around the pool or to install removable panels. The structure consists of two completely independent walls which over the years can be adjusted in height and alignment. Between them there is the overflowing channel, which also functions as a compensation tank.


FEATURES

These solutions offer, in addition to the remarkable aesthetic result, also many significant advantages such as:


- **Overflow level regulation:** a unique and exceptional feature of the Bluespring structure is the possibility of adjusting the correct overflowing level both during construction, in order to solve problems related to the imperfection of the civil works, and over the years, to keep the pool always perfectly efficient.

- **Thermal insulation:** the distance between the internal and external walls creates a 60 cm wide space, which ensures the perfect heat exchange between the mass of water and the surrounding ground. This air chamber not only reduces the heat loss of the water, but also eliminates the formation of condensation between the steel panel and the liner. This considerably increases the lifetime of the pool panel. The gap is wide enough to allow the technicians to inspect, regulate and carry out any kind of technical intervention, without causing any issue to the structure and considerably limiting the maintenance costs over time. With Bluespring you can add all the accessories you want, such as a whirlpool area, without incurring in further works costs.


- **Compensation tank:** in the Bluespring structure the construction of the compensation tank is no longer necessary. The compensation tank is obtained inside the channel located below the perimeter edge, making it quickly accessible and maintainable.




Bluespring internal tank system



Overflowing system




Internal panel




All the structure components are made of Z275 passivated, galvanized steel sheet, with a low level of carbon (according to standard UNI EN 10327).

After processing, trellis are finished with an epoxy powder coating, while support feet, threaded rods and anchor bolts are made of stainless steel.

A Trellis:	2 mm Z275 passivated, galvanized steel sheet. 3 mm stainless steel (rear foot support). Epoxy powder coating finish.
B Internal "omega" fixing:	2 mm Z275 passivated, galvanized steel sheet. 3-4 mm stainless steel (front foot support). Epoxy powder coating finish.
C Adjustable Foot:	3 mm stainless steel sheet. Threaded rods in stainless steel
D Horizontal Tie:	2 mm stainless steel sheet. Threaded rods in stainless steel
E Internal/External panels:	1,5 mm Z275 passivated galvanized steel sheet. 40x40x2 mm Z275 epoxy powder coating finish.
Foot corner:	2 mm Z275 passivated, galvanized steel sheet. Epoxy powder coating finish.
Pool bottom sheet:	1,2 mm Z275 passivated, galvanized steel sheet.



PARTIALLY IN-GROUND STRUCTURE



ABOVE-GROUND STRUCTURE

FEATURES





RECONSTRUCTED STONE EDGE

The edge in reconstructed stone is available in **OLD STONE** and **CLASSIC STONE**. It is non-slip and antifreeze and is reinforced with a stainless steel net that makes it highly resistant.

DIMENSIONS	THICKNESS	WEIGHT
60 x 40 cm	4 cm	22,5 kg



Led spot



Inox ladder

IDRO CORNER



The kit consists of a pump, an additional main suction (caditoia), a pressure switch, an electrical panel, 15 m return pipes and 7 m suction pipes.



AGAINST THE CURRENT SWIMMY SYSTEM



The kit consists of two pumps, two additional main suctions (caditoia), a support panel for the water jets with stainless steel insert. The kit also includes a control system as well as return and suction pipes to install the pumps up to 5 m away from the nozzles.





FILTRATION SCHEME

The filtration systems by Piscine Laghetto are designed to ensure a perfect and long-lasting quality of the pool water, using only the best components on the market. Our technicians are always available to meet every aesthetic and functional need of our customers.



BLUE

LIGHT BLUE

SAND


WHITE

GREY

ZSV-TEC
MADE IN
ITALY

20 - 2 years
WARRANTY



BLUESPRING	WATER SIZE (m)	TOTALE ENCUMBRANCE (m)	WATER SWIMMINGPOOL HEIGHT (cm)	VOLUME (mc)	WATER SWIMMINGPOOL HEIGHT (cm)	VOLUME (mc)
38	3 x 8	4,20 x 9,20		31,2		36,48
48	4 x 8	5,20 x 9,20		41,6		48,64
410	4 x 10	5,20 x 11,20		52		60,8
510	5 x 10	6,20 x 11,20		65		76
512	5 x 12	6,20 x 13,20		78		91,2
612	6 x 12	7,20 x 13,20		93,6		109,44
714	7 x 14	8,20 x 15,20		127,4		148,96
			130		152	
			130		152	



FEATURES

All the structure components are made of Z275 passivated, galvanized steel sheet with a low level of carbon (according to standard UNI EN 10327). After processing, trellis are finished with an epoxy powder coating, while support feet, threaded rods and anchor bolts are made of stainless steel.

A Trellis:	2 mm Z275 passivated, galvanized steel sheet. 3 mm stainless steel (rear foot support). Epoxy powder coating finish.
B Internal "omega" fixing:	2 mm Z275 passivated, galvanized steel sheet. 3-4 mm stainless steel (front foot support). Epoxy powder coating finish.
C Adjustable Foot:	3 mm stainless steel sheet. Threaded rods in stainless steel.
D Horizontal Tie:	2 mm stainless steel sheet. Threaded rods in stainless steel.
E Internal/External panels:	1,5 mm Z275 passivated galvanized steel sheet. 40x40x2 mm Z275 epoxy powder coating finish
Foot corner:	2 mm Z275 passivated, galvanized steel sheet. Epoxy powder coating finish
Pool bottom sheet:	1,2 mm Z275 passivated, galvanized steel sheet.



BLUESPRING IN-GROUND STRUCTURE KIT LAGHETTO BLUESPRING POOL KIT 3x8 METERS H.130	H 130	BS030080H130I	17.398,00
BLUESPRING IN-GROUND STRUCTURE KIT LAGHETTO BLUESPRING POOL KIT 3x8 METERS H.152	H 152	BS030080H150I	19.685,00



The kit includes:

- ① Modular double-wall ZSV-TEC steel structure
- ② Overflow and compensation channel integrated in the structure.
- ③ Predisposition for filtration system:
22 mc/h main suction (caditoia), overflow regulation and automatic filling system.
- ④ Drilling for 4 nozzles

ADDITIONAL POOL COMPONENTS

STAIRS: 2x2 METER RECESSED OR "L-SHAPED" STAIR, 1,5 METER ROMAN STAIR	see p. 22
COATING MATERIAL FOR BLUESPRING 38 POOL 2 reels h.165, l. 25 m (82,5 mq), liquid PVC and anchor bolts x: colour choice: C = LIGHT BLUE A = DARK BLUE BE = BEIGE B = MILKY WHITE GR = LIGHT GREY	BSRIV38X 1.618,00
ANTI-SLIP COVERING for stairs and beach entry, etc. (H.1,65 m; length 10 m) x: colour choice: C = LIGHT BLUE A = DARK BLUE BE = BEIGE B = MILKY WHITE GR = LIGHT GREY	BSRIVANTX 475,00
RECONSTRUCTED GREY OLD STONE EDGE FOR BLUESPRING 38 POOL	BSPEROS030080 3.686,00
RECONSTRUCTED CLASSIC STONE EDGE FOR BLUESPRING 38 POOL x: colour choice: BM = MARBLE WHITE GO = OCHRE YELLOW RA = ANTIQUE PINK RP = PORPHYRY RED GR = GREY	BSPERCS030080X 4.286,00
POOL GRATES FOR BLUESPRING 38 POOL	BSPERGR030080 4.200,00
LAGHETTO 15 MC/H FILTRATION SYSTEM FOR BLUESPRING 38 POOL - return and suction pipes, PVC valves and fittings. - 15 mc/h Cantabric sand filter with 6-way side valve. - Victoria Plus 1 Hp pump with pre-filter. - electrical control panel for the programming of pump filtration cycles and spotlights regulation. - 2 suctions (main suction -caditoia- and floor drains) and return pipes to the technical room. - 4 return nozzles (inlets) - 2 floor drains - perimeter piping and return/suction lines made of flexible pipe + rigid PVC pipe PN10 (NB: calculated with a maximum distance of 6 metres between the technical room and the pool)	DELT15BS38 2.931,00
12 meter VACUUM CLEANER KIT floating pipe, suction head, suction plate, aluminium handles and net bag	BSASP12 174,00
AISI 316 STAINLESS STEEL LADDER FOR BLUESPRING POOL	BSSCAI 665,00
2 LED SPOTLIGHT KIT 2 LED Par 56 spotlights kit including: n. 2 spotlights PAR56 1.11 white, n. 2 sandwich seals for spotlights, n. 1 130VA transformer, n. 2 junction boxes, n. 2 pool light niches for liner with inserts	ACFLKIT2BS 1.238,00
LIGHT SYSTEM PLUS WINTER COVER* Reinforced tear-proof superlight polyester fabric (210 gr/mq) with anti-roll water ballast * the price refers to the rectangular shape	LSP38 539,15





taxes excluded

BLUESPRING IN-GROUND STRUCTURE KIT

LAGHETTO BLUESPRING POOL KIT 4x8 METERS H.130

H 130

BS040080H130I

18.750,00**BLUESPRING IN-GROUND STRUCTURE KIT**

LAGHETTO BLUESPRING POOL KIT 4x8 METERS H.152

H 152

BS040080H150I

21.216,00*The kit includes:*

- ① Modular double-wall ZSV-TEC steel structure
- ② Overflow and compensation channel integrated in the structure.
- ③ Predisposition for filtration system:
22 mc/h main suction (caditoia), overflow regulation and automatic filling system.
- ④ Drilling for 4 nozzles

ADDITIONAL POOL COMPONENTS**STAIRS:** 2x2 METER RECESSED OR "L-SHAPED" STAIR, 1,5 METER ROMAN STAIR

see p. 22

COATING MATERIAL FOR BLUESPRING 48 POOL

BSRIV48X

1.618,00

2 reels h.165, l. 25 m (82,5 mq), liquid PVC and anchor bolts

x: colour choice: C = LIGHT BLUE A = DARK BLUE BE = BEIGE B = MILKY WHITE GR = LIGHT GREY

ANTI-SLIP COVERING for stairs and beach entry, etc. (H 1,65 m; length 10 m)

BSRIVANTX

475,00

x: colour choice: C = LIGHT BLUE A = DARK BLUE BE = BEIGE B = MILKY WHITE GR = LIGHT GREY

RECONSTRUCTED GREY OLD STONE EDGE FOR BLUESPRING 48 POOL

BSPEROS040080

3.896,00

RECONSTRUCTED CLASSIC STONE EDGE FOR BLUESPRING 48 POOL

BSPERCS040080X

4.536,00

x: colour choice: BM = MARBLE WHITE GO = OCHRE YELLOW RA = ANTIQUE PINK RP = PORPHYRY RED GR = GREY

POOL GRATES FOR BLUESPRING 48 POOL

BSPERGR040080

4.520,00

LAGHETTO 15 MC/H FILTRATION SYSTEM FOR BLUESPRING 48 POOL

DELT15BS48

2.931,00

- return and suction pipes, PVC valves and fittings.

- 15 mc/h Cantabric sand filter with 6-way side valve.

- Victoria Plus 1 Hp pump with pre-filter.

- electrical control panel for the programming of pump filtration cycles and spotlights regulation.

- 2 suctions (main suction -caditoia- and floor drains) and return pipes to the technical room.

- 4 return nozzles (inlets)

- 2 floor drains

- perimeter piping and return/suction lines made of flexible pipe + rigid PVC pipe PN10 (NB: calculated with a maximum distance of 6 metres between the technical room and the pool)

12 meter VACUUM CLEANER KIT

BSASP12

174,00

floating pipe, suction head, suction plate, aluminium handles and net bag

AISI 316 STAINLESS STEEL LADDER FOR BLUESPRING POOL

BSSCAI

665,00

2 LED SPOTLIGHT KIT

ACFLKIT2BS

1.238,00

2 LED Par 56 spotlights kit including: n. 2 spotlights PAR56 1.11 white, n. 2 sandwich seals for spotlights,

n. 1 130VA transformer, n. 2 junction boxes, n. 2 pool light niches for liner with inserts

LIGHT SYSTEM PLUS WINTER COVER*


LSP48

615,05

Reinforced tear-proof superlight polyester fabric (210 gr/mq) with anti-roll water ballast

* the price refers to the rectangular shape





BLUESPRING IN-GROUND STRUCTURE KIT LAGHETTO BLUESPRING POOL KIT 4x10 METERS H.130	H 130	BS040100H130I	21.508,00
BLUESPRING IN-GROUND STRUCTURE KIT LAGHETTO BLUESPRING POOL KIT 4x10 METERS H.152	H 152	BS040100H150I	24.350,00



The kit includes:

- ① Modular double-wall ZSV-TEC steel structure
- ② Overflow and compensation channel integrated in the structure.
- ③ Predisposition for filtration system:
22 mc/h main suction (caditoia), overflow regulation and automatic filling system.
- ④ Drilling for 6 nozzles

ADDITIONAL POOL COMPONENTS

STAIRS: 2x2 METER RECESSED OR "L-SHAPED" STAIR, 1,5 METER ROMAN STAIR	see p. 22
COATING MATERIAL FOR BLUESPRING 410 POOL 3 reels h.165, l. 25 m (82,5 mq), liquid PVC and anchor bolts x: colour choice: C = LIGHT BLUE A = DARK BLUE BE = BEIGE B = MILKY WHITE GR = LIGHT GREY	BSRIV410X 2.398,00
ANTI-SLIP COVERING for stairs and beach entry, etc. (H.1,65 m; length 10 m) x: colour choice: C = LIGHT BLUE A = DARK BLUE BE = BEIGE B = MILKY WHITE GR = LIGHT GREY	BSRIVANTX 475,00
RECONSTRUCTED GREY OLD STONE EDGE FOR BLUESPRING 410 POOL	BSPEROS040100 4.420,00
RECONSTRUCTED CLASSIC STONE EDGE FOR BLUESPRING 410 POOL x: colour choice: BM = MARBLE WHITE GO = OCHRE YELLOW RA = ANTIQUE PINK RP = PORPHYRY RED GR = GREY	BSPERCS040100X 5.158,00
POOL GRATES FOR BLUESPRING 410 POOL	BSPERGR040100 5.160,00
LAGHETTO 22 MC/H FILTRATION SYSTEM FOR BLUESPRING 410 POOL - return and suction pipes, PVC valves and fittings. - 22 mc/h Cantabrian sand filter with 6-way side valve. - Victoria Plus 1,5 Hp pump with pre-filter. - electrical control panel for the programming of pump filtration cycles and spotlights regulation. - 2 suctions (main suction -caditoia- and floor drains) and return pipes to the technical room. - 6 return nozzles (inlets) - 2 floor drains - perimeter piping and return/suction lines made of flexible pipe + rigid PVC pipe PN10 (NB: calculated with a maximum distance of 6 metres between the technical room and the pool)	DELT22BS410 3.543,00
15 meter VACUUM CLEANER KIT floating pipe, suction head, suction plate, aluminium handles and net bag	BSASP15 186,00
AISI 316 STAINLESS STEEL LADDER FOR BLUESPRING POOL	BSSCAI 665,00
3 LED SPOTLIGHT KIT 3 LED Par 56 spotlights kit including: n. 3 spotlights PAR56 1.11 white, n. 3 sandwich seals for spotlights, n. 1 130VA transformer, n. 3 junction boxes, n. 3 pool light niches for liner with inserts	ACFLKIT3BS 1.758,00
LIGHT SYSTEM PLUS WINTER COVERS* Reinforced tear-proof superlight polyester fabric (210 gr/mq) with anti-roll water ballast * the price refers to the rectangular shape	LSP410 720,45





BLUESPRING IN-GROUND STRUCTURE KIT

LAGHETTO BLUESPRING POOL KIT 5x10 METERS H.130

H 130

BS050100H130I

22.860,00

BLUESPRING IN-GROUND STRUCTURE KIT

LAGHETTO BLUESPRING POOL KIT 5x10 METERS H.152

H 152

BS050100H150I

25.866,00

taxes excluded


The kit includes:

- ① Modular double-wall ZSV-TEC steel structure
- ② Overflow and compensation channel integrated in the structure.
- ③ Predisposition for filtration system:
22 mc/h main suction (caditoia), overflow regulation and automatic filling system.
- ④ Drilling for 6 nozzles

ADDITIONAL POOL COMPONENTS

STAIRS: 2x2 METER RECESSED OR "L-SHAPED" STAIR, 1,5 METER ROMAN STAIR	see p. 22
COATING MATERIAL FOR BLUESPRING 510 POOL 3 reels h.165, l. 25 m (82,5 mq), liquid PVC and anchor bolts x: colour choice: C = LIGHT BLUE A = DARK BLUE BE = BEIGE B = MILKY WHITE GR = LIGHT GREY	BSRIV510X 2.398,00
ANTI-SLIP COVERING for stairs and beach entry, etc. (H 1,65 m; length 10 m) x: colour choice: C = LIGHT BLUE A = DARK BLUE BE = BEIGE B = MILKY WHITE GR = LIGHT GREY	BSRIVANTX 475,00
RECONSTRUCTED GREY OLD STONE EDGE FOR BLUESPRING 510 POOL	BSPEROS050100 4.735,00
RECONSTRUCTED CLASSIC STONE EDGE FOR BLUESPRING 510 POOL x: colour choice: BM = MARBLE WHITE GO = OCHRE YELLOW RA = ANTIQUE PINK RP = PORPHYRY RED GR = GREY	BSPERCS050100X 5.532,00
POOL GRATES FOR BLUESPRING 510 POOL	BSPERGR050100 5.480,00
LAGHETTO 22 MC/H FILTRATION SYSTEM FOR BLUESPRING 510 POOL - return and suction pipes, PVC valves and fittings. - 22 mc/h Cantabric sand filter with 6-way side valve. - Victoria Plus 1,5 Hp pump with pre-filter. - electrical control panel for the programming of pump filtration cycles and spotlights regulation. - 2 suctions (main suction -caditoia- and floor drains) and return pipes to the technical room. - 6 return nozzles (inlets) - 2 floor drains - perimeter piping and return/suction lines made of flexible pipe + rigid PVC pipe PN10 (NB: calculated with a maximum distance of 6 metres between the technical room and the pool)	DELT22BS510 3.543,00
15 meter VACUUM CLEANER KIT floating pipe, suction head, suction plate, aluminium handles and net bag	BSASP15 186,00
AISI 316 STAINLESS STEEL LADDER FOR BLUESPRING POOL	BSSCAI 665,00
3 LED SPOTLIGHT KIT 3 LED Par 56 spotlights kit including: n. 3 spotlights PAR56 1.11 white, n. 3 sandwich seals for spotlights, n. 1 130VA transformer, n. 3 junction boxes, n. 3 pool light niches for liner with inserts	ACFLKIT3BS 1.758,00
LIGHT SYSTEM PLUS WINTER COVER* Reinforced tear-proof superlight polyester fabric (210 gr/mq) with anti-roll water ballast * the price refers to the rectangular shape	LSP510 807,95





BLUESPRING IN-GROUND STRUCTURE KIT LAGHETTO BLUESPRING POOL KIT 5x12 METERS H.130	H 130	BS050120H130I	25.582,00
BLUESPRING IN-GROUND STRUCTURE KIT LAGHETTO BLUESPRING POOL KIT 5x12 METERS H.152	H 152	BS050120H150I	28.948,00

The kit includes:

- ① Modular double-wall ZSV-TEC steel structure
- ② Overflow and compensation channel integrated in the structure.
- ③ Predisposition for filtration system:
22 mc/h main suction (caditoia), overflow regulation and automatic filling system.
- ④ Drilling for 6 nozzles

ADDITIONAL POOL COMPONENTS

STAIRS: 2x2 METER RECESSED OR "L-SHAPED" STAIR, 1,5 METER ROMAN STAIR see p. 22

COATING MATERIAL FOR BLUESPRING 512 POOL BSRIV512X 3.235,00

4 reels h.165, l. 25 m (82,5 mq), liquid PVC and anchor bolts

x: colour choice: C = LIGHT BLUE A = DARK BLUE BE = BEIGE B = MILKY WHITE GR = LIGHT GREY

ANTI-SLIP COVERING for stairs and beach entry, etc. (H 1,65 m; length 10 m) BSRIVANTX 475,00

x: colour choice: C = LIGHT BLUE A = DARK BLUE BE = BEIGE B = MILKY WHITE GR = LIGHT GREY

RECONSTRUCTED GREY OLD STONE EDGE FOR BLUESPRING 512 POOL BSPEROS050120 5.260,00

RECONSTRUCTED CLASSIC STONE EDGE FOR BLUESPRING 512 POOL BSPERCS050120X 6.154,00

x: colour choice: BM = MARBLE WHITE GO = OCHRE YELLOW RA = ANTIQUE PINK RP = PORPHYRY RED GR = GREY

POOL GRATES FOR BLUESPRING 512 POOL BSPERGR050120 6.120,00

LAGHETTO 22 MC/H FILTRATION SYSTEM FOR BLUESPRING 512 POOL DELT22BS512 3.543,00

- return and suction pipes, PVC valves and fittings.

- 22 mc/h Cantabrian sand filter with 6-way side valve.

- Victoria Plus 1,5 Hp pump with pre-filter.

- electrical control panel for the programming of pump filtration cycles and spotlights regulation.

- 2 suctions (main suction -caditoia- and floor drains) and return pipes to the technical room.

- 6 return nozzles (inlets)

- 2 floor drains

- perimeter piping and return/suction lines made of flexible pipe + rigid PVC pipe PN10 (NB: calculated with a maximum distance of 6 metres between the technical room and the pool)

15 meter VACUUM CLEANER KIT BSASP15 186,00

floating pipe, suction head, suction plate, aluminium handles and net bag

AISI 316 STAINLESS STEEL LADDER FOR BLUESPRING POOL BSSCAI 665,00

4 LED SPOTLIGHT KIT ACFLKIT4BS 2.282,00


4 LED Par 56 spotlights kit including: n. 4 spotlights PAR56 1.11 white, n. 4 sandwich seals for spotlights, n. 1 130VA transformer, n. 4 junction boxes, n. 4 pool light niches for liner with inserts

LIGHT SYSTEM PLUS WINTER COVER* LSP512 924,95

Reinforced tear-proof superlight polyester fabric (210 gr/mq) with anti-roll water ballast

* the price refers to the rectangular shape





BLUESPRING IN-GROUND STRUCTURE KIT LAGHETTO BLUESPRING POOL KIT 6x12 METERS H.130	H 130	BS060120H130I	26.933,00
BLUESPRING IN-GROUND STRUCTURE KIT LAGHETTO BLUESPRING POOL KIT 6x12 METERS H.152	H 152	BS060120H150I	30.450,00

The kit includes:



- ① Modular double-wall ZSV-TEC steel structure
- ② Overflow and compensation channel integrated in the structure.
- ③ Predisposition for filtration system:
22 mc/h main suction (caditoia), overflow regulation and automatic filling system.
- ④ Drilling for 6 nozzles

ADDITIONAL POOL COMPONENTS

STAIRS: 2x2 METER RECESSED OR "L-SHAPED" STAIR, 1,5 METER ROMAN STAIR	see p. 22
COATING MATERIAL FOR BLUESPRING 612 POOL 4 reels h.165, l. 25 m (82,5 mq), liquid PVC and anchor bolts x: colour choice: C = LIGHT BLUE A = DARK BLUE BE = BEIGE B = MILKY WHITE GR = LIGHT GREY	BSRIV612X 3.235,00
ANTI-SLIP COVERING for stairs and beach entry, etc. (H 1,65 m; length 10 m) x: colour choice: C = LIGHT BLUE A = DARK BLUE BE = BEIGE B = MILKY WHITE GR = LIGHT GREY	BSRIVANTX 475,00
RECONSTRUCTED GREY OLD STONE EDGE FOR BLUESPRING 612 POOL	BSPEROS060120 5.470,00
RECONSTRUCTED CLASSIC STONE EDGE FOR BLUESPRING 612 POOL x: colour choice: BM = MARBLE WHITE GO = OCHRE YELLOW RA = ANTIQUE PINK RP = PORPHYRY RED GR = GREY	BSPERCS060120X 6.403,00
POOL GRATES FOR BLUESPRING 612 POOL	BSPERGR060120 6.440,00
LAGHETTO 22 MC/H FILTRATION SYSTEM FOR BLUESPRING 612 POOL - return and suction pipes, PVC valves and fittings. - 22 mc/h Cantabric sand filter with 6-way side valve. - Victoria Plus 1,5 Hp pump with pre-filter. - electrical control panel for the programming of pump filtration cycles and spotlights regulation. - 2 suctions (main suction -caditoia- and floor drains) and return pipes to the technical room. - 6 return nozzles (inlets) - 2 floor drains - perimeter piping and return/suction lines made of flexible pipe + rigid PVC pipe PN10 (NB: calculated with a maximum distance of 6 metres between the technical room and the pool)	DELT22BS612 3.543,00
15 meter VACUUM CLEANER KIT floating pipe, suction head, suction plate, aluminium handles and net bag	BSASP15 186,00
AISI 316 STAINLESS STEEL LADDER FOR BLUESPRING POOL	BSSCAI 665,00
4 LED SPOTLIGHT KIT 4 LED Par 56 spotlights kit including: n. 4 spotlights PAR56 1.11 white, n. 4 sandwich seals for spotlights, n. 1 130VA transformer, n. 4 junction boxes, n. 4 pool light niches for liner with inserts	ACFLKIT4BS 2.282,00
LIGHT SYSTEM PLUS WINTER COVER* Reinforced tear-proof superlight polyester fabric (210 gr/mq) with anti-roll water ballast * the price refers to the rectangular shape	LSP612 1.024,05

GARANZIA PISCINA: 20 ANNI | POOL WARRANTY: 20 YEARS | GARANTIE BASSIN: 20 ANS | GARANZIA ACCESSORI: 2 ANNI | ACCESSORIES WARRANTY: 2 YEARS | GARANTIE ACCESOIRES: 2 ANS





BLUESPRING IN-GROUND STRUCTURE KIT LAGHETTO BLUESPRING POOL KIT 7x14 METERS H.130	H 130	BS070140H130I	31.800,00
BLUESPRING IN-GROUND STRUCTURE KIT LAGHETTO BLUESPRING POOL KIT 7x14 METERS H.152	H 152	BS070140H150I	35.886,00

The kit includes:

- ① Modular double-wall ZSV-TEC steel structure
- ② Overflow and compensation channel integrated in the structure.
- ③ Predisposition for filtration system:
22 mc/h main suction (caditoia), overflow regulation and automatic filling system.
- ④ Drilling for 8 nozzles

ADDITIONAL POOL COMPONENTS

STAIRS: 2x2 METER RECESSED OR "L-SHAPED" STAIR, 1,5 METER ROMAN STAIR see p. 22

COATING MATERIAL FOR BLUESPRING 714 POOL BSRIV714X 4.013,00

5 reels h.165, l. 25 m (82,5 mq), liquid PVC and anchor bolts

x: colour choice: C = LIGHT BLUE A = DARK BLUE BE = BEIGE B = MILKY WHITE GR = LIGHT GREY

ANTI-SLIP COVERING for stairs and beach entry, etc. (H.1,65 m; length 10 m) BSRIVANTX 475,00

x: colour choice: C = LIGHT BLUE A = DARK BLUE BE = BEIGE B = MILKY WHITE GR = LIGHT GREY

RECONSTRUCTED GREY OLD STONE EDGE FOR BLUESPRING 714 POOL BSPEROS070140 6.444,00

RECONSTRUCTED CLASSIC STONE EDGE FOR BLUESPRING 714 POOL BSPERCS070140X 7.518,00

x: colour choice: BM = MARBLE WHITE GO = OCHRE YELLOW RA = ANTIQUE PINK RP = PORPHYRY RED GR = GREY

POOL GRATES FOR BLUESPRING 714 POOL BSPERGR070140 7.400,00

LAGHETTO 30 MC/H FILTRATION SYSTEM FOR BLUESPRING 714 POOL DELT30BS714 5.337,00

- return and suction pipes, PVC valves and fittings.

- 30 mc/h Cantabrian sand filter with 6-way side valve.

- Victoria Plus 3 Hp pump with pre-filter.

- electrical control panel for the programming of pump filtration cycles and spotlights regulation.

- 2 suctions (main suction -caditoia- and floor drains) and return pipes to the technical room.

- 8 return nozzles (inlets)

- 2 floor drains

- perimeter piping and return/suction lines made of flexible pipe + rigid PVC pipe PN10 (NB: calculated with a maximum distance of 6 metres between the technical room and the pool)

15 meter VACUUM CLEANER KIT BSASP15 186,00

floating pipe, suction head, suction plate, aluminium handles and net bag

AISI 316 STAINLESS STEEL LADDER FOR BLUESPRING POOL BSSCAI 665,00

5 LED SPOTLIGHT KIT ACFLKIT5BS 2.806,00


5 LED Par 56 spotlights kit including: n. 5 spotlights PAR56 1.11 white, n. 5 sandwich seals for spotlights, n. 1 130VA transformer, n. 5 junction boxes, n. 5 pool light niches for liner with inserts

LIGHT SYSTEM PLUS WINTER COVER* LSP714 1.263,35

Reinforced tear-proof superlight polyester fabric (210 gr/mq) with anti-roll water ballast

* the price refers to the rectangular shape






FEATURES

All the structure components are made of Z275 passivated, galvanized steel sheet with a low level of carbon (according to standard UNI EN 10327). After processing, trellis are finished with an epoxy powder coating, while support feet, threaded rods and anchor bolts are made of stainless steel.

A Trellis:	2 mm Z275 passivated, galvanized steel sheet. 3 mm stainless steel (rear foot support). Epoxy powder coating finish.
B Internal "omega" fixing:	2 mm Z275 passivated, galvanized steel sheet. 3-4 mm stainless steel (front foot support). Epoxy powder coating finish.
C Adjustable Foot:	3 mm stainless steel sheet. Threaded rods in stainless steel.
D Horizontal Tie:	2 mm stainless steel sheet. Threaded rods in stainless steel.
E Internal/External panels:	1,5 mm Z275 passivated galvanized steel sheet. 40x40x2 mm Z275 epoxy powder coating finish
Foot corner:	2 mm Z275 passivated, galvanized steel sheet. Epoxy powder coating finish
Pool bottom sheet:	1,2 mm Z275 passivated, galvanized steel sheet.



BLUESPRING ABOVE-GROUND STRUCTURE KIT LAGHETTO BLUESPRING POOL KIT 3x8 METER H.130	H 130	BS030080H130FT	15.972,00
BLUESPRING ABOVE-GROUND STRUCTURE KIT LAGHETTO BLUESPRING POOL KIT 3x8 METER H.152	H 152	BS030080H150FT	17.664,00



The kit includes:

- ① Modular double-wall ZSV-TEC steel structure
- ② Overflow and compensation channel integrated in the structure.
- ③ Predisposition for filtration system:
22 mc/h main suction (caditoia), overflow regulation and automatic filling system.
- ④ Drilling for 4 nozzles

ADDITIONAL POOL COMPONENTS

STAIRS: 2x2 METER RECESSED OR "L-SHAPED" STAIR, 1,5 METER ROMAN STAIR	see p. 22
COATING MATERIAL FOR BLUESPRING 38 POOL 2 reels h.165, l. 25 m (82,5 mq), liquid PVC and anchor bolts x: colour choice: C = LIGHT BLUE A = DARK BLUE BE = BEIGE B = MILKY WHITE GR = LIGHT GREY	BSRIV38X 1.618,00
ANTI-SLIP COVERING for stairs and beach entry, etc. (H.1,65 m; length 10 m) x: colour choice: C = LIGHT BLUE A = DARK BLUE BE = BEIGE B = MILKY WHITE GR = LIGHT GREY	BSRIVANTX 475,00
RECONSTRUCTED GREY OLD STONE EDGE FOR BLUESPRING 38 POOL	BSPEROS030080 3.686,00
RECONSTRUCTED CLASSIC STONE EDGE FOR BLUESPRING 38 POOL x: colour choice: BM = MARBLE WHITE GO = OCHRE YELLOW RA = ANTIQUE PINK RP = PORPHYRY RED GR = GREY	BSPERCS030080X 4.286,00
POOL GRATES FOR BLUESPRING 38 POOL	BSPERGR030080 4.200,00
LAGHETTO 15 MC/H FILTRATION SYSTEM FOR BLUESPRING 38 POOL - return and suction pipes, PVC valves and fittings. - 15 mc/h Cantabrian sand filter with 6-way side valve. - Victoria Plus 1 Hp pump with pre-filter. - electrical control panel for the programming of pump filtration cycles and spotlights regulation. - 2 suctions (main suction -caditoia- and floor drains) and return pipes to the technical room. - 4 return nozzles (inlets) - 2 floor drains - perimeter piping and return/suction lines made of flexible pipe + rigid PVC pipe PN10 (NB: calculated with a maximum distance of 6 metres between the technical room and the pool)	DELT15BS38 2.931,00
12 meter VACUUM CLEANER KIT floating pipe, suction head, suction plate, aluminium handles and net bag	BSASP12 174,00
AISI 316 STAINLESS STEEL LADDER FOR BLUESPRING POOL	BSSCAI 665,00
2 LED SPOTLIGHT KIT 2 LED Par 56 spotlights kit including: n. 2 spotlights PAR56 1.11 white, n. 2 sandwich seals for spotlights, n. 1 130VA transformer, n. 2 junction boxes, n. 2 pool light niches for liner with inserts	ACFLKIT2BS 1.238,00
LIGHT SYSTEM PLUS WINTER COVER* Reinforced tear-proof superlight polyester fabric (210 gr/mq) with anti-roll water ballast * the price refers to the rectangular shape	LSP38 539,15







BLUESPRING ABOVE-GROUND STRUCTURE KIT LAGHETTO BLUESPRING POOL KIT 4x8 METER H.130	H 130	BS040080H130FT	17.193,00
BLUESPRING ABOVE-GROUND STRUCTURE KIT LAGHETTO BLUESPRING POOL KIT 4x8 METER H.152	H 152	BS040080H150FT	19.028,00

The kit includes:

- ① Modular double-wall ZSV-TEC steel structure
- ② Overflow and compensation channel integrated in the structure.
- ③ Predisposition for filtration system:
22 mc/h main suction (caditoia), overflow regulation and automatic filling system.
- ④ Drilling for 4 nozzles

ADDITIONAL POOL COMPONENTS

STAIRS: 2x2 METER RECESSED OR "L-SHAPED" STAIR, 1,5 METER ROMAN STAIR	see p. 22
COATING MATERIAL FOR BLUESPRING 48 POOL 2 reels h.165, l. 25 m (82,5 mq), liquid PVC and anchor bolts x: colour choice: C = LIGHT BLUE A = DARK BLUE BE = BEIGE B = MILKY WHITE GR = LIGHT GREY	BSRIV48X 1.618,00
ANTI-SLIP COVERING for stairs and beach entry, etc. (H 1,65 m; length 10 m) x: colour choice: C = LIGHT BLUE A = DARK BLUE BE = BEIGE B = MILKY WHITE GR = LIGHT GREY	BSRIVANTX 475,00
RECONSTRUCTED GREY OLD STONE EDGE FOR BLUESPRING 48 POOL	BSPEROS040080 3.896,00
RECONSTRUCTED CLASSIC STONE EDGE FOR BLUESPRING 48 POOL x: colour choice: BM = MARBLE WHITE GO = OCHRE YELLOW RA = ANTIQUE PINK RP = PORPHYRY RED GR = GREY	BSPERCS040080X 4.536,00
POOL GRATES FOR BLUESPRING 48	BSPERGR040080 4.520,00
LAGHETTO 15 MC/H FILTRATION SYSTEM FOR BLUESPRING 48 POOL - return and suction pipes, PVC valves and fittings. - 15 mc/h Cantabric sand filter with 6-way side valve. - Victoria Plus 1 Hp pump with pre-filter. - electrical control panel for the programming of pump filtration cycles and spotlights regulation. - 2 suctions (main suction -caditoia- and floor drains) and return pipes to the technical room. - 4 return nozzles (inlets) - 2 floor drains - perimeter piping and return/suction lines made of flexible pipe + rigid PVC pipe PN10 (NB: calculated with a maximum distance of 6 metres between the technical room and the pool)	DELT15BS48 2.931,00
12 meter VACUUM CLEANER KIT floating pipe, suction head, suction plate, aluminium handles and net bag	BSASP12 174,00
AISI 316 STAINLESS STEEL LADDER FOR BLUESPRING POOL	BSSCAI 665,00
2 LED SPOTLIGHT KIT 2 LED Par 56 spotlights kit including: n. 2 spotlights PAR56 1.11 white, n. 2 sandwich seals for spotlights, n. 1 130VA transformer, n. 2 junction boxes, n. 2 pool light niches for liner with inserts	ACFLKIT2BS 1.238,00
LIGHT SYSTEM PLUS WINTER COVER* Reinforced tear-proof superlight polyester fabric (210 gr/mq) with anti-roll water ballast * the price refers to the rectangular shape	LSP48 615,05



taxes excluded

BLUESPRING ABOVE-GROUND STRUCTURE KIT

LAGHETTO BLUESPRING POOL KIT 4x10 METER H.130

H 130

BS040100H130FT

19.685,00**BLUESPRING ABOVE-GROUND STRUCTURE KIT**

LAGHETTO BLUESPRING POOL KIT 4x10 METER H.152

H 152

BS040100H150FT

21.812,00*The kit includes:*

- ① Modular double-wall ZSV-TEC steel structure
- ② Overflow and compensation channel integrated in the structure.
- ③ Predisposition for filtration system:
22 mc/h main suction (caditoia), overflow regulation and automatic filling system.
- ④ Drilling for 6 nozzles

ADDITIONAL POOL COMPONENTS**STAIRS:** 2x2 METER RECESSED OR "L-SHAPED" STAIR, 1,5 METER ROMAN STAIR

see p. 22

COATING MATERIAL FOR BLUESPRING 410 POOL

BSRIV410X

2.398,00

3 reels h.165, l. 25 m (82,5 mq), liquid PVC and anchor bolts

x: colour choice: C = LIGHT BLUE A = DARK BLUE BE = BEIGE B = MILKY WHITE GR = LIGHT GREY

ANTI-SLIP COVERING for stairs and beach entry, etc. (H.1,65 m; length 10 m)

BSRIVANTX

475,00

x: colour choice: C = LIGHT BLUE A = DARK BLUE BE = BEIGE B = MILKY WHITE GR = LIGHT GREY

RECONSTRUCTED GREY OLD STONE EDGE FOR BLUESPRING 410 POOL

BSPEROS040100

4.420,00**RECONSTRUCTED CLASSIC STONE EDGE FOR BLUESPRING 410 POOL**

BSPERCS040100X

5.158,00

x: colour choice: BM = MARBLE WHITE GO = OCHRE YELLOW RA = ANTIQUE PINK RP = PORPHYRY RED GR = GREY

POOL GRATES FOR BLUESPRING 410 POOL

BSPERGR040100

5.160,00**LAGHETTO 22 MC/H FILTRATION SYSTEM FOR BLUESPRING 410 POOL**

DELT22BS410

3.543,00

- return and suction pipes, PVC valves and fittings.

- 22 mc/h Cantabrian sand filter with 6-way side valve.

- Victoria Plus 1,5 Hp pump with pre-filter.

- electrical control panel for the programming of pump filtration cycles and spotlights regulation.

- 2 suctions (main suction -caditoia- and floor drains) and return pipes to the technical room.

- 6 return nozzles (inlets)

- 2 floor drains

- perimeter piping and return/suction lines made of flexible pipe + rigid PVC pipe PN10 (NB: calculated with a maximum distance of 6 metres between the technical room and the pool)

15 meter VACUUM CLEANER KIT

floating pipe, suction head, suction plate, aluminium handles and net bag

BSASP15

186,00**AISI 316 STAINLESS STEEL LADDER FOR BLUESPRING POOL**

BSSCAI

665,00**3 LED SPOTLIGHT KIT**

3 LED Par 56 spotlights kit including: n. 3 spotlights PAR56 1.11 white, n. 3 sandwich seals for spotlights, n. 1 130VA transformer, n. 3 junction boxes, n. 3 pool light niches for liner with inserts

ACFLKIT3BS



1.758,00**LIGHT SYSTEM PLUS WINTER COVER***

Reinforced tear-proof superlight polyester fabric (210 gr/mq) with anti-roll water ballast

* the price refers to the rectangular shape

LSP410

720,45



taxes excluded

BLUESPRING ABOVE-GROUND STRUCTURE KIT

LAGHETTO BLUESPRING POOL KIT 5x10 METER H.130

H 130

BS050100H130FT

20.904,00**BLUESPRING ABOVE-GROUND STRUCTURE KIT**

LAGHETTO BLUESPRING POOL KIT 5x10 METER H.152

H 152

BS050100H150FT

23.176,00*The kit includes:*

- ① Modular double-wall ZSV-TEC steel structure
- ② Overflow and compensation channel integrated in the structure.
- ③ Predisposition for filtration system:
22 mc/h main suction (caditoia), overflow regulation and automatic filling system.
- ④ Drilling for 6 nozzles

ADDITIONAL POOL COMPONENTS**STAIRS:** 2x2 METER RECESSED OR "L-SHAPED" STAIR, 1,5 METER ROMAN STAIR

see p. 22

COATING MATERIAL FOR BLUESPRING 510 POOL

BSRIV510X

2.398,00

3 reels h.165, l. 25 m (82,5 mq), liquid PVC and anchor bolts

x: colour choice: C = LIGHT BLUE A = DARK BLUE BE = BEIGE B = MILKY WHITE GR = LIGHT GREY

ANTI-SLIP COVERING for stairs and beach entry, etc. (H 1,65 m; length 10 m)

BSRIVANTX

475,00

x: colour choice: C = LIGHT BLUE A = DARK BLUE BE = BEIGE B = MILKY WHITE GR = LIGHT GREY

RECONSTRUCTED GREY OLD STONE EDGE FOR BLUESPRING 510 POOL

BSPEROS050100

4.735,00**RECONSTRUCTED CLASSIC STONE EDGE FOR BLUESPRING 510 POOL**

BSPERCS050100X

5.532,00

x: colour choice: BM = MARBLE WHITE GO = OCHRE YELLOW RA = ANTIQUE PINK RP = PORPHYRY RED GR = GREY

POOL GRATES FOR BLUESPRING 510 POOL

BSPERGR050100

5.480,00**LAGHETTO 22 MC/H FILTRATION SYSTEM FOR BLUESPRING 510 POOL**

DELT22BS510

3.543,00

- return and suction pipes, PVC valves and fittings.

- 22 mc/h Cantabric sand filter with 6-way side valve.

- Victoria Plus 1,5 Hp pump with pre-filter.

- electrical control panel for the programming of pump filtration cycles and spotlights regulation.

- 2 suctions (main suction -caditoia- and floor drains) and return pipes to the technical room.

- 6 return nozzles (inlets)

- 2 floor drains

- perimeter piping and return/suction lines made of flexible pipe + rigid PVC pipe PN10 (NB: calculated with a maximum distance of 6 metres between the technical room and the pool)

15 meter VACUUM CLEANER KIT

BSASP15

186,00

floating pipe, suction head, suction plate, aluminium handles and net bag

AISI 316 STAINLESS STEEL LADDER FOR BLUESPRING POOL

BSSCAI

665,00**3 LED SPOTLIGHT KIT**

ACFLKIT3BS

1.758,00

3 LED Par 56 spotlights kit including: n. 3 spotlights PAR56 1.11 white, n. 3 sandwich seals for spotlights, n. 1 130VA transformer, n. 3 junction boxes, n. 3 pool light niches for liner with inserts

LIGHT SYSTEM PLUS WINTER COVER*

LSP510

807,95


Reinforced tear-proof superlight polyester fabric (210 gr/mq) with anti-roll water ballast

* the price refers to the rectangular shape



GARANZIA PISCINA: 20 ANNI | POOL WARRANTY: 20 YEARS | GARANTIE BASSIN: 20 ANS

GARANZIA ACCESSORI: 2 ANNI | ACCESSORIES WARRANTY: 2 YEARS | GARANTIE ACCESOIRES: 2 ANS



taxes excluded

BLUESPRING ABOVE-GROUND STRUCTURE KIT

LAGHETTO BLUESPRING POOL KIT 5x12 METER H.130

H 130

BS050120H130FT

23.359,00**BLUESPRING ABOVE-GROUND STRUCTURE KIT**

LAGHETTO BLUESPRING POOL KIT 5x12 METER H.152

H 152

BS050120H150FT

25.993,00*The kit includes:*

- ① Modular double-wall ZSV-TEC steel structure
- ② Overflow and compensation channel integrated in the structure.
- ③ Predisposition for filtration system:
22 mc/h main suction (caditoia), overflow regulation and automatic filling system.
- ④ Drilling for 6 nozzles

ADDITIONAL POOL COMPONENTS**STAIRS:** 2x2 METER RECESSED OR "L-SHAPED" STAIR, 1,5 METER ROMAN STAIR

see p. 22

COATING MATERIAL FOR BLUESPRING 512 POOL

BSRIV512X

3.235,00

4 reels h.165, l. 25 m (82,5 mq), liquid PVC and anchor bolts

x: colour choice: C = LIGHT BLUE A = DARK BLUE BE = BEIGE B = MILKY WHITE GR = LIGHT GREY

ANTI-SLIP COVERING for stairs and beach entry, etc. (H.1,65 m; length 10 m)

BSRIVANTX

475,00

x: colour choice: C = LIGHT BLUE A = DARK BLUE BE = BEIGE B = MILKY WHITE GR = LIGHT GREY

RECONSTRUCTED GREY OLD STONE EDGE FOR BLUESPRING 512 POOL

BSPEROS050120

5.260,00**RECONSTRUCTED CLASSIC STONE EDGE FOR BLUESPRING 512 POOL**

BSPERCS050120X

6.154,00

x: colour choice: BM = MARBLE WHITE GO = OCHRE YELLOW RA = ANTIQUE PINK RP = PORPHYRY RED GR = GREY

POOL GRATES FOR BLUESPRING 512 POOL

BSPERGR050120

6.120,00**LAGHETTO 22 MC/H FILTRATION SYSTEM FOR BLUESPRING 512 POOL**

DELT22BS512

3.543,00

- return and suction pipes, PVC valves and fittings.

- 22 mc/h Cantabrian sand filter with 6-way side valve.

- Victoria Plus 1,5 Hp pump with pre-filter.

- electrical control panel for the programming of pump filtration cycles and spotlights regulation.

- 2 suctions (main suction -caditoia- and floor drains) and return pipes to the technical room.

- 6 return nozzles (inlets)

- 2 floor drains

- perimeter piping and return/suction lines made of flexible pipe + rigid PVC pipe PN10 (NB: calculated with a maximum distance of 6 metres between the technical room and the pool)

15 meter VACUUM CLEANER KIT

floating pipe, suction head, suction plate, aluminium handles and net bag

BSASP15

186,00**AISI 316 STAINLESS STEEL LADDER FOR BLUESPRING POOL**

BSSCAI

665,00**4 LED SPOTLIGHT KIT**

4 LED Par 56 spotlights kit including: n. 4 spotlights PAR56 1.11 white, n. 4 sandwich seals for spotlights, n. 1 130VA transformer, n. 4 junction boxes, n. 4 pool light niches for liner with inserts

ACFLKIT4BS


2.282,00**LIGHT SYSTEM PLUS WINTER COVER***

Reinforced tear-proof superlight polyester fabric (210 gr/mq) with anti-roll water ballast

* the price refers to the rectangular shape

LSP512

924,95



BLUESPRING ABOVE-GROUND STRUCTURE KIT LAGHETTO BLUESPRING POOL KIT 6x12 METER H.130	H 130	BS060120H130FT	24.580,00
BLUESPRING ABOVE-GROUND STRUCTURE KIT LAGHETTO BLUESPRING POOL KIT 6x12 METER H.152	H 152	BS060120H150FT	27.287,00


The kit includes:

- ① Modular double-wall ZSV-TEC steel structure
- ② Overflow and compensation channel integrated in the structure.
- ③ Predisposition for filtration system:
22 mc/h main suction (caditoia), overflow regulation and automatic filling system.
- ④ Drilling for 6 nozzles

ADDITIONAL POOL COMPONENTS

STAIRS: 2x2 METER RECESSED OR "L-SHAPED" STAIR, 1,5 METER ROMAN STAIR	see p. 22
COATING MATERIAL FOR BLUESPRING 612 POOL 4 reels h.165, l. 25 m (82,5 mq), liquid PVC and anchor bolts x: colour choice: C = LIGHT BLUE A = DARK BLUE BE = BEIGE B = MILKY WHITE GR = LIGHT GREY	BSRIV612X 3.235,00
ANTI-SLIP COVERING for stairs and beach entry, etc. (H 1,65 m; length 10 m) x: colour choice: C = LIGHT BLUE A = DARK BLUE BE = BEIGE B = MILKY WHITE GR = LIGHT GREY	BSRIVANTX 475,00
RECONSTRUCTED GREY OLD STONE EDGE FOR BLUESPRING 612 POOL	BSPEROS060120 5.470,00
RECONSTRUCTED CLASSIC STONE EDGE FOR BLUESPRING 612 POOL x: colour choice: BM = MARBLE WHITE GO = OCHRE YELLOW RA = ANTIQUE PINK RP = PORPHYRY RED GR = GREY	BSPERCS060120X 6.403,00
POOL GRATES FOR BLUESPRING 612 POOL	BSPERGR060120 6.440,00
LAGHETTO 22 MC/H FILTRATION SYSTEM FOR BLUESPRING 612 POOL - return and suction pipes, PVC valves and fittings. - 22 mc/h Cantabric sand filter with 6-way side valve. - Victoria Plus 1,5 Hp pump with pre-filter. - electrical control panel for the programming of pump filtration cycles and spotlights regulation. - 2 suctions (main suction -caditoia- and floor drains) and return pipes to the technical room. - 6 return nozzles (inlets) - 2 floor drains - perimeter piping and return/suction lines made of flexible pipe + rigid PVC pipe PN10 (NB: calculated with a maximum distance of 6 metres between the technical room and the pool)	DELT22BS612 3.543,00
15 meter VACUUM CLEANER KIT floating pipe, suction head, suction plate, aluminium handles and net bag	BSASP15 186,00
AISI 316 STAINLESS STEEL LADDER FOR BLUESPRING POOL	BSSCAI 665,00
4 LED SPOTLIGHT KIT 4 LED Par 56 spotlights kit including: n. 4 spotlights PAR56 1.11 white, n. 4 sandwich seals for spotlights, n. 1 130VA transformer, n. 4 junction boxes, n. 4 pool light niches for liner with inserts	ACFLKIT4BS 2.282,00
LIGHT SYSTEM PLUS WINTER COVER* Reinforced tear-proof superlight polyester fabric (210 gr/mq) with anti-roll water ballast * the price refers to the rectangular shape	LSP612 1.024,05





BLUESPRING ABOVE-GROUND STRUCTURE KIT LAGHETTO BLUESPRING POOL KIT 7x14 METER H.130	H 130	BS070140H130FT	29.047,00
BLUESPRING ABOVE-GROUND STRUCTURE KIT LAGHETTO BLUESPRING POOL KIT 7x14 METER H.152	H 152	BS070140H150FT	32.191,00

The kit includes:

- ① Modular double-wall ZSV-TEC steel structure
- ② Overflow and compensation channel integrated in the structure.
- ③ Predisposition for filtration system:
22 mc/h main suction (caditoia), overflow regulation and automatic filling system.
- ④ Drilling for 8 nozzles

ADDITIONAL POOL COMPONENTS

STAIRS: 2x2 METER RECESSED OR "L-SHAPED" STAIR, 1,5 METER ROMAN STAIR	see p. 22
COATING MATERIAL FOR BLUESPRING 714 POOL 5 reels h.165, l. 25 m (82,5 mq), liquid PVC and anchor bolts x: colour choice: C = LIGHT BLUE A = DARK BLUE BE = BEIGE B = MILKY WHITE GR = LIGHT GREY	BSRIV714X 4.013,00
ANTI-SLIP COVERING for stairs and beach entry, etc. (H.1,65 m; length 10 m) x: colour choice: C = LIGHT BLUE A = DARK BLUE BE = BEIGE B = MILKY WHITE GR = LIGHT GREY	BSRIVANTX 475,00
RECONSTRUCTED GREY OLD STONE EDGE FOR BLUESPRING 714 POOL	BSPEROS070140 6.444,00
RECONSTRUCTED CLASSIC STONE EDGE FOR BLUESPRING 714 POOL x: colour choice: BM = MARBLE WHITE GO = OCHRE YELLOW RA = ANTIQUE PINK RP = PORPHYRY RED GR = GREY	BSPERCS070140X 7.518,00
POOL GRATES FOR BLUESPRING 714 POOL	BSPERGR070140 7.400,00
LAGHETTO 30 MC/H FILTRATION SYSTEM FOR BLUESPRING 714 POOL - return and suction pipes, PVC valves and fittings. - 30 mc/h Cantabrian sand filter with 6-way side valve. - Victoria Plus 3 Hp pump with pre-filter. - electrical control panel for the programming of pump filtration cycles and spotlights regulation. - 2 suctions (main suction -caditoia- and floor drains) and return pipes to the technical room. - 8 return nozzles (inlets) - 2 floor drains - perimeter piping and return/suction lines made of flexible pipe + rigid PVC pipe PN10 (NB: calculated with a maximum distance of 6 metres between the technical room and the pool)	DELT30BS714 5.337,00
15 meter VACUUM CLEANER KIT floating pipe, suction head, suction plate, aluminium handles and net bag	BSASP15 186,00
AISI 316 STAINLESS STEEL LADDER FOR BLUESPRING POOL	BSSCAI 665,00
5 LED SPOTLIGHT KIT 5 LED Par 56 spotlights kit including: n. 5 spotlights PAR56 1.11 white, n. 5 sandwich seals for spotlights, n. 1 130VA transformer, n. 5 junction boxes, n. 5 pool light niches for liner with inserts	ACFLKIT5BS 2.806,00
LIGHT SYSTEM PLUS WINTER COVER* Reinforced tear-proof superlight polyester fabric (210 gr/mq) with anti-roll water ballast * the price refers to the rectangular shape	LSP714 1.263,35






BLUESPRING STAIRS







STAIR TYPE		IN-GROUND STRUCTURE			
		STAIR STRUCTURE	OLD STONE edge	CLASSIC STONE edge	GRATE
H 130	the stair includes: ZSV-TEC structure, overflowing channel, top edge				
	ROMAN STAIR - 3 m length for H 130 structure on the 5 m side	4.324,00	-	1.344,00	-
	ROMAN STAIR - 3 m length for H 130 structure on the 6 m (and more) side	4.635,00	-	1.344,00	-
	2 X 2 m L-SHAPED STAIR for H 130 structure	4.092,00	756,00	642,00	820,00
H 152	2 X 2 RECESSED STAIR for H 130 structure	4.620,00	792,00	707,00	1.000,00
	ROMAN STAIR - 3 m length for H 152 structure on the 5 m side	5.193,00	-	1.344,00	-
	ROMAN STAIR - 3 m length length for H 152 structure on the 6 m (and more) side	5.596,00	-	1.344,00	-
	2 X 2 m L-SHAPED STAIR for H 152 structure	4.620,00	756,00	642,00	820,00
	2 X 2 RECESSED STAIR for H 152 structure	5.316,00	792,00	707,00	1.000,00

STAIR TYPE		ABOVE-GROUND STRUCTURE			
		STAIR STRUCTURE	OLD STONE edge	CLASSIC STONE edge	GRATE
H 130	the stair includes: ZSV-TEC structure, overflowing channel, top edge				
	ROMAN STAIR - 3 m length for H 130 structure on the 5 m side	4.324,00	-	1.344,00	-
	ROMAN STAIR - 3 m length for H 130 structure on the 6 m (and more) side	4.635,00	-	1.344,00	-
	2 X 2 m L-SHAPED STAIR for H 130 structure	4.092,00	756,00	642,00	820,00
H 152	2 X 2 RECESSED STAIR for H 130 structure	4.620,00	792,00	707,00	1.000,00
	ROMAN STAIR - 3 m length for H 152 structure on the 5 m side	5.193,00	-	1.344,00	-
	ROMAN STAIR - 3 m length for H 152 structure on the 6 m (and more) side	5.596,00	-	1.344,00	-
	2 X 2 m L-SHAPED STAIR for H 152 structure	4.620,00	756,00	642,00	820,00
	2 X 2 RECESSED STAIR for H 152 structure	5.316,00	792,00	707,00	1.000,00





EXAMPLES OF L-SHAPED STAIR

**H 130****H 152**

EXAMPLES OF RECESSED STAIR

**H 130****H 152**

EXAMPLES OF ROMAN STAIR

**H 130****H 152**

DESCRIPTION	CODE	PRICE
1 RETURN NOZZLE (INLET)	BSBM	31,50
2 ADDITIONAL 22 MC/H MAIN SUCTION (CADITOIA)	BSCAD	815,00
3 MAIN SUCTION (CADITOIA) FOR PUBLIC USE UP TO 120 MC/H	BSCADUP	2.060,00
4 EDGE SUPPORT FOOT includes shockproof gusset and rubber seal	BSPIESPA	2,10
5 1 LED SPOTLIGHT KIT 1 LED Par 56 spotlight kit, n. 1 PAR56 1.11 white spotlight, n. 1 sandwich seal for spotlight, n. 1 junction box, surcharge for panel drilling, n. 1 pool light niche for liner with inserts	ACFLBS	602,00
6 130 VA TRANSFORMER	BSTRA	115,00
		

DESCRIPTION

CODE



PRICE

7**COUNTERCURRENT SWIMMING KIT**

n. 2 nozzles for ABS countercurrent swimming system
 n. 2 4,5 Hp Venus 3000 pumps, n. 2 stainless steel main suctions (caditoie),
 surcharge for stainless steel panel and electrical panel.

BSNCC


4.320,00

**8****7-JET WHIRLPOOL**

n.2 rotating nozzles, n. 3 fixed nozzles, Victoria Plus 1,5 hp pump, stainless steel main suction (caditoia), panel holes as shown in the drawing, pipes, fittings and electrical panel.

BSAIDRO



3.840,00



INFINITY POOL



PISCINE **LAGHETTO**[®] by ASTRALPOOL ▲



Turn one or more sides of your Bluespring pool into something special. The overflowing effect of the pool becomes infinite and the water seems to blend with the horizon.

This unique system creates a perfect overflow on all sides, always leaving you the possibility of making any kind of interventions on the pool levels during its lifetime.

- ▶ On the 152 high structure it is available for all sizes
- ▶ On the 130 high structure it can only be installed on pools with a perimeter of less than 30 m


INFINITY OVERFLOWING OPTION (PRICE FOR LINEAR METER) 140,00

INFINITY OVERFLOWING GRATE OPTION (PRICE FOR LINEAR METER) 160,00

PRICE DIFFERENCE FOR LINEAR METER TO SWITCH FROM OLD STONE TO GRATE OPTION 30,00


PRICE DIFFERENCE FOR LINEAR METER TO SWITCH FROM CLASSIC STONE TO GRATE OPTION 10,00

MEASURES



a . b = WATER MIRROR
A . B = TOTAL ENCUMBRANCE

A = **a** + 200 cm
B = **b** + 200 cm





NB. These drawings and technical specifications are approximate and must be verified by your technical engineer.

CONCRETE BASE**h 130****IMPORTANT**

Carry out the excavation leaving the ground walls with a slope of 45-55° to avoid landslides and facilitate the installation of the pool

DO NOT CARRY OUT VERTICAL WALL EXCAVATIONS

excavation depth 150 cm.



Reinforcement with double wire netting Ø 8 mm with mesh 20 x 20 cm

Concrete Rck 250 Kg/cm² with a minimum of 3,00 q. of concrete r. 325

The surface has to be smoothed as plaster

Tolerated difference in height of the perimeter of the slab +- 1 cm.

Always verify your groundwater level. It could cause damage to the concrete base

NB. These drawings and technical specifications are approximate and must be verified by your technical engineer.

CONCRETE BASE

h 152





IMPORTANT

Carry out the excavation leaving the ground walls with a slope of 45-55° to avoid landslides and facilitate the installation of the pool

DO NOT CARRY OUT VERTICAL WALL EXCAVATIONS

reinforced concrete base 172 cm.



Reinforcement with double wire netting Ø 8 mm with mesh 20 x 20 cm

Concrete Rck 250 Kg/cm² with a minimum of 3,00 q. of concrete r. 325

The surface has to be smoothed as plaster

Tolerated difference in height of the perimeter of the slab +- 1 cm.

Always verify your groundwater level. It could cause damage to the concrete base

NB. These drawings and technical specifications are approximate and must be verified by your technical engineer.

STRUCTURE TYPE	IN-GROUND STRUCTURE (€)	ABOVE-GROUND STRUCTURE (€)	pvc liner material (rolls) (€)	COPING OPTIONS			vacuum cleaner (€)	LED lights kit (€)	filter flow mc/h	SAND FILTRATION filter system (€)
				OLD STONE (€)	CLASSIC STONE (€)	GRID (€)				
3 x 5	13.343,00	12.315,00	1.618,00	2.951,64	3.415,38	3.240,00	174,00	Kit 2 lights	1.238,00	15 2.931,00
3 x 5,5	14.559,00	13.446,00	1.618,00	3.056,58	3.540,00	3.400,00	174,00	Kit 2 lights	1.238,00	15 2.931,00
3 x 6	14.694,00	13.533,00	1.618,00	3.161,52	3.664,50	3.560,00	174,00	Kit 2 lights	1.238,00	15 2.931,00
3 x 6,5	15.910,00	14.664,00	1.618,00	3.371,40	3.913,50	3.720,00	174,00	Kit 2 lights	1.238,00	15 2.931,00
3 x 7	16.046,00	14.753,00	1.618,00	3.476,34	4.038,00	3.880,00	174,00	Kit 2 lights	1.238,00	15 2.931,00
3 x 7,5	17.262,00	15.883,00	1.618,00	3.581,28	4.162,50	4.040,00	174,00	Kit 2 lights	1.238,00	15 2.931,00
3 x 8,5	18.614,00	17.103,00	1.618,00	3.896,10	4.536,00	4.360,00	174,00	Kit 2 lights	1.238,00	15 2.931,00
3 x 9	18.749,00	17.190,00	1.618,00	4.001,04	4.660,50	4.520,00	174,00	Kit 2 lights	1.238,00	15 2.931,00
3 x 10	20.101,00	18.409,00	2.398,00	4.210,92	4.909,50	4.840,00	174,00	Kit 2 lights	1.238,00	22 3.543,00
4 x 6	16.102,00	14.809,00	1.618,00	3.371,40	3.913,50	3.880,00	174,00	Kit 2 lights	1.238,00	15 2.934,00
4 x 6,5	17.318,00	15.939,00	2.398,00	3.581,28	4.162,50	4.040,00	174,00	Kit 2 lights	1.238,00	15 2.934,00
4 x 7	17.454,00	16.028,00	2.398,00	3.686,22	4.287,00	4.200,00	174,00	Kit 2 lights	1.238,00	15 2.934,00
4 x 7,5	18.670,00	17.159,00	2.398,00	3.791,16	4.411,50	4.360,00	174,00	Kit 2 lights	1.238,00	15 2.934,00
4 x 8,5	20.021,00	18.377,00	2.398,00	4.105,98	4.785,00	4.680,00	174,00	Kit 2 lights	1.238,00	15 2.934,00
4 x 9	20.157,00	18.465,00	2.398,00	4.210,92	4.909,50	4.840,00	174,00	Kit 3 lights	1.758,00	22 3.543,00
4 x 9,5	21.373,00	19.596,00	2.398,00	4.355,86	5.034,00	5.000,00	174,00	Kit 3 lights	1.758,00	22 3.543,00
4 x 10	21.508,00	19.684,00	2.398,00	4.420,80	5.158,50	5.160,00	186,00	Kit 3 lights	1.758,00	22 3.543,00
4 x 10,5	22.724,00	20.814,00	2.398,00	4.630,68	5.407,50	5.320,00	186,00	Kit 3 lights	1.758,00	22 3.543,00
4 x 11	22.860,00	20.903,00	2.398,00	4.735,62	5.532,00	5.480,00	186,00	Kit 3 lights	1.758,00	22 3.543,00
4 x 11,5	24.076,00	22.034,00	2.398,00	4.840,56	5.656,50	5.640,00	186,00	Kit 4 lights	2.282,00	22 3.543,00
4 x 12,5	25.428,00	23.253,00	2.398,00	5.155,38	6.030,00	5.960,00	186,00	Kit 4 lights	2.282,00	22 3.543,00
5 x 11	24.212,00	22.122,00	3.235,00	5.050,44	5.905,50	5.800,00	186,00	Kit 4 lights	2.282,00	22 3.543,00
5 x 11,5	25.428,00	23.253,00	3.235,00	5.155,38	6.030,00	5.960,00	186,00	Kit 4 lights	2.282,00	22 3.543,00
5 x 12,5	26.798,00	24.490,00	3.235,00	5.470,20	6.403,50	6.280,00	186,00	Kit 4 lights	2.282,00	22 3.543,00
5 x 13	26.934,00	24.579,00	4.013,00	5.575,14	6.528,00	6.440,00	186,00	Kit 4 lights	2.282,00	22 3.543,00
5 x 13,5	28.150,00	25.709,00	4.013,00	5.814,90	6.771,50	6.600,00	186,00	Kit 4 lights	2.282,00	30 5.377,00
5 x 14	28.285,00	25.797,00	4.013,00	5.919,84	6.896,00	6.760,00	186,00	Kit 4 lights	2.282,00	30 5.377,00
5 x 14,5	29.501,00	26.928,00	4.013,00	6.129,72	7.145,00	6.920,00	186,00	Kit 4 lights	2.282,00	30 5.377,00
5 x 15	29.637,00	27.016,00	4.013,00	6.234,66	7.269,50	7.080,00	186,00	Kit 4 lights	2.282,00	30 5.377,00
6 x 10	24.231,00	22.141,00	3.235,00	4.945,50	5.781,00	5.800,00	186,00	Kit 4 lights	2.282,00	22 3.543,00
6 x 10,5	25.447,00	23.272,00	3.235,00	5.155,38	6.030,00	5.960,00	186,00	Kit 4 lights	2.282,00	22 3.543,00
6 x 11	25.582,00	23.359,00	3.235,00	5.260,32	6.154,50	6.120,00	186,00	Kit 4 lights	2.282,00	22 3.543,00
6 x 11,5	26.798,00	24.490,00	3.235,00	5.365,26	6.279,00	6.280,00	186,00	Kit 4 lights	2.282,00	22 3.543,00
6 x 12,5	28.150,00	25.709,00	3.235,00	5.814,90	6.771,50	6.600,00	186,00	Kit 4 lights	2.282,00	30 5.377,00
6 x 13	29.132,00	26.644,00	4.013,00	5.919,84	6.896,00	6.760,00	186,00	Kit 4 lights	2.282,00	30 5.377,00

STRUCTURE TYPE COVERED BY WATER (m)	IN-GROUND STRUCTURE (€)	ABOVE-GROUND STRUCTURE (€)	pvc liner material (rolls) (€)	COPING OPTIONS			vacuum cleaner (€)	filter flow mc/h	filter system (€)
				OLD STONE (€)	CLASSIC STONE (€)	GRID (€)			
6 x 14	30.542,00	27.921,00	4.013,00	6.129,72	7.025,88	7.080,00	186,00	Kit 4 lights	2.282,00
6 x 14,5	31.758,00	29.052,00	4.013,00	6.339,60	7.275,00	7.240,00	186,00	Kit 4 lights	2.282,00
6 x 15	31.894,00	29.141,00	4.013,00	6.444,54	7.399,50	7.400,00	186,00	Kit 4 lights	2.282,00
6 x 15,5	33.110,00	30.271,00	4.013,00	6.549,48	7.524,00	7.560,00	186,00	Kit 4 lights	2.282,00
6 x 16	33.245,00	30.359,00	4.013,00	6.654,42	7.648,50	7.720,00	186,00	Kit 4 lights	2.282,00
6 x 16,5	34.461,00	31.489,00	4.013,00	6.864,30	7.897,50	7.880,00	186,00	Kit 4 lights	2.282,00
6 x 17	34.597,00	31.573,00	4.013,00	6.999,24	8.022,00	8.040,00	186,00	Kit 4 lights	2.282,00
6 x 17,5	35.813,00	32.709,00	4.013,00	7.074,18	8.146,50	8.200,00	186,00	Kit 4 lights	2.282,00
6 x 18	35.948,00	32.796,00	4.013,00	7.179,12	8.271,00	8.360,00	186,00	Kit 4 lights	2.282,00
7 x 12	29.190,00	26.702,00	4.013,00	5.919,84	6.777,00	6.760,00	186,00	Kit 4 lights	2.282,00
7 x 12,5	30.406,00	27.833,00	4.013,00	6.129,72	7.026,00	6.920,00	186,00	Kit 4 lights	2.282,00
7 x 13	30.542,00	27.921,00	4.013,00	6.234,66	7.150,50	7.080,00	186,00	Kit 4 lights	2.282,00
7 x 13,5	31.758,00	29.052,00	4.013,00	6.339,60	7.275,00	7.240,00	186,00	Kit 4 lights	2.282,00
7 x 14,5	33.110,00	30.271,00	4.793,00	6.654,42	7.648,50	7.560,00	186,00	Kit 5 lights	2.806,00
7 x 15	33.245,00	30.359,00	4.793,00	6.759,36	7.773,00	7.720,00	186,00	Kit 5 lights	2.806,00
7 x 15,5	34.461,00	31.489,00	4.793,00	6.894,30	7.897,50	7.880,00	186,00	Kit 5 lights	2.806,00
7 x 16	34.597,00	31.573,00	4.793,00	6.959,24	8.022,00	8.040,00	186,00	Kit 5 lights	2.806,00
7 x 16,5	35.813,00	32.709,00	4.793,00	7.179,12	8.271,00	8.200,00	186,00	Kit 5 lights	2.806,00
7 x 17	35.948,00	32.796,00	4.793,00	7.284,06	8.395,50	8.360,00	186,00	Kit 5 lights	2.806,00
7 x 17,5	37.164,00	33.927,00	4.793,00	7.389,00	8.520,00	8.520,00	186,00	Kit 5 lights	2.806,00
7 x 18	37.300,00	34.016,00	5.630,00	7.493,94	8.644,50	8.680,00	186,00	Kit 5 lights	2.806,00
8 x 16	35.948,00	32.796,00	4.793,00	7.179,12	8.271,00	8.360,00	186,00	kit 6 lights	3.330,00
8 x 16,5	37.164,00	33.927,00	4.793,00	7.389,00	8.520,00	8.520,00	186,00	kit 6 lights	3.330,00
8 x 17	37.300,00	34.016,00	5.630,00	7.493,94	8.644,50	8.680,00	186,00	kit 6 lights	3.330,00
8 x 17,5	38.516,00	35.146,00	5.630,00	7.538,88	8.769,00	8.840,00	186,00	kit 6 lights	3.330,00
8 x 18	38.652,00	35.233,00	5.630,00	7.703,82	8.893,50	9.000,00	186,00	kit 6 lights	3.330,00
8 x 18,5	39.868,00	36.365,00	5.630,00	7.913,70	9.142,50	9.160,00	186,00	kit 6 lights	3.330,00
8 x 19	40.003,00	36.453,00	5.630,00	8.018,64	9.267,00	9.320,00	186,00	kit 6 lights	3.330,00
8 x 19,5	41.219,00	37.584,00	5.630,00	8.123,58	9.391,50	9.480,00	186,00	kit 6 lights	3.330,00
8 x 20	41.355,00	37.672,00	5.630,00	8.228,52	9.516,00	9.640,00	186,00	kit 6 lights	3.330,00
10 x 20	46.216,00	42.263,00	8.001,00	8.753,22	10.138,50	10.280,00	186,00	-	-
10 x 21	47.568,00	43.487,00	8.001,00	9.008,04	10.512,00	10.600,00	186,00	-	-
10 x 22	48.919,00	44.705,00	8.001,00	9.277,92	10.761,00	10.920,00	186,00	-	-
12 x 20	48.919,00	44.705,00	8.001,00	9.277,92	10.761,00	10.920,00	186,00	-	-
12,5 x 25	56.893,00	51.930,00	8.806,00	10.852,02	12.628,50	12.680,00	186,00	-	-

STRUCTURE TYPE	IN-GROUND STRUCTURE (€)	ABOVE-GROUND STRUCTURE (€)	pvc liner material (rolls) (€)	COPING OPTIONS			vacuum cleaner (€)	LED lights kit (€)	filter flow mc/h	SAND FILTRATION filter system (€)
				OLD STONE (€)	CLASSIC STONE (€)	GRID (€)				
3 x 5	15.091,00	13.572,00	1.618,00	2.951,64	3.415,38	3.240,00	174,00	Kit 2 lights	1.238,00	15
3 x 5,5	16.554,00	14.922,00	1.618,00	3.056,58	3.540,00	3.400,00	174,00	Kit 2 lights	1.238,00	15
3 x 6	16.623,00	14.937,00	1.618,00	3.161,52	3.664,50	3.560,00	174,00	Kit 2 lights	1.238,00	15
3 x 6,5	18.086,00	16.287,00	1.618,00	3.371,40	3.913,50	3.720,00	174,00	Kit 2 lights	1.238,00	15
3 x 7	18.154,00	16.300,00	1.618,00	3.476,34	4.038,00	3.880,00	174,00	Kit 2 lights	1.238,00	15
3 x 7,5	19.617,00	17.650,00	1.618,00	3.581,28	4.162,50	4.040,00	174,00	Kit 2 lights	1.238,00	15
3 x 8,5	21.149,00	19.015,00	1.618,00	3.886,10	4.536,00	4.360,00	174,00	Kit 2 lights	1.238,00	15
3 x 9	21.217,00	19.028,00	1.618,00	4.001,04	4.660,50	4.520,00	174,00	Kit 2 lights	1.238,00	15
3 x 10	22.748,00	20.392,00	2.398,00	4.210,92	4.909,50	4.840,00	174,00	Kit 2 lights	1.238,00	22
4 x 6	18.210,00	16.356,00	1.618,00	3.371,40	3.913,50	3.880,00	174,00	Kit 2 lights	1.238,00	15
4 x 6,5	19.673,00	17.706,00	2.398,00	3.581,28	4.162,50	4.040,00	174,00	Kit 2 lights	1.238,00	15
4 x 7	19.741,00	17.729,00	2.398,00	3.686,22	4.287,00	4.200,00	174,00	Kit 2 lights	1.238,00	15
4 x 7,5	21.205,00	19.071,00	2.398,00	3.791,16	4.411,50	4.360,00	174,00	Kit 2 lights	1.238,00	15
4 x 8,5	22.736,00	20.434,00	2.398,00	4.105,98	4.785,00	4.680,00	174,00	Kit 2 lights	1.238,00	15
4 x 9	22.804,00	20.448,00	2.398,00	4.210,92	4.909,50	4.840,00	174,00	Kit 3 lights	1.758,00	22
4 x 9,5	24.267,00	21.798,00	2.398,00	4.315,86	5.034,00	5.000,00	174,00	Kit 3 lights	1.758,00	22
4 x 10	24.336,00	21.812,00	2.398,00	4.420,80	5.158,50	5.160,00	186,00	Kit 3 lights	1.758,00	22
4 x 10,5	25.799,00	23.162,00	2.398,00	4.630,68	5.407,50	5.320,00	186,00	Kit 3 lights	1.758,00	22
4 x 11	25.867,00	23.176,00	2.398,00	4.735,62	5.532,00	5.480,00	186,00	Kit 3 lights	1.758,00	22
4 x 11,5	27.330,00	24.526,00	2.398,00	4.840,56	5.656,50	5.640,00	186,00	Kit 4 lights	2.282,00	22
4 x 12,5	28.862,00	25.890,00	2.398,00	5.155,38	6.030,00	5.960,00	186,00	Kit 4 lights	2.282,00	22
5 x 11	27.398,00	24.530,00	3.235,00	5.050,44	5.905,50	5.800,00	186,00	Kit 4 lights	2.282,00	22
5 x 11,5	28.862,00	25.890,00	3.235,00	5.155,38	6.030,00	5.960,00	186,00	Kit 4 lights	2.282,00	22
5 x 12,5	30.412,00	27.273,00	3.235,00	5.470,20	6.403,50	6.280,00	186,00	Kit 4 lights	2.282,00	22
5 x 13	30.480,00	27.287,00	4.013,00	5.575,14	6.528,00	6.440,00	186,00	Kit 4 lights	2.282,00	22
5 x 13,5	31.943,00	28.637,00	4.013,00	5.814,90	6.771,50	6.600,00	186,00	Kit 4 lights	2.282,00	30
5 x 14	32.012,00	28.651,00	4.013,00	5.919,84	6.896,00	6.760,00	186,00	Kit 4 lights	2.282,00	30
5 x 14,5	33.475,00	30.001,00	4.013,00	6.129,72	7.145,00	6.920,00	186,00	Kit 4 lights	2.282,00	30
5 x 15	33.543,00	30.015,00	4.013,00	6.234,66	7.269,50	7.080,00	186,00	Kit 4 lights	2.282,00	30
6 x 10	27.417,00	24.558,00	3.235,00	4.945,50	5.781,00	5.800,00	186,00	Kit 4 lights	2.282,00	22
6 x 10,5	28.881,00	25.909,00	3.235,00	5.155,38	6.030,00	5.960,00	186,00	Kit 4 lights	2.282,00	22
6 x 11	28.949,00	25.923,00	3.235,00	5.260,32	6.154,50	6.120,00	186,00	Kit 4 lights	2.282,00	22
6 x 11,5	30.412,00	27.273,00	3.235,00	5.365,26	6.279,00	6.280,00	186,00	Kit 4 lights	2.282,00	22
6 x 12,5	31.943,00	28.637,00	3.235,00	5.814,90	6.771,50	6.600,00	186,00	Kit 4 lights	2.282,00	30
6 x 13	32.859,00	29.498,00	4.013,00	5.919,84	6.896,00	6.760,00	186,00	Kit 4 lights	2.282,00	30

STRUCTURE TYPE		COPING OPTIONS			LED LIGHTS			SAND FILTRATION	
IN-GROUND STRUCTURE (€)	ABOVE-GROUND STRUCTURE (€)	pvc liner material (rolls) (€)	OLD STONE (€)	CLASSIC STONE (€)	GRID (€)	N° LED	LED lights kit (€)	filter flow mc/h	filter system (€)
6 x 14	34.448,00	30.920,00	4.013,00	6.129,72	7.025,88	7.080,00	186,00	Kit 4 lights	2.282,00
6 x 14,5	35.911,00	32.270,00	4.013,00	6.339,60	7.275,00	7.240,00	186,00	Kit 4 lights	2.282,00
6 x 15	35.979,00	32.283,00	4.013,00	6.444,54	7.399,50	7.400,00	186,00	Kit 4 lights	2.282,00
6 x 15,5	37.443,00	33.634,00	4.013,00	6.549,48	7.524,00	7.560,00	186,00	Kit 4 lights	2.282,00
6 x 16	37.511,00	33.648,00	4.013,00	6.654,42	7.648,50	7.720,00	186,00	Kit 4 lights	2.282,00
6 x 16,5	38.974,00	34.998,00	4.013,00	6.864,30	7.897,50	7.880,00	186,00	Kit 4 lights	2.282,00
6 x 17	39.042,00	35.011,00	4.013,00	6.969,24	8.022,00	8.040,00	186,00	Kit 4 lights	2.282,00
6 x 17,5	40.505,00	36.361,00	4.013,00	7.074,18	8.146,50	8.200,00	186,00	Kit 4 lights	2.282,00
6 x 18	40.574,00	36.376,00	4.013,00	7.179,12	8.271,00	8.360,00	186,00	Kit 4 lights	2.282,00
7 x 12	32.917,00	29.556,00	4.013,00	5.919,84	6.777,00	6.760,00	186,00	Kit 4 lights	2.282,00
7 x 12,5	34.380,00	30.906,00	4.013,00	6.129,72	7.026,00	6.920,00	186,00	Kit 4 lights	2.282,00
7 x 13	34.448,00	30.920,00	4.013,00	6.234,66	7.150,50	7.080,00	186,00	Kit 4 lights	2.282,00
7 x 13,5	35.911,00	32.270,00	4.013,00	6.339,60	7.275,00	7.240,00	186,00	Kit 4 lights	2.282,00
7 x 14,5	35.979,00	32.283,00	4.793,00	6.444,54	7.399,50	7.400,00	186,00	Kit 5 lights	2.806,00
7 x 15	37.443,00	33.634,00	4.793,00	6.654,42	7.648,50	7.560,00	186,00	Kit 5 lights	2.806,00
7 x 15,5	37.511,00	33.648,00	4.793,00	6.759,36	7.773,00	7.720,00	186,00	Kit 5 lights	2.806,00
7 x 16	38.974,00	34.998,00	4.793,00	6.864,30	7.897,50	7.880,00	186,00	Kit 5 lights	2.806,00
7 x 16,5	39.042,00	35.011,00	4.793,00	6.969,24	8.022,00	8.040,00	186,00	Kit 5 lights	2.806,00
7 x 17	40.505,00	36.361,00	4.793,00	7.179,12	8.271,00	8.200,00	186,00	Kit 5 lights	2.806,00
7 x 17,5	40.574,00	36.376,00	4.793,00	7.284,06	8.395,50	8.360,00	186,00	Kit 5 lights	2.806,00
7 x 18	42.037,00	37.726,00	5.630,00	7.389,00	8.520,00	8.520,00	186,00	Kit 5 lights	2.806,00
8 x 16	40.574,00	36.376,00	4.793,00	7.179,12	8.271,00	8.360,00	186,00	kit 6 lights	3.330,00
8 x 16,5	42.037,00	37.726,00	4.793,00	7.389,00	8.520,00	8.520,00	186,00	kit 6 lights	3.330,00
8 x 17	42.105,00	37.739,00	5.630,00	7.493,94	8.644,50	8.680,00	186,00	kit 6 lights	3.330,00
8 x 17,5	43.568,00	39.089,00	5.630,00	7.538,88	8.769,00	8.840,00	186,00	kit 6 lights	3.330,00
8 x 18	43.636,00	39.103,00	5.630,00	7.703,82	8.893,50	9.000,00	186,00	kit 6 lights	3.330,00
8 x 18,5	45.100,00	40.454,00	5.630,00	7.913,70	9.142,50	9.160,00	186,00	kit 6 lights	3.330,00
8 x 19	45.168,00	40.467,00	5.630,00	8.018,64	9.267,00	9.320,00	186,00	kit 6 lights	3.330,00
8 x 19,5	46.631,00	41.817,00	5.630,00	8.123,58	9.391,50	9.480,00	186,00	kit 6 lights	3.330,00
8 x 20	46.699,00	41.831,00	5.630,00	8.228,52	9.516,00	9.640,00	186,00	kit 6 lights	3.330,00
10 x 20	51.920,00	46.717,00	8.001,00	8.753,22	10.138,50	10.280,00	186,00	-	-
10 x 21	53.451,00	48.081,00	8.001,00	9.008,04	10.512,00	10.600,00	186,00	-	-
10 x 22	54.983,00	49.445,00	8.001,00	9.277,92	10.761,00	10.920,00	186,00	-	-
12 x 20	54.983,00	49.445,00	8.001,00	9.277,92	10.761,00	10.920,00	186,00	-	-
12,5 x 25	64.103,00	57.615,00	8.806,00	10.852,02	12.628,50	12.680,00	186,00	-	-

CONDIZIONI GARANZIA (ITALIA) - DURATA E LIMITAZIONI

Bluespring

20 - 2 years WARRANTY

**GARANZIA PISCINA: 20 ANNI DEGRESSIVA
POOL WARRANTY: 20 YEARS | GARANTIE BASSIN: 20 ANS**
**GARANZIA ACCESSORI: 2 ANNI
ACCESSORIES WARRANTY: 2 YEARS | GARANTIE ACCESSOIRES: 2 ANS**

Ogni piscina Laghetto è prodotta con materiali selezionati e secondo procedure certificate nel rispetto della norma UNI EN ISO 9001-2008, manuale qualità.

La garanzia di legge di 24 mesi viene estesa come indicato sui prodotti presenti in questo listino, nell'ambito di un uso normale e corretto degli stessi, nonché di un'installazione avvenuta tramite personale specializzato e certificato. La garanzia non copre utilizzi del prodotto non espressamente previsti dal produttore.

La garanzia è franco fabbrica e comprende, per il periodo di legge di 24 mesi, il materiale e la manodopera necessaria all'intervento di ripristino del prodotto, esclusivamente presso la nostra sede di Vescovato (Cr).

Tutti i costi sostenuti da Agrisilos srl, relativamente agli interventi di riparazione e/o ripristino del bene, effettuati al di fuori del termine di garanzia legale, sono sempre a carico del cliente.

Per i successivi anni previsti nel totale di garanzia, questa comprende solamente la fornitura di materiali in sostituzione di quelli giudicati difettosi. Sono esclusi dalla copertura gli oneri derivanti dalle opere necessarie al ripristino o la riparazione del bene.

L'eventuale garanzia degressiva, se prevista, prevede una copertura pari al 100% del valore del bene per il periodo di legge o più ampio e una diminuzione del valore coperto in ragione di un valore percentuale annuo, sino all'esaurimento del periodo totale della garanzia offerta.

Sono sempre escluse, in ogni caso, le spese di trasporto del materiale presso la nostra sede e/o di viaggio del personale preposto alla riparazione.

Eventuali danni derivati ai prodotti per gelo o per uso inappropriate di prodotti chimici, l'utilizzo di prodotti chimici non a marchio Piscine Laghetto ovvero di altri produttori non comunicati e specificatamente approvati da Agrisilos srl, sono esclusi dalla garanzia.

Sono altresì esclusi dalle condizioni di garanzia i vizi e malfunzionamenti imputabili ad un uso scorretto del bene.

Gli oneri dovuti allo svuotamento, riempimento e trattamento chimico dell'acqua non sono mai coperti da garanzia e pertanto non possono pertanto essere imputabili ad Agrisilos srl.

Altre condizioni di esclusione sono espressamente indicati nello specifico certificato di garanzia annesso

alla piscina e nelle condizioni generali di vendita di Agrisilos srl.

L'ossidazione di parti metalliche dovute a mancata o insufficiente manutenzione ovvero manutenzione non effettuata in conformità alle istruzioni dei Prodotti Piscine Laghetto e/o alla diligenza richiesta dalla natura del prodotto non sono da considerarsi difetto, non incidono sulla tenuta strutturale del prodotto, non pregiudicano in alcun modo il suo utilizzo, non danno pertanto diritto ad alcuna richiesta di sostituzione in garanzia.

La garanzia degressiva è strettamente relativa alla resistenza meccanica della struttura montata a regola d'arte e non copre in nessun caso gli eventuali danneggiamenti dovuti a operazioni di smontaggio, trasporto e rimontaggio o eventi naturali, climatici o straordinari di qualsiasi genere, ed è calcolata come riportato nella tabella sottostante.



Anni	0 - 10	11 - 13	14 - 17	18 - 20
copertura garanzia % valore struttura	100 %	50 %	30 %	15 %

CONDIZIONI GENERALI DI VENDITA - AGRISILOS srl

Il presente documento contiene le Condizioni Generali di vendita (in questo documento e per brevità "Condizioni Generali") di Agrisilos srl (C.F. e P.IVA IT 00116110198) con sede legale in Vescovato, Ex. S.s. Padana Inferiore 11/C, Italia, in questo documento e per brevità denominata "Venditore", per la vendita dei propri prodotti a marchio Piscine Laghetto.

1. Oggetto del Contratto

1.1 Le Condizioni Generali qui di seguito riportate regolano tutti i contratti di vendita aventi ad oggetto i prodotti del Venditore facenti parte delle linee a marchio Piscine Laghetto (qui di seguito e per brevità definiti "Prodotti") da stipularsi tra il Venditore ed il soggetto che inoltra l'ordine di acquisto per i Prodotti (di seguito, il "Compratore").

1.2 È inteso che possono concludersi unicamente contratti di vendita di Prodotti per uso imprenditoriale e/o professionale, essendo esclusa ogni vendita a privati consumatori e/o ai fini di consumo personale o domestico.

1.3 Deroghe o modifiche alle presenti Condizioni Generali saranno valide solo se espressamente accettate per iscritto dal Venditore ed avranno valore solo per le vendite a cui si riferiscono. Pertanto, ogni disposizione, introdotta dal Compratore che sia in contrasto o in aggiunta alle presenti Condizioni Generali, sarà considerata nulla e priva di effetto.

2. Perfezionamento e Conclusione del Contratto

2.1 L'ordine che il Compratore trasmette al Venditore, dovrà contenere l'identificazione precisa del "Codice Prodotto", delle quantità richieste, del prezzo ed ogni altro elemento essenziale per la conclusione del contratto di vendita.

2.2 L'ordine inviato dal Compratore ha valore di proposta contrattuale e non sarà vincolante se non accettato dal Venditore. L'accettazione potrà essere comunicata dal Venditore, a suo insindacabile giudizio, in forma scritta (anche via e-mail) oppure verbalmente, oppure ancora potrà manifestarsi mediante comportamento concludente ad esempio con la consegna dei Prodotti al Compratore. In caso di difformità tra ordine e conferma d'ordine si considererà prevalente quest'ultima.

2.3 Il Compratore prende atto che il Venditore, per determinati Prodotti espressamente indicati nei propri Listini, o come espresso in altra documentazione, si riserva la facoltà di non accettare ordini

al di sotto delle quantità o degli importi minimi prefissati.

2.4 Va altresì ricordato che al singolo ordine ricevuto giornalmente dal valore merce inferiore al minimo indicato nel modulo ordini Piscine Laghetto, si applica un livello di sconto inferiore rispetto a quello ordinariamente praticato.

2.5 Effettuando un ordine il Compratore dichiara di avere preso visione di tutte le indicazioni a Lui fornite durante la procedura d'acquisto e di accettare integralmente le presenti Condizioni Generali.

2.6 Eventuali agenti ed intermediari non impegnano in alcun modo il Venditore e qualsiasi ordine ricevuto dai suddetti agenti e intermediari si intende subordinato alla conferma d'ordine scritta da parte del Venditore.

3. Prodotti

3.1 Le informazioni sui Prodotti contenute sui cataloghi e listini prezzi del Venditore e presenti sui Siti Internet o in altri documenti analoghi hanno valore puramente indicativo in quanto le immagini fotografiche affiancate alla descrizione di ciascun Prodotto possono non rendere perfettamente le caratteristiche e non vincolano il Venditore se non sono espressamente richiamate nel contratto. Il Compratore inviando il proprio ordine dichiara di essere a conoscenza delle caratteristiche dei Prodotti e di ritenerli idonei all'uso al quale intende destinarli.

3.2 Sarà cura del Compratore notificare al Venditore ogni cambiamento, noto o di cui sia venuto a conoscenza nell'esercizio della propria attività, che vada a mutare la natura del Prodotto e/o che muti la destinazione d'uso dello stesso.

3.3 Il Venditore si riserva di cancellare uno o più Prodotti dai listini o di aggiungerne di nuovi a propria esclusiva discrezione e senza obbligo di preavviso

4. Riserva di Proprietà

In caso venga pattuito il pagamento differito rispetto alla consegna, si conviene che la vendita è effettuata con riserva di proprietà sui Prodotti a favore del Venditore e, quindi, il Compratore ne acquisirà la proprietà soltanto all'atto del pagamento integrale del prezzo complessivo concordato, oltre agli oneri accessori, ma ne assume i rischi dal momento della consegna come da art. 1523 del Codice Civile.

5. Prezzi

5.1 I prezzi di vendita sono calcolati "Ex Works" ("Franco Fabbrica") – sede del Venditore – imposta sul valore aggiunto esclusa; sono altresì esclusi eventuali altri oneri e costi (ad esempio: costi di trasporto).

5.2 Il prezzo dei prodotti comprende l'imballo standard; qualora i prodotti richiedessero imballi particolari, ad insindacabile giudizio del Venditore, i relativi costi aggiuntivi saranno addebitati in aggiunta al costo del prodotto.

5.3 Ferme restando le disposizioni precedenti di cui al punto 5.1, il Venditore si riserva la facoltà di modificare a propria discrezione ed in qualunque momento il prezzo dei Prodotti con il variazione dei costi delle materie prime, della manodopera e/o di altre componenti di costo connesse con il ciclo produttivo posto in essere dalla stessa, previo un congruo preavviso.

6. Condizioni di pagamento

6.1 Nell'ipotesi di conclusione del contratto con modalità di pagamento differente o diverse da quelle standard, le stesse saranno indicate di volta in volta nella conferma d'ordine che il Venditore invierà al Compratore per iscritto.

6.2 I pagamenti inviati al Venditore mediante bonifico bancario dovranno provenire esclusivamente da conti correnti intestati al soggetto destinatario della fattura presso la banca indicata dal Venditore.

6.3 È inteso che eventuali reclami o contestazioni non danno diritto al Compratore di sospendere o comunque ritardare i pagamenti dei Prodotti oggetto di contestazione, né, tanto meno, di altre forniture.

6.4 In caso di mancato pagamento, in tutto o in parte, del prezzo di vendita ad una delle scadenze stabiliti, matureranno automaticamente a carico del Compratore, senza necessità di costituzione in mora, gli interessi moratori ai sensi del Decreto Legislativo n.231 del 9 ottobre 2002 e successive modifiche, fino alla data dell'effettivo pagamento, fermo restando qualsiasi altro rimedio previsto a favore del Venditore dalle presenti Condizioni Generali e/o dalla legge.

6.5 Il mancato o parziale pagamento, anche di una sola fattura, da parte del Compratore, attribuisce al Venditore la facoltà di rifiutare l'accettazione di nuovi ordini provenienti da

CONDIZIONI GENERALI DI VENDITA (SEGUE)

quest'ultimo e/o l'esecuzione di ordini. Qualora il mancato o parziale pagamento si protragga per un periodo di 30 (trenta) giorni dalla scadenza stabilita è attribuita al Venditore la facoltà di risolvere immediatamente il contratto di vendita fermo restando il diritto di ottenere il risarcimento del danno ivi incluso il rimborso delle spese legali connesse all'azione di recupero del credito, anche in via stragiudiziale.

• 6.6 Gli acconti versati dal Compratore all'atto di sottoscrizione della conferma d'Ordine saranno imputati al prezzo complessivo della vendita. In caso di mancata esecuzione della stessa, per cause non imputabili al Compratore l'aconto verrà restituito allo stesso. Di contro, qualora la vendita non abbia esecuzione per cause imputabili all'acquirente, l'aconto sarà trattenuto dal Venditore a titolo di penale, salvo il risarcimento del maggior danno, senza alcun ulteriore onere. Le parti stabiliscono espressamente che, in ogni caso, l'aconto sarà infruttifero di oneri ed interessi.

7. Consegnna dei Prodotti

• 7.1 Salvo diverso accordo, documentato nella conferma d'ordine del Venditore, la consegna dei prodotti al Compratore avviene "Ex Works" ("Franco Fabbrica") presso la sede del Venditore.

• 7.2 Le spese e gli oneri di trasporto sono a carico dell'acquirente, tranne diverso accordo tra le parti risultante per iscritto in Conferma d'Ordine. La vendita si intende effettuata franco fabbrica anche in caso di porto assegnato; è fatto salva diversa pattuizzazione scritta.

• 7.3 La merce viaggia a rischio e pericolo del Compratore, anche se venduta franco destino, e le spese di trasporto, ove non sia pattuito diversamente, sono a carico del Compratore stesso, ai sensi dell'art. 1510 c.c.

• 7.4 I termini di consegna indicati dal Venditore nella conferma d'ordine o concordati tra le parti sono stabiliti a favore del Venditore ed hanno carattere indicativo e non essenziale, pertanto eventuali ritardi non potranno dar luogo ad alcuna pretesa di risarcimento o di annullamento dell'ordine da parte del Compratore. Il Venditore si riserva il diritto di effettuare consegne parziali, nel momento e nella misura in cui singole parti del prodotto siano pronte per la consegna.

• 7.5 I suddetti termini di consegna sono in ogni caso superati dal sopravvenire di eventuali cause di forza maggiore (per le quali si rinvia all'art. 11 del presente contratto) o da atti od omissioni del Compratore.

• 7.6 Il luogo di consegna indicato dal Compratore è il solo riferimento a cui il Venditore dovrà prestare fede all'atto di consegna dei Prodotti. Il Compratore solleva il Venditore da ogni responsabilità in caso di omissione o ritardata consegna derivante da erronee indicazioni del luogo di consegna.

• 7.7 Approntata la vendita, se per motivi o fatti non dipendenti dal Venditore ma imputabili al Compratore, la consegna non potesse avvenire, essa si intenderà eseguita ad ogni effetto (compresa la decorrenza dei termini di pagamento e l'emissione della fattura) con un semplice avviso di merce pronta.

8. Controllo della merce e Reclami alla consegna

Il Compratore è tenuto ad ispezionare con cura i Prodotti consegnati immediatamente all'atto di ricezione degli stessi considerandosi pertanto lo scarico della merce il momento di verifica dei Prodotti stessi. Eventuali rilievi dovranno essere apposti, refetta ogni eccezione, sul documento di trasporto o fattura accompagnatoria. Contestualmente, le parti difettose debbono essere restituite con spese di trasporto ed assicurazione a carico del Compratore. L'omessa tempestiva notifica del difetto e restituzione della parte difettosa, comporteranno decadenza del Compratore da ogni azione volta a far valere i suddetti difetti.

9. Garanzia

• 9.1 Il Venditore garantisce che i Prodotti venduti hanno le qualità essenziali per l'uso a cui sono destinati secondo le specifiche tecniche del Prodotto e la conferma d'ordine e sono conformi alla legge italiana nonché alla normativa UE eventualmente applicabile.

• 9.2 Il Venditore è responsabile per tutti i difetti che compaiano nel Prodotto a seguito di un uso normale dello stesso, derivanti esclusivamente da difetti nei materiali o nella manodopera.

• 9.3 La garanzia sui prodotti del Venditore è da intendersi sempre franco fabbrica Vescovato e non copre mai, in nessun caso, i costi necessari per la riparazione e ripristino del bene, ovunque questo sia installato e/o utilizzato, i quali devono intendersi a carico del Compratore.

• 9.3 La garanzia si intende unicamente a favore del Compratore e non può essere estesa ad eventuali acquirenti successivi dei Prodotti, né a terzi in generale.

• 9.4 Per la validità della garanzia prestata dal Venditore, al fine di ottemperare alle norme comunitarie e/o nazionali applicabili ai Prodotti e per tutto il periodo d'uso dei Prodotti medesimi, il Compratore deve attenersi scrupolosamente alle indicazioni contenute nelle istruzioni d'uso e manutenzione fornite dal Venditore nonché deve garantire una formazione adeguata del suo personale, o terzi se dal Compratore incaricati, affinché detto personale svolga le operazioni di installazione, montaggio, smontaggio e riparazione dei Prodotti in modo tale da non arrecare danni a cose e/o persone ed operi in conformità alle normative comunitarie e quelle eventualmente più dettagliate presenti nello stato in cui vengono messi in servizio i Prodotti.

• 9.5 L'utilizzo da parte del Compratore di parti e/o accessori non originali Piscine Laghetto e/o non forniti e/o non

espressamente autorizzati dal Venditore, in completamento o durante l'uso dei kit piscina e/o altri prodotti presenti nei cataloghi e listini prezzi del Venditore, possono limitare o escludere in toto la garanzia fornita. Questo con particolare riferimento ad accessori e prodotti per il trattamento dell'acqua e per la copertura e il rimessaggio dei prodotti di Agrisilos Srl.

• 9.6 La garanzia non si applica se il Compratore non è in regola con i pagamenti, se non ha installato i Prodotti in piena conformità alle istruzioni presenti sul manuale d'uso e manutenzione del Prodotto, se ha apportato modifiche o se ha manomesso o danneggiato i Prodotti o li ha utilizzati per scopi diversi dalla loro normale destinazione d'uso, così come in tutte le ipotesi di danno o di mancato funzionamento scaturenti da colpa o negligenza del Compratore, dei suoi dipendenti e ausiliari o di terzi in genere, ivi compresa l'errata installazione, manutenzione. Il Compratore, in ogni caso, si impegna a tenere indenne e manlevare da eventuali richieste di danni e/o sanzioni amministrative il Venditore, qualora quest'ultime derivino dalla violazione da parte del Compratore degli obblighi sullo stesso gravanti, così come enunciati nel presente articolo.

• 9.7 La garanzia del Venditore non copre eventuali danni dovuti a parti soggette ad usura. La garanzia del Venditore non copre nemmeno eventuali danni dovuti ad errato magazzinaggio nei casi di Prodotti in tutto o in parte tenuti in magazzino dal Compratore prima dell'installazione, dell'uso o della eventuale rivendita agli acquirenti finali.

• 9.8 Fermo restando quanto disciplinato dall'art. 8 delle presenti Condizioni Generali (Reclami alla consegna) il Compratore è tenuto a denunciare al Venditore per iscritto la presenza di eventuali vizi riscontrati nel Prodotto entro 8 (otto) giorni dalla scoperta.

• 9.9 Tale denuncia deve essere effettuata con lettera raccomandata A/R anticipata via fax e/o tramite posta certificata (PEC). Qualsiasi denuncia del difetto dovrà specificare con precisione il difetto riscontrato ed i Prodotti cui esso si esplicita. E' esclusa ogni diversa forma di denuncia, ivi comprese a mezzo telefono o a mezzo agente o rappresentante.

• 9.10 In mancanza di tempestiva denuncia come sopra, il Compratore si intenderà decaduto da qualsiasi diritto ed azione per far valere la garanzia del Venditore in base alle presenti Condizioni Generali e/o alla legge.

• 9.11 Il materiale difettoso, previa autorizzazione, dovrà essere recapitato a cura del Compratore presso la sede del Venditore il quale, per effettuare la necessaria procedura di controllo, attribuirà un codice identificativo all'operazione di reso/rientro. Il Compratore dovrà pena il rifiuto della merce resa, indicare nei propri documenti di trasporto e consegna il codice identificativo predeterminato dal Venditore apponendo inoltre sui propri documenti di trasporto e consegna i dati identificativi del documento di trasporto (DDT), della fattura di addebito a suo tempo emessa dal Venditore cui le parti restituite si riferiscono, unite ad una descrizione scritta del difetto riscontrato. Tutti i Prodotti inviati per riparazione o sostituzione del prodotto in garanzia dovranno pervenire al Venditore con trasporto a carico del Compratore e dovranno essere spediti al seguente indirizzo: Agrisilos Srl. Ex. S.s. Padana Inferiore, 11/C – 26039 Vescovato (Cr). Il materiale inviato senza previa autorizzazione da parte del Venditore e/o con trasporto non prepagato non sarà ritirato/accettato. Le parti difettose diverranno di proprietà del Venditore a seguito della loro sostituzione.

• 9.12 Qualora il controllo presso la sede del Venditore dimostri l'esistenza del difetto denunciato, il Venditore, a suo insindacabile giudizio, potrà sostituire il Prodotto difettoso o, in alternativa, ripararlo e/o ripristinarlo a regola d'arte. L'eventuale sostituzione del Prodotto difettoso avverrà sempre "Ex Works" (Franco Fabbrica).

• 9.13 La garanzia concessa in base al presente articolo è da intendersi esclusiva e sostituisce ogni e qualsiasi altra forma eventuale di garanzia, sia essa prevista da norme di legge o da consuetudini commerciali.

• 9.14 Di conseguenza, è espressamente esclusa qualsiasi responsabilità del Venditore, contrattuale e/o extracontrattuale, per danni diretti o indiretti derivanti dai Prodotti forniti, fatti salvi esclusivamente i casi di dolo o colpa grave.

• 9.15 È altresì espressamente esclusa qualsiasi facoltà del Compratore di sospendere o ritardare pagamenti in caso di reclami, nonché di operare autonomamente riduzioni di prezzo e/o compensazioni tra gli importi dovuti dal Compratore medesimo a titolo di prezzo dei Prodotti e somme che quest'ultimo ritenga a lui dovute a qualsiasi titolo.

10. Installazione

Il servizio di installazione dei Prodotti è escluso, salvo espressa diversa pattuizzazione scritta accettata dal Venditore. Qualora la merce venga fornita in un kit di installazione, il Compratore dovrà procedere in via autonoma all'installazione dei prodotti, attenendosi scrupolosamente alle regole e/o istruzioni indicate nei relativi manuali del Venditore o in base alle nozioni ricevute presso i corsi tecnici formativi svolti dal proprio personale presso la sede del Compratore e successivo rilascio di regolare attestato di partecipazione. Agrisilos Srl, in ogni caso, non sarà responsabile in caso di installazione eseguita in difformità rispetto alle regole e/o istruzioni contenute nei manuali d'uso e, comunque, per qualsiasi operazione impropria non effettuata direttamente dalla stessa e/o da propri specifici incaricati.

11. Forza Maggiore

• 11.1 In ogni caso, il Venditore non sarà responsabile nei confronti del Compratore per l'inadempimento di qualsivoglia clausola delle presenti Condizioni Generali e/o del contratto di vendita, qualora l'adempimento sia reso impossibile o

successivamente oneroso a causa di eventi imprevedibili. Tra tali eventi sono da considerarsi inclusi, a titolo esemplificativo ma non limitativo: incendi, inondazioni, terremoti, esplosioni, incidenti, guerre, rivolte, insurrezioni, sabotaggi, epidemie, restrizioni per quarantena, scioperi, mancanza di mano d'opera, blocchi di trasporto, carenza di energia, mancanza di materie prime o di macchinari per la produzione dei Prodotti, eventi naturali ed atti di qualsiasi pubblica autorità, anche straniera.

• 11.2 Il Venditore non potrà ritenersi responsabile verso il Compratore, salvo il caso di dolo o colpa grave, per disservizi o malfunzionamenti connessi all'utilizzo della rete Internet al di fuori del controllo proprio o dei suoi sub-fornitori.

• 11.3 Qualora una causa di forza maggiore impedisca o ritardi la consegna dei Prodotti al Compratore o l'esecuzione di una qualsiasi altra obbligazione del Venditore per un periodo superiore a sei (6) mesi consecutivi, il Venditore avrà la facoltà di risolvere il contratto di vendita senza alcuna responsabilità di sorta nei confronti del Compratore, fatte salve le previsioni di legge di cui agli 1463 e ss. e 1467 e ss. c.c.

12. Accettazione e condizioni

• 12.1 Gli ordini d'acquisto verranno accettati solo se pervenuti in forma scritta, e/o inviati tramite fax o posta elettronica.

• 12.2 L'emissione dell'ordine sancisce l'accettazione delle presenti Condizioni Generali di Vendita confermate dal Compratore il quale rinuncia ad eventuali proprie condizioni generali di acquisto considerate singolarmente o nel loro complesso.

Segni Distintivi dei Prodotti

• 13.1 Il Compratore si impegna a non cancellare o rimuovere i marchi e gli altri segni distintivi o di identificazione apposti sui Prodotti.

• 13.2 Rimane inteso che, né con le presenti Condizioni Generali, né con i singoli contratti di vendita, vengono concessi al Compratore diritti di sorta (a titolo di licenza o a qualsiasi altro titolo) sui segni distintivi del Venditore. Qualsiasi utilizzo da parte del Compratore di segni distintivi del Venditore è da ritenersi vietato, salvo preventiva autorizzazione scritta in tal senso da parte del Venditore.

14. Risoluzione del contratto di vendita

• 14.1 Il Venditore ha diritto di rifiutarsi di dare corso e accettare ordini inoltrati sulla base delle presenti Condizioni Generali, oltre che nei casi espressamente previsti dalle presenti condizioni e dalla normativa applicabile, qualora intervenga qualsiasi modificazione nelle condizioni economiche del Compratore che ne comprometta la capacità di soddisfare le proprie obbligazioni o nel caso in cui il Compratore sia posto, a titolo d'esempio, in liquidazione, sia sottoposto a fallimento o ad altre procedure concorsuali.

• 14.2 In tal caso il Venditore avrà diritto di chiedere l'intero pagamento in un'unica soluzione di quanto ancora dovuto dal Compratore nei limiti consentiti dalla legge.

15. Diritti di proprietà industriale ed intellettuale

Il Venditore è e rimane l'esclusivo titolare di tutti i diritti di proprietà industriale ed intellettuale connessi con i Prodotti forniti, ivi incluse loro singole parti e la documentazione fornita.

16. Autonomia

Qualora una qualsiasi clausola delle presenti Condizioni Generali sia considerata invalida o inefficace, tale invalidità o inefficacia non comprometterà la validità delle altre clausole che continueranno ad avere piena efficacia.

17. Legge Applicabile

Le presenti Condizioni Generali, nonché qualsiasi contratto di vendita concluso tra il Venditore ed il Compratore, saranno regolati ed interpretati in conformità alla legge italiana.

18. Incoterms®2010

L'uso del termine "Ex Works" (Franco Fabbrica) nelle presenti Condizioni Generali, così come qualsiasi eventuale diverso termine di resa concordato tra Venditore e Compratore, sarà interpretato in conformità agli INCOTERMS®2010 della Camera di Comercio Internazionale (CCI) in vigore alla data della conclusione del contratto di vendita.

19. Solve et repete

Per patto espresso tra le parti, qualunque contestazione fosse sollevata dal Compratore non potrà sospendere l'obbligo di quest'ultimo di pagare alle date fissate le somme dovute, né gli altri obblighi assunti con il contratto.

20. Giurisdizione e Foro Competente

Per ogni e qualsiasi controversia derivante dalle presenti Condizioni Generali e dai contratti di vendita conclusi sulla base delle stesse, la giurisdizione esclusiva sarà quella italiana e la competenza apparirà in via esclusiva al Foro di Cremona.

MODULO ORDINI ITALIA

RAGIONE SOCIALE

riferimento cliente

N. ORDINE (*progressivo*)

DATA ORDINE

EMESSO DA:

RITIRO A MEZZO:

CORRIERE CONVENZIONATO AGRISILOS

CORRIERE DI LINEA

CORRIERE ESPRESSO

MEZZO / CORRIERE CLIENTE

ATTENZIONE: IN QUESTO CASO I CONTATTI CON I CORRIERI NON CONVENZIONATI CON AGRISILOS E I RITIRI VANNO ORGANIZZATI DIRETTAMENTE DAL CLIENTE

NOTE ORDINE:

ATTENZIONE: IMPORTO MINIMO D'ORDINE ACCETTATO = 200 € (ESCLUSE TASSE)